



# SureWerx™

SureWerx™

2017 U.S. SAFETY CATALOG



# SAFETY PRODUCTS

## 2017 U.S. CATALOG

**sellstrom**



**KneePro**






**SureWerx™**

Our Family of Safety Brands

***sellstrom***®



**PEAKWORKS®**



**KneePro**



**SureWerx™**

# WHEN SAFETY & PRODUCTIVITY COUNTS

SureWerx is a wholesale supplier of premium quality tool, equipment and safety products specifically developed for the professional markets. Based in Vancouver, British Columbia with warehouse operations in New York, Illinois and across Canada, SureWerx provides one of the widest ranges of industry leading products under several exceptional corporate brands including:

**Tools & Equipment (Canada):**

- JET®
- Strongarm®
- ITC®
- STARTECH®

**Tools & Equipment (USA):**

- American Forge & Foundry®

**Safety Products (Canada & USA):**

- Sellstrom
- Pioneer®
- Ranpro®
- PeakWorks®
- KneePro

Our professional “One-Source” product portfolio includes: hand tools, tool storage, shop equipment, lube/fluid transfer, air tools material handling, hydraulic lifting equipment, lighting, abrasives and cutting tools, Hi-Vis safety apparel, FR safety apparel, rain wear, work wear, work boots, PPE and fall protection products.

In 2000, SureWerx made its first acquisition in the U.S., American Forge & Foundry (AFF) based in Albany New York. This became the base of operations for our U.S. tool business, and over the past 16 years, AFF has grown to become a leader in hydraulic lifting products to the professional automotive, tire and heavy duty markets.

This past November SureWerx acquired Sellstrom Manufacturing Co., a 93 year old PPE and welding safety brand based in Schaumburg, Illinois. This acquisition is perfectly aligned with our corporate strategy to expand into the U.S. safety market.

Sellstrom provides SureWerx the opportunity to not only expand their existing PPE and welding safety portfolio, but further provides a platform in which to pull our Canadian safety brands into the U.S.

Our goal is to become a complete “One-Source” supplier of tool and safety products in North America, and to this end we continue to search for complimentary brands to acquire. In June of 2016, we successfully acquired KP Industries, the designer and manufacturer of KneePro, the world’s best knee and elbow protection products based in Michigan. This business has now been fully integrated into our Sellstrom operations in Illinois.

Since November 2015, we have been working diligently to achieve our “One-Source” strategy. We are very excited then to present this catalog that showcases the first of many steps we will be taking towards achieving this goal. In this catalog you will find a broadly expanded Sellstrom PPE portfolio, including a completely revamped safety glass program, several new face shields and goggles, the addition of a complete line of hearing protection as well as the full range of KneePro knee pads and ArmorGard elbow pads.

Also included in this catalog is our full line, highly competitive PeakWorks fall protection portfolio, a wide range of Pioneer Hi-Vis safety apparel products and our premium Ranpro polyurethane safety boots. These line additions are the first of many new product initiatives that will be introduced into the U.S. over the next couple of years.

We are passionate about the safety and productivity of the North American worker. By supplying only the highest quality, solution based and innovative products and brands, we have earned their trust time and again. Our brands offer workers the peace of mind they need to take on any job, large or small.

**About *sellstrom*®**

Founded in 1923 and based in Illinois, Sellstrom Manufacturing Co., is one of the oldest American brands of safety products. Almost 100 years ago, Sellstrom originally focused on developing innovative products for the welding industry. Today Sellstrom offers a comprehensive range of PPE safety products including: face shields; safety glasses; safety goggles; eyewash; hearing protection; head protection; welding helmets; ADF’s; welding curtains; welding blankets. Sellstrom is also America’s leading provider of Germicidal cabinets widely used in the educational and medical industries for eyewear and goggles sanitization.

Sellstrom products are tested to, and meet all of the rigorous standards for quality and safety performance as required by the various standards organizations for each of its products. These standards can include ANSI, OSHA, CSA, CE, ASTM depending on the product involved.

But we don’t stop there. Unlike many competitors, we further ensure the quality and safety of our products by managing our own in-house, fully accredited test lab which carefully tests and monitors all products flowing through to our customers.

Finally, Sellstrom implemented a quality management system to ensure that manufacturing procedures and product quality were constantly advancing. As a testament to our commitment to that process, Sellstrom has earned ISO 9001 certification through ABS Quality Evaluations, an ISO Registrar.

So when you want peace of mind in the workplace – think Sellstrom!

## About

Established in 2008 in Hamilton, Ontario, PeakWorks is a full service fall protection provider with 100% safety focus. Passionate about providing workers-at-height peace of mind, PeakWorks team of engineers not only know and understand industry standards, they help develop them. As active members of both the ANSI and CSA standards committees, they are committed to providing the safest and most advanced fall protection products in the industry.

The PeakWorks product portfolio includes: harnesses; belts; lanyards; retractable horizontal lifelines; SRL's (including the world's most advanced SRL's certified to the new ANSI Leading Edge standard); roofing kits; ropes; grabs; lifelines; anchorage connectors; confined space kits; rescue products. All products that fall under the ANSI and/or CSA 2015 standards have been third party certified to those standards.

The full range of PeakWorks products can be found in this catalog and are now available through our Sellstrom operations in Illinois.

## About

Established in 1887 in Vancouver, British Columbia, Pioneer is one of the oldest surviving brands in Western Canada. For over 125 years, Pioneer has been designing and providing high quality, durable outerwear to professional workers across Canada. Coming from the rain capital of North America, we know how to build protective clothing that stays dry, is comfortable, safe and stands up to the toughest and harshest weather extremes.

The Pioneer portfolio is extremely wide ranging and includes: Hi-Viz safety apparel; traffic safety apparel; flame resistant apparel; arc flash apparel; workwear; rainwear; footwear; welding apparel.

Pioneer products featured in this U.S. catalog include a comprehensive range of popular Hi-Viz and FR rated safety apparel items. These products incorporate our outstanding in-house designed quality features, but have been modified and tested to meet all U.S. safety standard requirements. Over the next couple of years, we will be aggressively expanding the Pioneer line into the U.S.

## About

Established in 1865 in Ontario, Ranpro is a designer and manufacturer of technical rainwear, welding apparel and polyurethane safety boots. For almost 150 years, Ranpro has been a leading brand in the commercial fishing and agricultural industries in Eastern Canada. More recently it has become well known for its technical rainwear products. Today, Ranpro offers the following products: commercial rainwear; chemical resistant rainwear; FR and arc flash rated rainwear; welding apparel; premium polyurethane safety boots.

Initially we are offering our two most popular styles of polyurethane safety boots into the U.S. (found in this catalog). Our Ranpro ultra-high quality polyurethane safety boots are manufactured exclusively for SureWerx in Europe, and incorporate some of the most advanced technological designs and materials, offering outstanding performance, life and comfort. Ranpro boots are used in the toughest

applications such as the oil & gas, mining, commercial fishing, food processing, agricultural and chemical industries.

Like Pioneer we anticipate an aggressive expansion into many other Ranpro branded products over the next couple of years.

## About

Established in 1990, KP Industries is the original designer and manufacturer of the now famous KneePro series of knee pads, sold extensively in the U.S. and around the globe. The KneePro Ultra Flex III knee pad is regarded as one of the best knee pads in the market, incorporating superior design features and functionality that provide outstanding comfort, fit, durability and safety to users in a wide range of applications. The unique, articulating hinge results in a jointed knee pad that stays in place. The exclusive Grip Strip front pad provides added comfort and non-slip characteristics on many surfaces. It is now also available using an advanced, extra thick Gel pack incorporated into an extra thick ¾" closed cell foam pad. Talk about comfort – our Hybrid Ultra Flex III is the ultimate in knee protection!

KP Industries also offers other knee pads including the ZeroGravity ultra-lightweight product and an industry leading elbow pad under the ArmorPro brand.

In June of this year, SureWerx acquired KP Industries and has fully integrated this great product line into our Sellstrom operations in Illinois. This product is prominently featured in this catalog and is readily available to our customer base across North America by calling Sellstrom.

# TABLE OF CONTENTS

SELLSTROM PERSONAL PROTECTIVE EQUIPMENT	6-78
SELLSTROM WELDING PROTECTION	79-108
PEAKWORKS FALL PROTECTION	110-156
PIONEER SAFETY APPAREL	158-177
RANPRO SAFETY BOOTS	178-181
INDEX	182





***sellstrom***®

Product that works.

# PERSONAL PROTECTIVE EQUIPMENT

## TABLE OF CONTENTS

FACE PROTECTION	8-28
EYE PROTECTION - GOGGLES	30-41
EYE PROTECTION - SAFETY GLASSES	42-52
EMERGENCY EYEWASH/SHOWER PRODUCTS	57-63
HEARING PROTECTION	64-69
HEAD PROTECTION	70-72
KNEE AND ELBOW PROTECTION	74-78





**sellstrom**<sup>®</sup>

Product that works.

**FACE PROTECTION**

**SHIELDING  
YOU FROM  
THE ELEMENTS**



Please note: Always wear safety glasses when using face shields.

## DP4 FACE SHIELDS – PREMIUM MULTI-PURPOSE



S32010

### DP4 Multi-Purpose Face Shield System

- Sellstrom's exclusive multi-purpose DP4 face shield system has been an industry leader for more than 15 years
- The DP4 offers an incredible range of face protection solutions

### DP4 Face Shield Only

- As a standard face shield, the DP4's specially designed molded polycarbonate window curves naturally to fit facial contours
- Offers exceptional panoramic views with virtually no distortion
- Window meets high impact standards and is chemical resistant
- Available in three full sized window options: clear anti-fog (S32010), Shade 3 IR (S32030) or Shade 5 IR (S32050)
- Standard DP4 face shields feature a premium ratcheting headgear for maximum operator comfort and convenience.

## FACE SHIELDS – PREMIUM MULTI-PURPOSE

### DP4 Face Shield with Flip Up/Flip Down IR Windows

- The DP4 face shield is also available featuring a unique spring mounted flip-up/flip-down IR window (4.375" x 9.25" x .070")
- It's easy and safe - by keeping the full size DP4 clear window in the down position at all times, the operator can flip the spring mounted IR Shaded window up or down providing uninterrupted face protection during cutting and grinding operations
- Flip Visor available in:
  - Shade 5 IR for: oxy/acetylene cutting, brazing and plasma cutting
  - Shade 6 IR for: oxy/acetylene cutting, brazing and plasma cutting
  - Shade 8 IR for: oxy/acetylene welding and plasma cutting
  - Shade 6B Cobalt Blue for: oxy/acetylene welding of aluminum and cast iron, in metal and glass furnace foundry work
  - Cobalt Blue diffuses the orange glow associated with the sodium in molten metal and glass
- DP4 multi-purpose face shields are available in three mounting options: premium ratcheting headgear suspension, exclusive universal slot adaptors (for mounting on slotted hard hats) or Zip-Klip adaptors (for mounting on non-slotted hard hats)

### DP4 Face Shields Now Available With Optional Chin Guard

- **New!** - all DP4 face shields can now be fitted with optional chin guard (S32200) for added below-the-neck protection during cutting and grinding operations
- DP4 Face shields can be ordered with the chin guard included, or if you already own a DP4 face shield, the chin guard can be ordered separately and easily attached by the operator

### DP4 Safety Standards

- All DP4 models meet or exceed **ANSI Z87.1-2015** standards
- **Models S32010, S32151, S32181, S32012, S32152, S32182, S32210, S32212, S32251, S32281** are CUL certified to CAN/CSA Z94.3 standards
- Model **S32010** has also been CE Certified



S32151



S32251





S32010



S32050



S32210



S32012

## FACE SHIELDS – PREMIUM MULTI-PURPOSE

### DP4 Series – Crown, Window & Ratcheting Headgear Only

- Face shield comes with:
  - stylish crown
  - full 9" x 12.125" x 0.060" molded polycarbonate AF window
  - premium ratcheting headgear suspension (S32011)

Prod. No.	Crown	Suspension	Window	Coatings	Chin Guard
S32010	Black	Ratcheting	Clear	Anti-Fog	No
S32030	Black	Ratcheting	Shade 3 IR	Uncoated	No
S32050	Black	Ratcheting	Shade 5 IR	Uncoated	No
S32210	Black	Ratcheting	Clear	Anti-Fog	Yes <b>NEW</b>

### DP4 Series – Crown, Window & Universal Hard Hat Slot Adaptor Only

- Face shield comes with:
  - stylish crown
  - full 9" x 12.125" x 0.060" molded polycarbonate AF window
  - exclusive universal slot hard hat adaptor (S61970)
  - fits most slotted hard hats

Prod. No.	Crown	Suspension	Window	Coatings	Chin Guard
S32012	Black	Univ. Adapt.	Clear	Anti-Fog	No
S32032	Black	Univ. Adapt.	Shade 3 IR	Uncoated	No
S32052	Black	Univ. Adapt.	Shade 5 IR	Uncoated	No
S32212	Black	Univ. Adapt.	Clear	Anti-Fog	Yes <b>NEW</b>

### DP4 Series – Crown, Window & Zip-Klip Hard Hat Adaptor Only

- Face shield comes with:
  - stylish crown
  - full 9" x 12.125" x 0.060" molded polycarbonate AF window
  - Zip-Klip hard hat adaptor (S61800)
  - fits most non-slotted cap style hard hats

Prod. No.	Crown	Suspension	Window	Coatings	Chin Guard
S32013	Black	Zip-Klip	Clear	Anti-Fog	No



S32052



S32013

# FACE SHIELDS – PREMIUM MULTI-PURPOSE

## DP4 Series – c/w Flip-Up IR Window & Ratcheting Headgear

- Multi-Purpose face shields come with:
  - stylish crown
  - full 9" x 12.125" x 0.060" molded polycarbonate AF window
  - 4.375" x 9.25" x .070" flip-up/flip-down IR visor
  - premium ratcheting headgear suspension (S32011)

Prod. No.	Crown	Suspension	Window	Coatings	Flip Visor	Chin Guard	
S32151	Black	Ratcheting	Clear	Anti-Fog	Shade 5 IR	No	
S32161	Black	Ratcheting	Clear	Anti-Fog	Shade 6 IR	No	
S32161B	Black	Ratcheting	Clear	Anti-Fog	Shade 6 Cobalt	No	
S32181	Black	Ratcheting	Clear	Anti-Fog	Shade 8 IR	No	
S32251	Black	Ratcheting	Clear	Anti-Fog	Shade 5 IR	Yes	<b>NEW</b>
S32261	Black	Ratcheting	Clear	Anti-Fog	Shade 6 IR	Yes	<b>NEW</b>
S32281	Black	Ratcheting	Clear	Anti-Fog	Shade 8 IR	Yes	<b>NEW</b>



S32151



S32251

## DP4 Series – c/w Flip-Up IR Window & Universal Hard Hat Slot Adaptor

- Multi-Purpose face shields come with:
  - stylish crown
  - full 9" x 12.125" x 0.060" molded polycarbonate AF window
  - 4.375" x 9.25" x .070" flip-up/flip-down IR visor
  - exclusive universal slot hard hat adaptor (S61970)
  - fits most slotted hard hats

Prod. No.	Crown	Suspension	Window	Coatings	Flip Visor	Chin Guard	
S32152	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 5 IR	No	
S32162	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 6 IR	No	
S32162B	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 6 Cobalt	No	
S32182	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 8 IR	No	
S32252	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 5 IR	Yes	<b>NEW</b>
S32262	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 6 IR	Yes	<b>NEW</b>
S32282	Black	Univ. Adapt.	Clear	Anti-Fog	Shade 8 IR	Yes	<b>NEW</b>



S32152

*Sellstrom Universal Slot Adaptor fits most slotted hard hats.*



S32153

Exclusive Zip-Klip Adapter fits most non-slotted hard hats.



S32000



S32003



S32155

## FACE SHIELDS – PREMIUM MULTI-PURPOSE

### DP4 Series – c/w Flip-Up IR Window & Zip-Klip Hard Hat Adaptor

- Multi-Purpose face shields come with:
  - stylish crown
  - full 9" x 12.125" x 0.060" molded polycarbonate AF window
  - 4.375" x 9.25" x .070" flip-up/flip-down IR visor
  - Zip-Klip hard hat adaptor (S61800)
  - fits most non-slotted cap style hard hats

Prod. No.	Crown	Suspension	Window	Coatings	Flip Visor	Chin Guard	
S32153	Black	Zip-Klip	Clear	Anti-Fog	Shade 5 IR	No	
S32163	Black	Zip-Klip	Clear	Anti-Fog	Shade 6 IR	No	
S32163B	Black	Zip-Klip	Clear	Anti-Fog	Shade 6 Cobalt	No	
S32183	Black	Zip-Klip	Clear	Anti-Fog	Shade 8 IR	No	
S32253	Black	Zip-Klip	Clear	Anti-Fog	Shade 5 IR	Yes	<b>NEW</b>
S32263	Black	Zip-Klip	Clear	Anti-Fog	Shade 6 IR	Yes	<b>NEW</b>
S32283	Black	Zip-Klip	Clear	Anti-Fog	Shade 8 IR	Yes	<b>NEW</b>

### DP4 Series Replacement Windows & Parts

Prod. No.	Description	Fits Models
S32000	Black crown (only) for standard face shields	All standard face shields
S32001	Black crown (only) for flip front visor models	All flip-up face shields
S32003	Black crown with universal slot adaptor for all USA flip-up face shields flip-up visor models	All USA flip-up face shields
S32100	9" x 12.125" x .060" clear anti-fog window	All DP4 models
S32130	9" x 12.125" x .060" Shade 3 IR window	S32030
S32150	9" x 12.125" x .060" Shade 5 IR window	S32050
S32155	4.375" x 9.25" x .070" Shade 5 IR visor	S32151, S32152, S32153, S32251, S32252
S32166	4.375" x 9.25" x .070" Shade 6 IR visor	S32161, S32162, S32163, S32261, S32262
S32166B	4.375" x 9.25" x .070" Shade 6 Cobalt Blue visor	S32161B, S32162B, S32163B
S32188	4.375" x 9.25" x .070" Shade 8 IR visor	S32181, S32182, S32183, S32281, S32282
S32011	Replacement ratcheting headgear	S32010, S32030, S32050, S32151, S32161, S32161B, S32181, S32210, S32251, S32261, S32281
S32200	Optional chin guard only	All DP4 models



S32011



S32200



## FACE SHIELDS – PREMIUM MEDICAL/LABORATORY

### 311 Series Face Shields

- Sellstrom’s 311 Series face shields offer all of the great features found in the 380 Series product, except the crown and chin guards are molded in a white, non-glare finish instead of blue
- Available with a 6 ½” x 19 ½” x 0.040” clear window (S36040) with Sta-Clear Anti-Fog treatment or a 8” x 12” x 0.040” clear window (S35040)
- **Made in the USA**
- **Meets ANSI Z87.1+ High Impact Standards**

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S31140	White	White	Ratcheting	Clear	Sta-Clear™ Anti-Fog
S32140	White	No	Ratcheting	Clear	Sta-Clear™ Anti-Fog



S31140



S32140



Please note: Always wear safety glasses when using face shields.

## 380 FACE SHIELDS – PREMIUM DUAL CROWN



**AN  
AMERICAN  
LEGEND!**



S38110

### 380 Series Face Shields

- Sellstrom's 380 Series "Dual Crown" face shields have been the industry standard for decades
- **Made in the USA**, these premium face shields are manufactured using superior, extra wide acetate windows
- Acetate windows are inherently chemical and scratch resistant, therefore eliminating the need to apply additional hard coat treatments
- Anti-fog models are treated using an exclusive "Sta-Clear™" chemical solution that is superior to other anti-fog treatments
- These face shields are virtually 100% fog free
- The 380 series "crown and chin" combination offers an exclusive extra-wide side window, as well as oversized crown and chin guards
- You can't buy better protection from splashes, flying particles and debris
- Complete units feature premium 6 ½" x 19 ½" x 0.040" clear, Sta-Clear Anti-Fog, Shade 5 IR and Dark Green tinted acetate windows
- Windows attach using exclusive Sellstrom patterned pin mount design
- Available with exclusive Sellstrom designed Ratchet Headgear suspension (S27051), Universal Slotted Hard Hat Adapter (S61970) or Zip-Klip Hard Hat Adaptors (S61800)



# FACE SHIELDS – PREMIUM DUAL CROWN

## 380 Series “MAX LIGHT” – See-Through Crown & Chin Increases Visibility

- **New!** - Sellstrom introduces their new 380 Series “MAX LIGHT” face shield
- These exclusive USA made face shields incorporate a super clear polycarbonate crown & chin guard for increased clarity, visibility and light availability
- Ideal for low light environments and where significantly increased panoramic vision and field of view is an advantage

**NEW!**

## 380 Series Safety Standards


- 380 Series face shields meet or exceed **ANSI Z87.1-2015** standards
- **Models S38110, S38140, S38150, S38210, S38310** are **CUL Certified to CAN/CSA Z94.3** standards
- Model **S38110** is **CE Certified**



**sellstrom**  
Product that works.



S38410





S38110



S38440



S38210



S38540

## FACE SHIELDS – PREMIUM DUAL CROWN

### 380 Series – Dual Crown, Window & Ratcheting Headgear

- Face shield comes with:
  - extra-large high impact blue crown and chin protector
  - premium acetate extra-wide scratch resistant windows
  - premium ratcheting headgear suspension (S27051)

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S38110	Blue	Blue	Ratcheting	Clear	Uncoated
S38140	Blue	Blue	Ratcheting	Clear	Sta-Clear™ Anti-Fog
S38150	Blue	Blue	Ratcheting	Shade 5 IR	Uncoated

### 380 Series “MAX LIGHT” – Dual Crown, Window & Ratcheting Headgear

- Face shield comes with:
  - extra-large high impact clear crown and chin protector
  - premium acetate extra-wide scratch resistant windows
  - premium ratcheting headgear suspension (S27051)

**NEW!**

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S38410	Clear	Clear	Ratcheting	Clear	Uncoated
S38440	Clear	Clear	Ratcheting	Clear	Sta-Clear™ Anti-Fog

### 380 Series – Dual Crown, Window & Universal Hard Hat Slot Adaptor

- Face shield comes with:
  - extra-large high impact blue crown and chin protector
  - premium acetate extra-wide scratch resistant windows
  - exclusive universal hard hat slot adaptor (S61970)
  - fits most slotted hard hats

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S38210	Blue	Blue	Univ. Adapt.	Clear	Uncoated
S38230	Blue	Blue	Univ. Adapt.	Dark Green*	Uncoated
S38240	Blue	Blue	Univ. Adapt.	Clear	Sta-Clear™ Anti-Fog
S38250	Blue	Blue	Univ. Adapt.	Shade 5 IR	Uncoated

\* Not for use as IR protection

### 380 Series “MAX LIGHT” - Dual Crown, Window & Universal Hard Hat Slot Adaptor

- Face shields come with:
  - extra-large high impact clear crown and chin protector
  - premium acetate extra-wide scratch resistant windows
  - exclusive universal hard hat slot adaptor (S61970)
  - fits most slotted hard hats

**NEW!**

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S38510	Clear	Clear	Univ. Adapt.	Clear	Uncoated
S38540	Clear	Clear	Univ. Adapt.	Clear	Sta-Clear™ Anti-Fog

## FACE SHIELDS – PREMIUM DUAL CROWN

### 380 Series – Dual Crown, Window & Zip-Klip Hard Hat Adaptor

- Face shields come with:
  - extra-large high impact blue crown and chin protector
  - premium acetate extra-wide scratch resistant windows
  - Zip-Klip hard hat adaptor (S61800)
  - fits most non-slotted cap style hard hats

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S38310	Blue	Blue	Zip-Klip	Clear	Uncoated
S38340	Blue	Blue	Zip-Klip	Clear	Sta-Clear™ Anti-Fog

### 380 Series “MAX LIGHT” – Dual Crown, Window & Zip-Klip Hard Hat Adaptor

- Face shields come with:
  - extra-large high impact clear crown and chin protector
  - premium acetate extra-wide scratch resistant windows
  - Zip-Klip hard hat adaptor (S61800)
  - fits most non-slotted cap style hard hats

**NEW!**

Prod. No.	Crown	Chin	Suspension	Tint	Coatings
S38610	Clear	Clear	Zip-Klip	Clear	Uncoated
S38640	Clear	Clear	Zip-Klip	Clear	Sta-Clear™ Anti-Fog

### 380 Series Replacement Windows

- Sellstrom carries a wide range of replacement acetate windows
- Available in clear, Sta-Clear™ Anti-Fog, Shade 5 IR & dark green
- All windows listed below fit the Sellstrom 380 Series dual crown platform
- Windows attachment pattern exclusive to Sellstrom’s 380 Series crown

Prod. No.	Window Dimensions	Tint	Coatings
S36000	6 1/2" x 19 1/2" x 0.040"	Clear	Uncoated
S36020	6 1/2" x 19 1/2" x 0.040"	Dark Green*	Uncoated
S36040	6 1/2" x 19 1/2" x 0.040"	Clear	Sta-Clear™ Anti-Fog
S36050	6 1/2" x 19 1/2" x 0.060"	Shade 5 IR	Uncoated

\* Not for use as IR protection

Please note: for replacement ratcheting headgear use #S27051.

**sellstrom**  
Product that works.



S38310



S38610



S36000



S36050



## 390 FACE SHIELDS – PREMIUM SINGLE CROWN



S39110

### 390 Series Face Shields

- Sellstrom's 390 Series face shields have been the industry standard for decades
- **Made in the USA**, these premium face shields are manufactured using superior acetate windows
- Acetate windows are inherently chemical and scratch resistant, therefore eliminating the need to apply additional hard coat treatments
- Anti-fog models are treated using an exclusive "Sta-Clear" chemical solution that is superior to other anti-fog treatments
- These face shields are virtually 100% fog free
- The shield curves naturally to fit facial contours – excellent protection from splash, chemical splash, particles and flying debris
- Extra-large high impact crown provides excellent above-the-head coverage
- Complete units available with standard 8" x 12" x .040" clear, Sta-Clear Anti-Fog and Shade 5 IR acetate windows
- Extra-large 8" x 16" x .040 windows are also available (optional)
- Windows attach using exclusive Sellstrom patterned pin mount design
- Headgear models available with Pin-Lock or Sellstrom's exclusive Ratcheting Headgear suspensions (S27051)
- Also available with Universal Slotted Hard Hat Adapter (fits most slotted hard hats) or Zip-Klip Hard Hat Adaptors (for non-slotted hard hats)

# FACE SHIELDS – PREMIUM SINGLE CROWN


## 390 SERIES SAFETY STANDARDS

- 390 Series face shields meet or exceed **ANSI Z87.1-2015** standards
- Models **S39010, S39110, S39140, S39100** are CUL Certified to **CAN/CSA Z94.3**
- Models **S39000** and **S39100** are CE Certified

Single crown style is lightweight and allows for increased air circulation.



Impact resistant acetate windows available in clear, anti-fog and Shade 5 IR.



Available with adjustable ratchet headgear suspension for a custom fit at the turn of the knob.

Meets ANSI Z87.1+ High Impact standards and CUL certified to meet CAN/CSA Z94.3 standards.

Patterned pin mount design allows for quick and simple window replacement - requires no tools



S39010



S39110



S39150



S39210

## FACE SHIELDS – PREMIUM SINGLE CROWN

### 390 Series – Single Crown, Window & Pin-Lock Headgear

- Face shield comes with:
  - extra-large high impact blue crown
  - premium acetate scratch resistant windows (two sizes available)
  - pin-lock headgear suspension

Prod. No.	Crown	Suspension	Window Dim.	Tint	Coatings
S39010	Blue	Pin-Lock	8" x 12" x .040"	Clear	Uncoated
S39020	Blue	Pin-Lock	8" x 16" x .040"	Clear	Uncoated
S39040	Blue	Pin-Lock	8" x 12" x .040"	Clear	Sta-Clear™ Anti-Fog
S39050	Blue	Pin-Lock	8" x 12" x .060"	Shade 5 IR	Uncoated

### 390 Series – Single Crown, Window & Ratcheting Headgear

- Face shield comes with:
  - extra-large high impact blue crown
  - premium acetate scratch resistant windows (two sizes available)
  - premium ratcheting headgear suspension (S27051)

Prod. No.	Crown	Suspension	Window Dim.	Tint	Coatings
S39110	Blue	Ratcheting	8" x 12" x .040"	Clear	Uncoated
S39120	Blue	Ratcheting	8" x 16" x .040"	Clear	Uncoated
S39140	Blue	Ratcheting	8" x 12" x .040"	Clear	Sta-Clear™ Anti-Fog
S39150	Blue	Ratcheting	8" x 12" x .060"	Shade 5 IR	Uncoated

### 390 Series – Single Crown, Window & Universal Hard Hat Slot Adaptor

- Face shield comes with:
  - extra-large high impact blue crown
  - premium acetate scratch resistant windows
  - exclusive universal hard hat slot adaptor (S61970)
  - fits most slotted hard hats

Prod. No.	Crown	Suspension	Window Dim.	Tint	Coatings
S39210	Blue	Univ. Adapt.	8" x 12" x .040"	Clear	Uncoated
S39250	Blue	Univ. Adapt.	8" x 12" x .060"	Shade 5 IR	Uncoated



S39250

## FACE SHIELDS – PREMIUM SINGLE CROWN

### 390 Series – Single Crown & Headgear Only (No Window)

- Comes with:
  - extra-large high impact blue crown
  - headgear suspension of your choice
  - windows ordered separately (see window assortment below)

Prod. No.	Crown	Suspension
S39000	Blue	Pin-Lock headgear
S39100	Blue	Ratcheting headgear
S39200	Blue	Universal Hard Hat Slot Adaptor (S61970 for slotted hard hats)
S39300	Blue	Zip-Klip Hard Hat Adaptor (S61800 for non-slotted hard hats)

### 390 Series Replacement Windows

- Sellstrom carries a wide range of replacement/optional premium acetate windows
- Available in clear, Sta-Clear™ Anti-Fog, Shade 5 IR & dark green
- All windows listed below can be fitted to the Sellstrom 390 Series crown
- Window attachment pattern exclusive to Sellstrom's 390 Series crown

Prod. No.	Window Dimensions	Tint	Coatings
S35000	8" x 12" x 0.040"	Clear	Uncoated
S35020	8" x 12" x 0.040"	Dark Green*	Uncoated
S35040	8" x 12" x 0.040"	Clear	Sta-Clear™ Anti-Fog
S35050	8" x 12" x 0.060"	Shade 5 IR	Uncoated
S35100	8" x 16" x 0.040"	Clear	Uncoated
S35120	8" x 16" x 0.040"	Dark Green*	Uncoated
S35140	8" x 16" x 0.040"	Clear	Sta-Clear™ Anti-Fog
S35150	8" x 16" x 0.040"	Shade 5 IR	Uncoated

\* Not for use as IR protection

## FACE SHIELDS – REPLACEMENT PARTS

### Replacement Headgear

- Sellstrom designed ratcheting headgear allows quick and easy, positive lock adjustability and great operator comfort

Prod. No.	Description	Fits Series	Package Qty.
S27051	Replacement ratcheting headgear	311, 380, 390	12/box

### Replacement Zip-Klip Adaptors

- Replacement Zip-Klip face shield bracket adaptors
- Exclusive - designed to mount Sellstrom DP4 & 380 series face shields to non-slotted hard hats

Prod. No.	Description	Fits Series	Package Qty.
S61800	Replacement Zip-Klip adaptor	DP4, 380	12/box



S39000



S39100



S39200



S35000



S35050



S27051



S61800



## 312 FACE SHIELDS – PREMIUM ARC FLASH RATED



S31200

**ARCFLASH™**

### 312 Series Arc Flash Rated Face Shields

- Sellstrom Arc Flash rated face shields provide protection from low level arc flash hazards
- Arc Flash is created by an electric arc and can result in an explosive condition releasing electromagnetic energy, fragments and molten metals that can cause serious injury
- Sellstrom Arc Flash face shields feature a unique, molded high-impact and splash resistant polycarbonate window
- Provides optimum clarity with no distortion and panoramic vision
- Specially formulated window incorporates a light green tinted window that allows 55% light transmittance and true color optics
- These true color optics allow the operator to see all colors perfectly. This is critical when working around color coded wiring in electrical applications
- Two window versions: 9.9 Cal/cm<sup>2</sup> and 12 Cal/cm<sup>2</sup> ATPV rating
- Face shield curves naturally to fit facial contours, providing superior protection
- Available with or without hard hat, with a dielectric hard hat adaptor

### 312 Standards

- All product meets **ANSI Z87.1+ High Impact** standards, Tested and certified to **ASTM F-2178** specifications and **NFPA 70E-2009** standards



# FACE SHIELDS – PREMIUM ARC FLASH RATED

## 312 Series – Dual Crown, Window, & Ratcheting Headgear

- This model comes with:
  - premium ratcheting headgear (S32011)
  - black high-impact crown and chin protector
  - 9.9 Cal/cm<sup>2</sup> molded polycarbonate window

Prod. No.	Crown	Chin	Suspension	Window Dim.	Treatment
S31200	Black	Black	Ratcheting	8" x 15" x .060"	Uncoated



S31200

## 312 Series – Dual Crown, Window, & Universal Hard Hat Slot Adaptor

- This model comes with:
  - black high-impact crown and chin protector
  - universal slotted dielectric hard hat adaptor (S61970)
  - 9.9 Cal/cm<sup>2</sup> molded polycarbonate window

Prod. No.	Crown	Chin	Suspension	Window Dim.	Treatment
S31201	Black	Black	Univ. Adapt.	8" x 15" x .060"	Uncoated



S31201

## 312 Series – Window, Adapter Bracket & Hard Hat Combination

- This model comes with:
  - Sellstrom six point suspension white hard hat (S69500)
  - Dielectric face shield bracket with slot adaptors (S61610)
  - 12 Cal/cm<sup>2</sup> molded polycarbonate window

Prod. No.	Helmet	Visor	Window Dimensions	Treatment
S31223	White	Black	9-3/4" x 20" x .060"	Uncoated



S31223

## 312 Series – Window & Adapter Bracket with Hard Hat Slot Adaptors

- This model comes with:
  - Dielectric face shield bracket with hard hat slot adaptors (S61610)
  - 12 Cal/cm<sup>2</sup> molded polycarbonate window

Prod. No.	Visor	Suspension	Window Dimensions	Treatment
S31224	Black	Univ. Adapt.	9-3/4" x 20" x .060"	Uncoated



S31224

## 312 Series – Replacement Windows

Prod. No.	Window Dimensions	ATPV Rating	Treatment	Fit's Models
S31220	8" x 15" x .060"	9.9 Cal/cm <sup>2</sup>	Uncoated	S31200, 31201, 31202
S31222	9-3/4" x 20" x .060"	12 Cal/cm <sup>2</sup>	Uncoated	S31223, 31224



S30100



S30110



S30120



S30310

## FACE SHIELDS – ADVANTAGE SERIES

### 301/303 Advantage Series

- Sellstrom now offers a complete range of basic, economically priced face shields and windows under our Advantage Series program
- ABS injection molded crowns feature universal bracket pin pattern for use with universal mount windows
- Complete units available in single crown (301 Series) and dual crown (303 Series) versions with ratcheting headgear suspension
- Single crown units are available:
  - complete with standard or aluminum bound windows and ratcheting headgear or;
  - purchase the crown and headgear only and choose from a wide range of universal mount windows below

### Advantage Series Standards

- All models meet **ANSI Z87.1+ High-Impact** standards and are **CUL certified to Can/CSA Z94.3 standards**

### 301 Series – Single Crown & Ratcheting Headgear Only

- Grey ABS crown and comfortable ratcheting headgear
- Crown can be used to mount all Sellstrom universal face shield windows as well as many other common brands found in the North American market
- Extremely versatile face shield mounting system

Prod. No.	Crown	Suspension	Window Compatibility
S30100	Grey	Ratcheting	Most universal face shield windows

### 301 Series – Single Crown, Window & Ratcheting Headgear

- Grey ABS crown and comfortable ratcheting headgear suspension
- Crown can be used to mount all Sellstrom universal face shield windows as well as many other common brands found in the North American market
- Comes complete with standard or aluminum bound 8" x 15-1/2" x .040 clear polycarbonate windows
- Extremely versatile face shield mounting system

Prod. No.	Crown	Suspension	Window	Tint	Treatment
S30110	Grey	Ratcheting	Aluminum bound	Clear	Uncoated
S30120	Grey	Ratcheting	Standard	Clear	Uncoated

### 303 Series – Dual Crown, Window & Ratcheting Headgear

- New to Sellstrom, this face shield offers both a crown and chin guard for added below-the-neck protection
- Comfortable ratcheting headgear suspension
- Window can be easily replaced (S37599)

Prod. No.	Crown	Chin	Suspension	Window Tint	Treatment
S30310	Grey	Grey	Ratcheting	Clear	Uncoated

Please note: Models S30120 and S30310 available November 2016

## REPLACEMENT FACE SHIELD WINDOWS – UNIVERSAL

- Sellstrom offers a wide range of universal windows to meet your every needs
- Hole mounting patterns are designed to fit on Sellstrom's 301 Series crowns as well as many other common brands in the North American market
- All models meet **ANSI Z87.1+ High-Impact** standards and **models S37040, S37050, S37600, S37601 and S37701 are CUL certified to CAN/CSA Z94.3 standards**

Prod. No.	Window Dim.	Description
S37040	8" x 16" x .040"	Clear molded acetate window - anti-fog
S37050	8" x 16" x .060"	Shade 5 IR acetate window
S37600	8" x 15.5" x .040"	Clear aluminum bound window
S37601	8" x 15.5" x .040"	Clear polycarbonate window
S37701	9" x 15" x .060"	Clear molded spherical PC window - V-shape
S37704	8" x 15.5" x .078"	Clear molded spherical polycarbonate window

Please note: These universal windows all mount on all hard hat adaptors on following page.

## REPLACEMENT FACE SHIELD WINDOWS – 330 SERIES

- Sellstrom continues to offer replacement windows for their discontinued 330 Series face shields
- Two models to choose from: clear and clear anti-fog
- Meet **ANSI Z87.1+ High-Impact** standards

Prod. No.	Description	Fits Series
S34000	8" x 19" x .040"	Clear - uncoated
S34040	8" x 19" x .040"	Clear - anti-fog

## REPLACEMENT FACE SHIELD WINDOWS – FIBRE-METAL®

- Sellstrom carries replacement windows for three Fibre-Metal® face shield models: 4118, 4178 and 4199
- Meet ANSI Z87.1+ high-impact standards

Prod. No.	Window Dim.	Description	Fits Fibre Metal Crown
S37606	8" x 11" x .040"	Clear polycarbonate	4118
S37607	8" x 16.5" x .040"	Clear polycarbonate	4178
S37608	9.75" x 19" x .040"	Clear polycarbonate	4199

Fibre-Metal® is a registered trademark of Honeywell.



S37040



S37701



S34000



S37606



S61602



S61900



S61600



S61601



S61610

## FACE SHIELDS – HARD HAT ADAPTOR BRACKETS

### Face Shield Brackets for Non-Slotted Hard Hats

- Heavy duty aluminum face shield bracket adaptors
- Brackets feature expandable spring tensioner – self adjusts
- Two bracket styles:
  - S61602 fits most wide brim hard hats
  - S61900 fits most cap style hard hats
- Three positive lock positions: down, 45 and 90 degree up
- Swivel locking pins conveniently mount windows to bracket
- Universal bracket pin pattern is designed to accommodate most universal window brands including Kedman, Crews, Wilson, North, Jackson and Sellstrom

Prod. No.	Fits Hard Hat Type	Fit's Windows
S61602	Wide Brim	Universal Windows
S61900	Cap Style	Universal Windows

## FACE SHIELDS – HARD HAT ADAPTOR BRACKETS (DIELECTRIC)

- Dielectric - made entirely of non-conductive materials
- Ideal for Arc Flash and electrical work
- Brackets fit most cap style hard hat brims
- Three positive lock positions: down, 45 and 90 degree up
- Swivel locking pins conveniently mount windows to bracket
- Universal bracket pin pattern is designed to accommodate most universal window brands including Kedman, Crews, Wilson, North, Jackson and Sellstrom

### Face Shield Brackets for Non-Slotted Hard Hats - Dielectric

- Bracket feature expandable rubber tensioner – self adjusts
- For non-slotted hard hats

Prod. No.	Fits Hard Hat Type	Fit's Windows
S61600	Cap style	S31223, S31224 Arc Flash, Universal Windows
S61601	Full Brim	Universal Windows

### Face Shield Brackets for Slotted Hard Hats - Dielectric

- Bracket features universal hard hat slot adaptor
- For slotted hard hats

Prod. No.	Fits Hard Hat Type	Fit's Windows
S61610	Cap style	S31223, S31224 Arc Flash, Universal Windows

Please note: All universal windows found on previous page fit on all hard hat adaptors on this page.

## UNIVERSAL SLOTTED HARD HAT ADAPTOR – DIELECTRIC

- Exclusive universal slotted hard hat adaptor makes mounting of Sellstrom face shields and/or welding helmets to slotted hard hats simple and easy
- Designed to fit Sellstrom's DP4, 380, 390 series face shields and 280, 290, Titan and Smartweld welding helmets
- Dielectric - made entirely of non-conductive materials
- Provides an overall secure and tight mount

Prod. No.	Description
S61970	Universal slotted hard hat adaptor

**sellstrom**  
Product that works.



S61970






**sellstrom**<sup>®</sup>

Product that works.

# EYE PROTECTION GOGGLES

# FOCUSED ON SAFETY



## GOGGLES – PREMIUM

**OVER  
1 MILLION  
GOGGLES  
SOLD!**



S80200

### Odyssey II Safety Goggle Series

- The Odyssey II premium goggle series has been a market leader for 15+ years
- Unique "Dual Sealed" UV absorbing polycarbonate lens technology (except single lens Clean Room and Shade 5 cutting models)
- Dual lens models offer Anti-Fog treatment on inside lens– Anti-Scratch on outside lens
- Industrial, Chemical Splash and Shade 5 models feature top and bottom Indirect Vents providing superior ventilation and the safest operator conditions
- 100% fog free, even in the worst conditions
- Stylish soft goggle body conforms to your face, providing a comfortable yet snug seal and maximum protection against liquids and dust
- Exceptional panoramic views
- Specially designed to fit over prescription eyewear
- Simply the best goggle in the market
- All models feature replaceable lenses
- All models meet **ANSI Z87.1-2015** and are **CUL certified to Can/CSA Z94.3 standards**



# GOGGLES – PREMIUM

## Odyssey II Series Industrial Dual Lens Model

- Our most popular Odyssey II model
- Ideal for a wide variety of applications including construction sites, shop use and general industrial work-place protection
- Complete with extra wide flame retardant cloth strap (S80246)

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80200	Blue	Indirect	Dual	HC/AF	Clear

## Odyssey II Series Chemical Splash Dual Lens Goggle

- Specifically designed for those applications where the risk of a chemical splash exists
- Available in three lens tints: clear, smoke and amber
- Complete with extra wide grey, latex free neoprene strap

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80201	Blue	Indirect	Dual	HC/AF	Clear
S80202	Blue	Indirect	Dual	HC/AF	Amber
S80203	Blue	Indirect	Dual	HC/AF	Smoke

## Odyssey II Series Wildland Fire Dual Lens Goggle

- Specially designed for use in wildland fire fighting applications
- Features an exclusive high temperature, non-vented body with a closed cell foam face seal to minimize smoke penetration
- Third party certified to the stringent NFPA 1977-2011 standards
- Complete with extra wide flame retardant strap



Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80222	Black (high temp)	Sealed	Dual	HC/AF	Clear
S80221	80222 with extra 80241 replacement lens & black nylon case				

## Odyssey II Series Tactical Dual Lens Goggle

- Specifically designed with high temperature vented body for police, prisons and military tactical applications
- Features a closed cell foam face seal design
- Complete with extra wide flame retardant strap

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80290	Black (high temp)	Sealed	Dual	HC/AF	Clear



S80200



S80201



S80202



S80203



S80222



S80290



S80231



S80210



S80249



S80252



S80245

## GOGGLES – PREMIUM

### Odyssey II Series Clean Room Goggle

- Specifically designed for clean room applications
- Unlike traditional, single use clean room goggles, these premium goggles are re-usable and designed for multi-use clean room applications
- Can be autoclaved
- Top-Vented body with clear uncoated lens
- CE Certified
- Complete with extra wide grey, latex free neoprene strap (80251)

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80231	Blue	Top-Vented	Single	Uncoated	Clear

### Odyssey II Series Shade 5 Cutting Goggle

- Features a durable Shade 5 IR (single) lens
- Specifically designed for grinding, chipping and brazing operations in fabrication and welding shop applications
- Complete with extra wide flame retardant strap (80246)

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80210	Black (high temp)	Indirect	Single	Uncoated	Shade 5 IR**
S80211	Black (high temp)	Indirect	Single	Uncoated	Shade 5 IR*

\*Packed in POS clamshell

\*\*Packed in convenient poly bag

### Replacement Parts for Odyssey II Goggles

#### Replacement Lenses

Prod. No.	Lens	Coating	Tint	Fit's Goggle Models
S80211	Dual	HC/AF	Clear	80222
S80242	Dual	HC/AF	Clear	80200, 80201, 80290
S80243	Single	None	Shade 5 IR	80210, 80211
S80249	Dual	HC/AF	Amber	80202, 80291
S80250	Dual	HC/AF	Smoke	80203
S80252	Single	Uncoated	Clear	80231

### Black Nylon Goggle Case c/w Belt Loop

Prod. No.	Description	Fit's Goggle Models
S80245	Black padded nylon goggle case	Fit's all Odyssey goggles

# GOGGLES – PREMIUM

## Replacement Flame Retardant Cloth Strap

Prod. No.	Description	Fit's Goggle Models
S80246	Repl. flame retardant strap	80200, 80211, 80210, 80221, 80222, 80290

## Replacement Grey Neoprene Strap

Prod. No.	Description	Fit's Goggle Models
S80251	Repl. neoprene straps (4/pack)	80201, 80202, 80203, 80231

## Micro-Fibre Bags for Odyssey II Goggles

Prod. No.	Description	Fit's Goggle Models
S79905	Black micro fibre bag	All Odyssey II goggles
S79906	Black micro fibre bag	Wildland Fire goggles



S80246



S80251



S79905



**sellstrom**  
Product that works.

Soft goggle body and closed cell foam face seal provides all day comfort.

Detachable polycarbonate face shield protects face from splash, dust & flying debris.

Face shield features ventilation holes.

Designed to fit over prescription eyewear

Extra-wide flame retardant strap for superior comfort and safety.

Indirect vent and anti-fog treatment provides safe, fog-free environment.

**NEW!**

## GOGGLES – PREMIUM SPECIALTY

AVAILABLE  
DECEMBER  
2016

### GPS300 Premium Safety Goggle with Detachable Face Shield

- Sellstrom introduces their new premium goggle with detachable face shield
- Stylish soft goggle body and closed cell foam face seal conforms to your face
- Comfortable, snug seal provides maximum protection against liquids and dust
- Optically correct polycarbonate lens provides exceptional panoramic views
- Specially designed to fit over prescription eyewear
- Indirect Vents along with Anti-Fog lens coating provides superior ventilation and a safe, fog-free working environment
- Indirect vents provide superior protection against dust and chemical splashes
- The GPS300 features an added polycarbonate face shield designed to protect your face from splash, dust and flying debris
- Face shield is easily detachable
- Face shield has two built-in ventilators to minimize fogging of the face piece
- Extra wide flame retardant strap is swivel mounted to goggle
- Provides 99.9% UV protection
- Ideal for industrial, mining, cutting, grinding, construction, woodworking, machine shop and pressure washing applications
- Meets **ANSI Z87.1-2015**



S80300

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint	
S80300	Blue	Indirect	Single	Anti-Fog	Clear	<b>NEW</b>

# GOGGLES – ADVANTAGE PLUS SERIES

## GM500 Safety Goggle

AVAILABLE  
DECEMBER  
2016

- The GM500 goggle combines comfort, fit, safety and great looks in one product
- Stylish orange/black co-molded soft TPR body provides comfort and fit
- Molded curved polycarbonate lens provides outstanding panoramic views with virtually no distortion
- Top & bottom Indirect Vents along with Anti-Fog lens coating provides superior ventilation and a safe, fog-free working environment
- Indirect vents provide superior protection against dust and chemical splashes
- Swivel mounted extra wide flame retardant strap
- Specially designed to fit over some prescription eyewear
- Provides 99.9% UV protection
- Meets **ANSI Z87.1-2015**



S82500

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S82500	Orange/Black	Indirect	Single	Anti-Fog	Clear

## GM200 Safety Goggle

AVAILABLE  
DECEMBER  
2016

- The GM200 goggle combines comfort, fit, safety and great looks in one product
- Super-soft smoke colored body is designed with extra-wide face seal lip for exceptional comfort and fit
- Molded optically correct PC lens provides panoramic views with little distortion
- Top & bottom Indirect Vents along with Anti-Fog lens coating provides superior ventilation and a safe, fog-free working environment
- Indirect vents provide superior protection against dust and chemical splashes
- Extra wide flame retardant strap
- Provides 99.9% UV protection
- All these features at an economical price – ideal for use in schools
- Meets **ANSI Z87.1-2015**



S82000

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S82000	Smoke	Indirect	Single	Anti-Fog	Clear



## GOGGLES – ADVANTAGE SERIES (USA MADE)

### 880, 881 & 882 Series Safety Goggles

- Proudly Made in the USA
- Green tinted flexible PVC body ensures proper fit
- Polycarbonate UV absorbing clear lenses
- Three vent options available to fit your every need
- Adjustable 18" green flame retardant head band (S22448)
- Available with Anti-Fog lens coating
- Meets ANSI Z87.1-2015 and models S88200, S88210, S88203 & S88213 are CUL certified to Can/CSA Z94.3 standards



S88000

### 880 Direct Vent Safety Goggles

- Direct Vent series
- Provides maximum air flow and protection against flying debris

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S88000	Green	Direct	Clear	Uncoated	1/bag
S88003	Green	Direct	Clear	Uncoated	150 bulk nested
S88010	Green	Direct	Clear	Anti-Fog	1/bag



S88110

### 881 Non-Vented Safety Goggles

- Non-Vented series
- Offers best protection from liquids and dust particles

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S88110	Green	Non-Vent	Clear	Anti-Fog	1/bag
S88113	Green	Non-Vent	Clear	Anti-Fog	150 bulk nested



S88200

### 882 Indirect Vent Chemical Splash Safety Goggles

- Indirect Vent chemical splash series
- Protects against liquid, dust, smoke and chemical splash environments

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S88200	Green	Indirect	Clear	Uncoated	1/bag
S88203	Green	Indirect	Clear	Uncoated	120 bulk nested
S88210	Green	Indirect	Clear	Anti-Fog	1/bag
S88213	Green	Indirect	Clear	Anti-Fog	120 bulk nested



S22448

### Replacement Parts for 880, 881, 882 Series Goggles

Prod. No.	Description
S22448	Replacement 18" elastic head band (12/bag)
S84001	Replacement clear lens
S84011	Replacement clear lens – Anti-Fog

# GOGGLES – ADVANTAGE SERIES

## 810, 812, 813, 830, 832 Series Safety Goggles

- Our most economically priced goggle series
- Clear flexible PVC body ensures proper fit
- Polycarbonate UV absorbing clear lenses
- Three vent options available to fit your every need
- Adjustable 18" black flame retardant head band (S22448)
- Available with Anti-Fog lens coating
- 813 series come with padded face seal
- 830 & 832 series are mini versions for children, students and small faces
- **Meets ANSI Z87.1-2015**

### 810 Direct Vent Safety Goggles

- Direct Vent series
- Provides maximum air flow and protection against flying debris

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S81000	Clear	Direct	Clear	Uncoated	1/bag
S81010	Clear	Direct	Clear	Anti-Fog	1/bag



S81000

### 812 Indirect Vent Chemical Splash Safety Goggles

- Indirect Vent chemical splash series
- Protects against liquid, dust, smoke and chemical splash environments

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S81200	Clear	Indirect	Clear	Uncoated	1/bag
S81210	Clear	Indirect	Clear	Anti-Fog	1/bag



S81200

### 812 Non-Vented Safety Goggles

- Non-Vented goggle
- Offers best protection from liquids and dust particles

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S81220	Clear	Non-Vent	Clear	Anti-Fog	1/bag



S81220

### 813 Direct Vent Safety Goggles

- Direct Vent series
- Provides maximum air flow and protection against flying debris
- Features padded face seal for maximum safety

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S81310	Clear	Direct	Clear	Anti-Fog	1/bag



S81310



S81320



S81330



S83000



S83200

## GOGGLES – ADVANTAGE SERIES

### 813 Indirect Vent Chemical Splash Safety Goggle (Padded)

- Indirect Vent chemical splash model
- Protects against liquid, dust, smoke and chemical splash environments
- Features padded face seal for maximum safety

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S81320	Clear	Indirect	Clear	Anti-Fog	1/bag

### 813 Non-Vented Safety Goggles

- Non-Vented goggle
- Offers best protection from liquids and dust particles
- Features padded face seal for maximum safety

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S81330	Clear	Non-Vent	Clear	Anti-Fog	1/bag

### 830 Direct Vent "Mini" Safety Goggles

- Direct Vent series
- Provides maximum air flow and protection against flying debris
- Mini version for children, students and small faces

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S83000	Green	Direct	Clear	Uncoated	1/bag
S83010	Green	Direct	Clear	Anti-Fog	1/bag

### 832 Indirect Vent Chemical Splash Safety Goggles

- Indirect Vent chemical splash series
- Protects against liquid, dust, smoke and chemical splash environments
- Mini version for children, students and small faces

Prod. No.	Body Color	Vent Type	Lens	Coatings	Packaged
S83200	Green	Indirect	Clear	Uncoated	1/bag
S83210	Green	Indirect	Clear	Anti-Fog	1/bag



# GOGGLES – WELDING

## Odyssey II Series Shade 5 Cutting Goggle

- Sellstrom carries one of the widest ranges of welding goggles in the industry
- All goggles feature soft, flexible green PVC bodies for excellent comfort and fit
- Top & bottom Indirect Vents provide superior ventilation and a safe, fog-free working environment (except 85150 eye cup goggle)
- Indirect vents provide superior protection against dust and chemical splashes
- Meets **ANSI Z87.1-2015**

Prod. No.	Body Color	Vent Type	Lens	Coatings	Tint
S80210	Black (high temp)	Indirect	Single	Uncoated	Shade 5 IR**



S80210

## Plate Goggle

- Features standard size 2" x 4-1/4" Shade 5 IR fixed plate window
- Window includes filter, cover, and impact

Prod. No.	Body Color	Vent Type	Lens	Coatings
S85450	Green	Indirect	Shade 5 IR	Uncoated



S85450

## Lift Front Plate Goggle

- Features standard size 2" x 4-1/4" lift front plate window
- It's easy and safe - by keeping the welding goggle on at all times, the operator can flip the shaded window up or down, providing uninterrupted eye protection during cutting and grinding operations
- Clear lens provides eye protection when the flip plate is in the up position
- Flip windows available in two shades: 5 IR and Shade 6 Cobalt Blue
- Window includes filter, cover and impact plates

Prod. No.	Body Color	Vent Type	Lens	Coatings
S85550	Green	Indirect	Shade 5 IR	Uncoated
S85560B	Green	Indirect	Shade 6 Cobalt Blue	Uncoated



S85550

## Lens Cover Goggle

- Features 50mm eye-cup style fixed plate windows with soft PVC body

Prod. No.	Body Color	Vent Type	Lens	Coatings
S85250	Green	Indirect	Shade 5 IR	Uncoated



S85250

## Lift Front Lens Cover Goggle

- Features 50mm eye-cup style lift front eye-cup windows with soft PVC body
- It's easy and safe - by keeping the welding goggle on at all times, the operator can easily flip the shaded windows up or down as required providing uninterrupted eye protection during cutting and grinding operations
- Clear lenses provide eye protection when the flip plate is in the up position

Prod. No.	Body Color	Vent Type	Lens	Coatings
S85350	Green	Indirect	Shade 5 IR	Uncoated



S85350



S85150



S04501

## GOGGLES – WELDING

### Eye Cup Goggle

- Our most basic welding type goggle
- Features 50mm eye-cup lenses and two individual cup bodies
- Ideal for confined space

Prod. No.	Body Color	Vent Type	Lens	Coatings
S85110	Green	Non-Vent	Clear	Uncoated
S85150	Green	Non-Vent	Shade 5 IR	Uncoated

### Replacement Lenses for Welding Goggles

- Replacement lenses available in 4 shades: Clear, 4 IR, 5 IR, and shade 6 IR

Prod. No.	Description	Tint	Fits Models
S04501	50mm round PC lenses (pair)	Clear	S85150, 250, 350
S04704	50mm round PC lenses (pair)	Shade 4 IR	S85150, 250, 350
S04705	50mm round PC lenses (pair)	Shade 5 IR	S85150, 250, 350
S04706	50mm round PC lenses (pair)	Shade 6 IR	S85150, 250, 350
S15020	50mm round glass lenses (pair)	Clear	S85150, 250, 350
S22449	18" elastic head band (12/pack)		All welding goggles



A close-up photograph of a man with a beard and mustache, wearing a white hard hat and safety glasses. The hard hat has the 'sellstrom' logo on it. He is looking down and to the right, focused on his work. The background is blurred, showing what appears to be a workshop or industrial setting.

**sellstrom**<sup>®</sup>

Product that works.

# EYE PROTECTION SAFETY GLASSES

# CLEARLY ESSENTIAL



## SAFETY GLASSES – PREMIUM SEALED



S71910

- Sealed safety glasses offer the best of both worlds – the comfort and fit of a safety glass with goggle like protection
- Features a fire resistant closed cell foam insert that seals the glass to your face
- Provide maximum protection in dusty, windy conditions and wherever airborne particles are present
- Foam insert features top and bottom vent ports allowing superior air circulation
- Curved, custom molded high-impact polycarbonate lenses provide exceptional panoramic views
- Made with premium virgin polycarbonate high impact lenses
- Lenses are specially coated with Sellstrom's premium Sta-Clear™ Anti-Fog/Anti-Scratch washable lens treatment for maximum performance, durability and life
- Virtually 100% fog free for optimum operator safety
- Provide 99.9% UV protection
- Meets **ANSI Z87.1-2015** and Model XPS502 is tested to the **U.S. Military standard MIL-PRF-31013** safety requirement of 640 feet per second

# SAFETY GLASSES – PREMIUM SEALED

**sellstrom**  
Product that works.

SELLSTROM

## XPS502 Sealed Safety Glasses

AVAILABLE  
DECEMBER  
2016

- Features flexible, soft temples that are permanently attached to the frame using a heavy-duty ratcheting (up or down) temple adjustment hinge
- Allows the user to adjust temples for maximum comfort and protection
- Includes a cloth strap that conveniently attaches to the temples
- Detachable strap can be easily removed/re-attached as desired
- Ballistic Rated – meets **US Military standard MIL-PRF-31013** requirement

Permanent temple arms,  
removable strap



S71911

Prod. No.	Color	Tint	Lens Coating	Temple	Strap
S71910	Black/Orange	Clear	Sta-Clear™ AF/HC	Soft	FR Cloth
S71911	Black/Orange	Smoke	Sta-Clear™ AF/HC	Soft	FR Cloth
S71912	Black/Orange	I/O	Hard Coated	Soft	FR Cloth

## XPS530 Sealed Safety Glasses

AVAILABLE  
DECEMBER  
2016

- The XPS530 comes standard with both detachable soft co-molded temples and a fire resistant cloth strap which are easily interchangeable
- Outstanding style, fit, comfort and safety



S70000

Prod. No.	Color	Tint	Lens Coating	Temple	Strap
S70000	Yellow/Black	Clear	Sta-Clear™ AF/HC	Co-mold	FR Cloth
S70001	Yellow/Black	Smoke	Sta-Clear™ AF/HC	Co-mold	FR Cloth
S70002	Yellow/Black	I/O	Hard Coated	Co-mold	FR Cloth

XPS530 safety glasses include both detachable temple arms and straps.



S70001

Model S7000 shown with F.R. rated strap (included).

EYE PROTECTION



Coated with exclusive Sta-Clear™ anti-fog/anti-scratch washable lens treatment.

Ventilation space minimizes fogging

Soft nose piece for added comfort.

Ballistic rated lens for even greater safety.

Sleek, modern co-molded temples offer outstanding style and comfort.

S72300

Two piece polycarbonate lens

## SAFETY GLASSES – PREMIUM SERIES

- Sellstrom offers a wide range of super premium, high quality safety glasses
- Rich in style, comfort, fit and safety
- Each model has been designed to exceed the needs of the most demanding user
- Made with premium virgin polycarbonate high impact lenses
- Ballistic rated and tested to the **U.S. Military standard MIL-PRF-31013** requirement of 640 feet per second for added safety and peace-of-mind
- Lenses are specially coated with Sellstrom's premium Sta-Clear™ Anti-Fog/Anti-Scratch washable lens treatment for maximum performance, durability and life
- Virtually 100% fog free for optimum operator safety
- Provide 99.9% UV protection
- Meets **ANSI Z87.1-2015** and tested to the **U.S. Military standard MIL-PRF-31013** safety requirement of 640 feet per second



S72000



S72001

AVAILABLE  
DECEMBER  
2016

### XP410 Safety Glasses

- The XP410 offers feather light frames, great style, maximum comfort & fit
- So light, you won't even remember you have them on!
- High impact optically correct wrap style unitary PC lens offers superior coverage
- Stylish, ultra-thin black/green co-molded temples
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Soft, co-molded above-the-eye band provides superior eye coverage
- Soft, co-molded nose piece with flexible fingers ensures maximum comfort

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S72000	Black/Green	Clear	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72001	Black/Green	Smoke	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72002	Black/Green	I/O	Hard Coated	12/Box	<b>NEW</b>

# SAFETY GLASSES – PREMIUM SERIES

## XP420 Safety Glasses

AVAILABLE  
DECEMBER  
2016

- The XP420 offers a sporty, stylish heavy duty frame and temple design
- High impact optically correct wrap style unitary PC lens offers superior coverage
- Soft, flexible temples with ribbed tips are curved inwards to ensure comfortable, slip-resistant fit
- Soft nose piece offers all day comfort

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S72100	Black	Clear	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72101	Black	Smoke	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72102	Black	I/O	Hard Coated	12/Box	<b>NEW</b>



S72100



S72101

## XP450 Safety Glasses

AVAILABLE  
DECEMBER  
2016

- The XP450 is our sportiest looking safety glass
- Edgy, sleek and modern co-molded temples offer outstanding style and comfort
- High impact optically correct wrap style two-piece PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal
- Soft nose piece offers all day comfort

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S72300	Black/Red	Clear	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72301	Black/Red	Smoke	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72302	Black/Red	I/O	Hard Coated	12/Box	<b>NEW</b>



S72300



S72301

## XP460 Safety Glasses

AVAILABLE  
DECEMBER  
2016

- The XP460 offers a sporty, stylish heavy duty frame and temple design
- Our only full frame premium safety glass
- High impact optically correct two-piece PC lenses offer superior coverage
- Stylish black/green co-molded temples & soft nose piece offers all day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S72400	Black /Green	Clear	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72401	Black /Green	Smoke	Sta-Clear™ HC/AF	12/Box	<b>NEW</b>
S72402	Black /Green	I/O	Uncoated	12/Box	<b>NEW</b>



S72400



S72401



S71100



S71101

Up/down 3-position  
ratcheting  
temples



S71200



S71201



S71203

## SAFETY GLASSES – ADVANTAGE PLUS SERIES

- Advantage Plus safety glasses offer additional features over our Advantage Series products, providing the user with increased comfort and fit
- All glasses are made using virgin polycarbonate lenses
- Provide 99.9% UV protection
- Lenses feature an anti-scratch hard coating
- Ideal for those applications where safety, comfort, fit and affordability are of primary importance
- Meets **ANSI Z87.1-2015**
- Models XM 310, 320, 330 and 340 all tested to the **U.S. Military standard MIL-PRF-31013** safety requirement of 640 feet per second

### XM300 Safety Glasses

AVAILABLE  
DECEMBER  
2016

- The XM300 safety glass is lightweight, stylish, comfortable and affordable
- High impact optically correct wrap style unitary PC lens offers superior coverage
- Stylish black/green co-molded temples & soft nose piece offers all day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S71100	Black/Green	Clear	Hard Coated	12/Box	<b>NEW</b>
S71101	Black/Green	Smoke	Hard Coated	12/Box	<b>NEW</b>
S71102	Black/Green	I/O	Hard Coated	12/Box	<b>NEW</b>

### XM310 Safety Glasses

AVAILABLE  
DECEMBER  
2016

- The XM310 safety glass is lightweight, stylish, comfortable and very affordable
- High impact optically correct wrap style unitary PC lens offers superior coverage
- Molded above-the-eye band provides superior coverage
- Stylish black/orange co-molded temples & soft nose piece offers all day comfort
- Up/down 3-position ratcheting temples allows user to adjust for maximum fit
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S71200	Black/Orange	Clear	Hard Coated	12/Box	<b>NEW</b>
S71201	Black/Orange	Smoke	Hard Coated	12/Box	<b>NEW</b>
S71202	Black/Orange	I/O	Hard Coated	12/Box	<b>NEW</b>
S71203	Black/Orange	Amber	Hard Coated	12/Box	<b>NEW</b>



# SAFETY GLASSES – ADVANTAGE PLUS SERIES

AVAILABLE  
DECEMBER  
2016

## XM320 Safety Glasses

- The XM320 offers a sporty, stylish heavy duty frame and temple design
- High impact optically correct unitary PC lens offers integrated side panel – incredible front and side eye coverage
- Stylish flat black and orange co-molded temples are soft & flexible
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Soft nose piece offers all day comfort

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S71400	Black/Orange	Clear	Hard Coated	12/Box	<b>NEW</b>
S71401	Black/Orange	Smoke	Hard Coated	12/Box	<b>NEW</b>
S71402	Black/Orange	I/O	Hard Coated	12/Box	<b>NEW</b>



S71400



S71401



S73601

AVAILABLE  
DECEMBER  
2016

## XM330 Safety Glasses

- The XM330 safety glass is lightweight, stylish, comfortable and very affordable
- Our most popular mid-range safety glass!
- High impact optically correct wrap style unitary PC lens offers superior coverage
- Soft, flexible temple tips & soft nose piece offers all day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty	
S73601	Clear/Black	Clear	Hard Coated	12/Box	<b>NEW</b>
S73611	Amber/Black	Amber	Hard Coated	12/Box	<b>NEW</b>
S73621	Smoke/Black	Smoke	Hard Coated	12/Box	<b>NEW</b>
S73631	Clear/Black	I/O	Hard Coated	12/Box	<b>NEW</b>



S73611



S73621

## XM340 Safety Glasses (Old PT9)

- The XM340 safety glass is lightweight, stylish & comfortable
- High impact optically correct wrap style Dual PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Soft rubberized temple tips and soft nose piece offers all day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S74201	Smoke/Smoke	Clear	Hard Coated	12/Box
S74241	Smoke/Smoke	I/O	Hard Coated	12/Box
S74271	Smoke/Smoke	Smoke	Hard Coated	12/Box



S74201



S74271



S70701



S70711



S70721



S73401



S73421



S73471



S79100

## SAFETY GLASSES – ADVANTAGE SERIES

- Sellstrom offers a wide range of affordable safety glasses under the Advantage Series program
- All glasses are made using virgin, unitary polycarbonate lenses
- Provide 99.9% UV protection
- Ideal for construction, shop and general eye protection applications

### X300 Safety Glasses

- The X300 style is one of the most popular selling safety glasses in North America
- Lightweight, comfortable and very affordable
- Lens features an anti-scratch hard coating
- Meets **ANSI Z87.1-2015** and **CE certified**

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S70701	Clear	Clear	Hard Coated	12/Box
S70711	Amber	Amber	Hard Coated	12/Box
S70721	Smoke	Smoke	Hard Coated	12/Box
S70731	Clear	I/O	Hard Coated	12/Box

### X330 Safety Glasses (Old Firebird)

- The X330 style is one of the most popular selling safety glasses in North America
- Lightweight, comfortable and very affordable
- Lens features an anti-scratch hard coating
- Soft rubberized temple tips ensure superior comfort and fit
- Meets **ANSI Z87.1-2015**

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S73401	Clear	Clear	Hard Coated	12/Box
S73402	Clear	Clear	Anti-Fog	12/Box
S73421	Amber	Amber	Hard Coated	12/Box
S73471	Smoke	Smoke	Hard Coated	12/Box
S73481	Smoke	Blue Mirror	Hard Coated	12/Box

### X350 Safety Glasses (OTG)

AVAILABLE  
DECEMBER  
2016

- Lightweight, comfortable and affordable
- Sleek, modern look offers front, side and above/below-the-eye protection
- Designed to fit over most medium sized prescription eyewear (OTG)
- Comfortable nose bridge
- Ideal as a visitors spec as well as for everyday eye protection
- Meets **ANSI Z87.1-2015**
- Tested to **U.S. Military standard MIL-PRF-31013** safety requirement of 640 feet per second

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S79100	Clear	Clear	Hard Coated	12/Box <b>NEW</b>

# SAFETY GLASSES – ADVANTAGE SERIES

## Sebring™ Safety Glasses

- Classic one-piece molded lens offers excellent front/side protection
- Lightweight, comfortable and very affordable
- Arms are extendable for maximum fit and comfort
- S73801 & S73802 offer same features but with a smaller frame for narrow faces
- Meets **ANSI Z87.1-2015** standards

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S73801	Black (small frame)	Clear	Hard Coated	12/Box
S73802	Blue (small frame)	Clear	Hard Coated	12/Box
S76301	Black	Clear	Hard Coated	12/Box
S76341	Black	Mirror	Hard Coated	12/Box
S76361B	Black	Shade 6	Hard Coated	12/Box
S76371	Black	Smoke	Hard Coated	12/Box
S76701	Red, White, Blue	Clear	Hard Coated	12/Box
S76771	Red, White, Blue	Smoke	Hard Coated	12/Box



S73801



S76301



S76701

## Maxview™ Safety Glasses

- Lightweight, comfortable and affordable
- Designed to fit over prescription eyewear (OTG)
- Ideal as a visitors spec as well as for everyday eye protection
- Extra-wide ventilated temples for increased side protection
- Meets **ANSI Z87.1-2015** standards

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S79301	Clear	Clear	Hard Coated	12/Box
S79302	Clear	Clear	Uncoated	12/Box
S79371	Smoke	Smoke	Hard Coated	12/Box
S79372	Smoke	Smoke	Uncoated	12/Box



S79301

## Guest-Gard™ Safety Glasses

- Lightweight, comfortable and affordable
- Designed to fit over prescription eyewear (OTG)
- Ideal as a visitors spec as well as for everyday eye protection
- Classic one-piece molded lens offers excellent front/side protection
- 79103 comes in convenient dispenser box – 24/box
- 79108 is bulk packed in quantities of 100
- Meets **ANSI Z87.1-2015** standards



S79103



S79103

Prod. No.	Temple Color	Lens Tint	Lens Coating	Pack. Qty
S79103	Clear	Clear	Uncoated	24/dispenser box
S79108	Clear	Clear	Uncoated	100/bulk packed



S70703

Bi-focal magnifiers



S74202

Bi-focal magnifiers



S79901



S79904

## SAFETY GLASSES – BIFOCALS

- Sellstrom offers two popular styles of Bifocal magnifying safety glasses
- Developed for workers requiring magnifiers when performing close-vision tasks
- Available in three magnifying powers: 1.5, 2.0 & 2.5
- All glasses are made using virgin, unitary polycarbonate lenses
- Provide 99.9% UV protection
- Meets **ANSI Z87.1-2015** standards

AVAILABLE  
DECEMBER  
2016

### X300RX Safety Glasses

- The X300RX offers all of the same features as our popular X300 but with Bifocal magnification technology
- Lightweight, comfortable and very affordable
- Lens features an anti-scratch hard coating

Prod. No.	Temple Color	Lens Tint	Lens Coating	Magnification	Pack. Qty	
S70703	Clear	Clear	Hard Coated	1.5 times	12/Box	<b>NEW</b>
S70704	Clear	Clear	Hard Coated	2.0 times	12/Box	<b>NEW</b>
S70705	Clear	Clear	Hard Coated	2.5 times	12/Box	<b>NEW</b>

AVAILABLE  
DECEMBER  
2016

### XM340RX Safety Glasses

- The XM340RX offers all of the same features as our popular XM340 but with Bifocal magnification technology
- High impact optically correct wrap style Dual PC lenses offer superior coverage
- Lenses are mounted to the frame with a ventilation space, minimizing fogging
- Soft rubberized temple tips and soft nose piece offers all day comfort
- Temples are curved inwards to ensure comfortable, slip-resistant fit
- Temple tips are curved outwards for gentle placement and removal

Prod. No.	Temple Color	Lens Tint	Lens Coating	Magnification	Pack. Qty	
S74202	Smoke/Black	Clear	Hard Coated	1.5 times	12/Box	<b>NEW</b>
S74203	Smoke/Black	Clear	Hard Coated	2.0 times	12/Box	<b>NEW</b>
S74204	Smoke/Black	Clear	Hard Coated	2.5 times	12/Box	<b>NEW</b>

## SAFETY GLASSES – ACCESSORIES

Prod. No.	Description
S79901	Black padded hard case with belt clip attachment
S79904	Black Sellstrom Safeguards micro-fiber bag

## SAFETY GLASSES – SHADE 3 & 5 IR

- Sellstrom offers three styles of safety glasses specifically for use in welding and fabrications shops
- B5 model is also available with clear lens
- Available in Shade 3 & Shade 5 IR for soldering, brazing and cutting operations
- Meets **ANSI Z87.1-2015** standards and model **B5** is **CUL certified to Can/CSA Z94.3** standards and **CE certified**
- All glasses are made with anti-scratch polycarbonate lenses
- Provide 99.9% UV protection

### B5™ Safety Glasses

- Features fold out contouring side shields for maximum eye protection
- Arms are extendable for maximum fit and comfort
- Dual polycarbonate lenses are available in clear and Shade 5 IR

Prod. No.	Temple Color	Side Shield	Lens Tint	Lens Coating	Pack. Qty
S74701	Black	Clear	Clear	Hard Coated	12/Box
S74751	Black	Black	Shade 5 IR	Hard Coated	12/Box

### X35™ Safety Glasses

- Temple arms molded with side shields for maximum eye protection
- Features unique spring loaded flip window
- It's easy and safe - by keeping the glasses on at all times, the operator can flip the shaded lenses up or down, providing uninterrupted eye protection during cutting and grinding operations
- Clear lens provides eye protection when the flip plate is in the up position
- Flip windows available in two Shades: 3 IR and 5 IR

Prod. No.	Color	Fixed Lens	Flip Lens Tint	Lens Coating	Pack. Qty
S72903	Black	Clear	Shade 3 IR	Hard Coated	12/Box
S72905	Black	Clear	Shade 5 IR	Hard Coated	12/Box

**sellstrom**  
Product that works.



S74701



S74751

Fold-out contouring side shield



Unique Shade 3 or 5 IR flip up lens.

Clear "fixed" lens

S72905



Germicidal cabinets  
sanitize goggles/safety  
glasses for next use

Sturdy 22 gauge white  
enameled steel cabinet  
features interlocking doors

Equipped with automatic  
shut-off if doors are opened



Kills 99.4% of germs during  
the timer controlled cycle-  
**third party tested**



Pilot light confirms UV lamp  
is in use on the Monitor 2000

S90494

# GERMICIDAL CABINETS



S90494

## Monitor™ Germicidal Cabinets

- **Made in the USA** - Sellstrom's Monitor Series Germicidal Cabinet has been the industry leader for decades
- **New!** Monitor 1000 has been specially designed for doctor and dentist offices
- Germicidal cabinets sanitize goggles/safety glasses for next use
- Kills 99.4% of germs during the timer controlled cycle-**third party tested**
- Sanitizes eyewear surfaces from: germs; bacteria; mold; fungus contaminants
- Sturdy 22 gauge white enameled steel cabinet features interlocking doors
- Features tamper-resistant latches with two keys provided
- Multiple units are keyed alike
- Zero UV radiation escapes during use
- Equipped with automatic shut-off if doors are opened
- Pilot light confirms UV lamp is in use on the Monitor 2000
- Wall or shelf mountable and includes 7' (2.13 M) grounded cord
- For indoor use only, temperature range 32 to 104 degree Fahrenheit

# GERMICIDAL CABINETS

## Monitor™ 2000 Germicidal Cabinet

- The Monitor 2000 has been the top selling germicidal cabinet for decades
- Specially designed for educational and medical industry applications
- Larger 32”H x 24.5”W x 9.5”D format includes 8 shelves total
- Each shelf holds approximately 5 goggles or 6 safety glasses
- Sanitizes goggles/safety glasses for next use in just 5 minutes, an industry best
- Underwriters Laboratory listed and CUL Certified

Prod. No.	Description	Use
S90494	Monitor 2000 Germicidal Cabinet	Education/Medical Industries



S90494

## Monitor™ 1000 Germicidal Cabinet

- **New!** - specially designed for doctors and dentist offices
- Smaller 22”H x 14”W x 9.25”D format includes 4 shelves total
- Each shelf holds approximately 3 goggles or 5 safety glasses
- Sized to conveniently fit above or below office table top
- Sanitizes goggles/safety glasses for next use in just 8 minutes
- Prevents the spread of viruses and bacteria including: acleovirus; herpes simplex; s.aureus; hepatitis B & C; HIV
- Electronic countdown timer
- The CDC states that all dental healthcare professionals should wear protective eyewear, which should be cleaned and disinfected between every patient use
- Underwriters Laboratory listed and CUL Certified


Prod. No.	Description	Use
S90498	Monitor 1000 Germicidal Cabinet	Dental/Doctor Offices <b>NEW</b>



S90498

## Monitor™ Germicidal Cabinet Replacement Parts

Prod. No.	Description	Fits
S90479	Keys for Monitor Cabinets (set of 2)	Monitor 2000
S90481	Ballast	Monitor 2000
S90482	Lamp	Monitor 2000
S90483	5 minute timer	Monitor 2000
S90484	Interlock switch	Monitor 2000
S90486	Timer knob and faceplate	Monitor 2000
S90487	Electrical cord set (7')	Monitor 1000/2000
S90488	Locking rod assembly (lock & 2 keys)	Monitor 2000
S90496	Universal rack (one rack)	Monitor 2000





S23490 BOX &amp; PACK



S23480 BOX &amp; PACK



S23469



S23470

## STA-CLEAR™ LENS CLEANING PRODUCTS

- Cleans glass and polycarbonate safety glasses and goggle lenses
- Anti-static, anti-fog cleaning solution impregnated in tissues
- Scratch free – contains no silica
- Cleans without streaking or leaving static residue
- **Not for fog-free (anti-fog coated) lenses**

### Sta-Clear™ Pre-Moistened Lens Cleaning Tissue Packets

- Convenient pre-moistened single use packets
- Towelette measures 5" x 8" (12.7 x 20.32 cm)
- Convenient dispenser box contains 110 packets
- Can be wall mounted or placed on flat surface

Prod. No.	Description	Pack. Qty.
S23490	Pre-moistened non-alcohol based towelettes	10/ Box

### Sta-Clear™ Lens Cleaning Tissues

- Tissues come dry and must be water activated
- Tissues measure 4-1/2" x 10-1/2" (11.43 x 27.31 cm)
- Box measures 5-1/4" x 4-1/2" x 4" (13.02 x 12.07 x 11.75 cm)
- Convenient dispenser box contains 1,000 tissues

Prod. No.	Description	Pack. Qty.
S23480	Water activated lens cleaning tissue box	1/Box

### Sta-Clear™ Lens Cleaning Stations

- Stations come with water activated tissues and 16 oz. pump spray bottle
- Tissues come dry and must be water activated
- Tissue measures 4-1/2" x 10-1/2" (11.43 x 27.31 cm)
- Two variations available:
  - Cardboard station: measures 8-5/8" x 6-1/2" x 5-3/8"
  - Metal station: measures 8-3/4" x 6-1/2" x 5-1/4"
  - Metal station can be locked (uses key #23475)
- Opening allows for litter free disposal of used tissues
- Can be wall mounted or placed on flat surface

Prod. No.	Description	Pack. Qty.
S23469	Cardboard station (1000 tissues and spray bottle)	6/Box
S23470	Metal station (1000 tissues and spray bottle)	1/Box



## EQUIPMENT CLEANING PRODUCTS

### Sel-Kleen™ Pre-Moistened Equipment Cleaning Packets

- Anti-static, anti-fog cleaning solution impregnated in tissues
- Scratch free – contains no silica
- Alcohol free pads use active ingredient benzalkonium chloride and will not harm even the most sensitive rubber or PVC material
- Convenient single use packets
- Towelette measures 5" x 8" (12.7 x 20.32 cm)
- Convenient dispenser box contains 110 packets
- Can be wall mounted or placed on flat surface

Prod. No.	Description	Pack. Qty.
S22185	Pre-moistened non-alcohol based towelettes	10/ Box

**sellstrom®**  
Product that works.



S22185 BOX & PACK

SELLSTROM

EYEWEAR & EQUIPMENT  
CLEANING PRODUCTS





# EMERGENCY EYEWASH / SHOWER PRODUCTS

- The proper selection of emergency eyewash stations and shower equipment products is critical when operating a safe working environment
- OSHA regulations listed in 29 CFR outline where and when eyewash and shower equipment must be installed
- ANSI Z358.1 (Emergency Eyewash and Shower Equipment) is the standard that outlines the proper design, performance and installation of emergency equipment to comply with the OSHA standard
- Sellstrom offers a wide range of emergency eyewash/shower solutions all of which is designed to meet the ANSI standards

## EYEWASH STATIONS – PORTABLE BOTTLES

### Rapid-Clear Portable Eyewash Bottle Stations

- Personal eyewash bottle stations are extremely portable and handy
- Quickly flushes contaminants from eyes using a sterile, buffered and preserved saline solution
- The ideal first response solution when continuous water supply is not available
- Single or dual bottle stations available
- Date coded for easy inspection
- Tamper-evident seal with an easy-to-open twist off cap
- Highly visible green plastic backboard can be wall mounted or placed on flat surface
- **FDA Approved**

Prod. No.	Bottle Size	Type	Description	Case/Qty.
S90331	16 oz.	Single	Rapid-Clear eyewash bottle station	4/case
S90332	32 oz.	Single	Rapid-Clear eyewash bottle station	4/case
S90333	32 oz.	Double	Rapid-Clear eyewash bottle station	4/case



S90331



S90333

### Rapid Clear Replacement Eyewash Bottle Parts

- Replacement bottles with sterile saline solution
- Date coded for easy inspection
- Tamper-evident seal with an easy-to-open twist off cap
- **FDA Approved**

Prod. No.	Bottle Size	Description	Case/Qty.
S90329	16 oz.	Rapid-Clear replacement eyewash bottle	12/case
S90330	32 oz.	Rapid-Clear replacement eyewash bottle	12/case



S90330 /S90329

## EYEWASH STATIONS – PORTABLE EMERGENCY

### Gravit-Eye 6 Gallon Portable (Personal) Gravity Feed Eyewash Station

- 6 gallon gravity-flow personal portable eyewash station
- Ideal as a portable, first response eyewash solution
- Water stream is activated by removing the water retaining strap
- Water is fed through dual spray heads for maximum effectiveness
- 3' drain hose directs waste water into floor drain or storage tank
- Furnished with epoxy coated steel wall mounting bracket
- Can also be placed on flat surfaces such as counter tops
- Comes with 8 oz. bottle of bacteriostatic additive (S90322) which protects against growth of bacteria, fungus, algae and acanthamoeba
- Weight: 9.5 lbs. empty
- Complies with **ANSI Z358.1** for portable personal eyewash stations

Prod. No.	Description
S90306	6 gallon Gravit-Eye portable personal eyewash station



S90306



S90320

## EYEWASH STATIONS – PORTABLE EMERGENCY

### Gravit-Eye 16 Gallon Portable Gravity Feed Eyewash Station

- 16 gallon self-contained gravity-flow portable eyewash station
- Water is fed through dual spray heads for maximum effectiveness
- Delivers over 14 gallons (53 litres) of water over a 15 minute period
- High-Viz green body is easily located in case of emergency
- Heavy wall construction with reinforced ribs ensures strength and durability
- Water flow is activated by pulling up (on) or down (off) on bright yellow tray
- Integrated full flow nozzle delivers gentle spray of water
- Waste water is directed through drain opening in tank basin
- 3' drain hose directs waste water into floor drain or storage tank
- Furnished with steel wall mounting bracket
- Can also be placed on flat surfaces such as counter tops
- Comes with 8 oz. bottle of bacteriostatic additive (S90322) which protects against growth of bacteria, fungus, algae and acanthamoeba
- Weight: 13 lbs. empty, 146 lbs. full
- Unit comes completely assembled
- Complies with ANSI Z358.1 for portable eyewash stations

Prod. No.	Description
S90320	16 gallon Gravit-Eye portable eyewash station

Prod. No.	Description	Fits
S90335	Dust cover	S90320 16 gallon eyewash station
S90321	3' replacement drain hose	S90320 16 gallon eyewash station
S90324	Replacement mounting bracket	S90320 16 gallon eyewash station
S90325	Replacement dispenser cap	S90320 16 gallon eyewash station
S90326	Replacement manifold assembly	S90320 16 gallon eyewash station
S90336	Replacement threaded cap	S90320 16 gallon eyewash station


 S90335  
 DUST COVER OPTION

 S90320  
 16 GALLON PORTABLE EYEWASH STATION

# EYEWASH STATIONS – PORTABLE EMERGENCY

## 15 Gallon Portable Pressurized Eyewash/Drench Hose Unit

- 15 gallon pressurized tank portable eyewash station
- Stainless steel tank comes with carrying handles, air intake fitting, pressure gauge and pressure relief valve
- Provides approximately 10 (34 liters) gallons of useable capacity
- Two gentle spray heads with flip top dust cover, internal flow control and filter
- Pressure regulator restricts flow to 0.65 GPM (approx. 15 minutes of flow)
- ½" IPS chrome plated brass stay-open ball valve with flag handle
- Drench hose contains a single gentle spray head with flip top dust cover, chrome plated brass squeeze valve, 6' reinforced PVC hose and stainless steel lever handle
- Weight: 35.6 lbs. empty, 119 lbs. full
- Unit comes completely assembled
- Complies with ANSI Z358.1 for portable eyewash stations

Prod. No.	Description
S90315	15 gallon portable pressurized eyewash/drench hose unit



S90315

## Eyewash Bacteriostatic Additive – 8 oz.

- 8 oz. bottle of bacteriostatic additive
- For use in all makes of portable eyewash stations
- Protects against growth of bacteria, fungus, algae and acanthamoeba

Prod. No.	Description	Case/Qty.
S90322	8 oz. bottle of bacteriostatic formula	4/Case



S90322



Dual spray heads

Delivers 14 gallons of water over 15 minute period.



S90100

## EYEWASH STATIONS – FAUCET MOUNT

### Faucet Mounted Eyewash Units

- Converts any faucet into an emergency eyewash station
- Does not interfere with normal faucet operation
- Two outlet heads are mounted 3" or 5" apart and deliver a soft, aerated and unlimited supply of water
- Heads angle forward and are adjustable to permit full coverage while avoiding splashes
- Furnished with float-off dust covers to protect outlet heads
- Body features standard 55/64"-27 female threads
- Also contains 3 adaptors for installation on most common faucets: 15/16"-27, 13/16"-27, 3/8" IPS
- Completely assembled and water tested prior to shipment

Prod. No.	Description	Spray Head
S90100	Faucet mount eyewash unit	2 adjustable - 3" apart
S90101	Faucet mount eyewash unit	2 adjustable - 5" apart



S90600-2



S90602-1

### Hand Held Drench Hose Eyewash Units

- Dual purpose unit:
  - Uses deck flange for fixed hands free eyewash
  - Removed for use as a deck hose
- Features two spray heads mounted side-by-side
- Each spray head has a "flip-top" dust cover and internal flow control
- Filter removes impurities from the water flow
- Features 8', 300 PSI reinforced PVC hose
- Meets **ANSI Z358.1** Standard

Prod. No.	Description	Weight
S90600	Hand held drench hose unit	4 lbs.
S90600-2	Hand held drench hose unit with wall hook	3 lbs.
S90602-1	Hand held drench hose unit with deck mount	5 lbs.

# EYEWASH STATIONS – DECK OR WALL MOUNTED

## Deck Mounted Eyewash Unit

- Deck eyewash units are for mounting on counter next to sink
- Two spray heads swivel 90 degrees from storage to operational position
- Unit mounts on right side of sink – right hand swivel
- Water flow is activated by flag handle
- Furnished with locknut and washer for secure counter mounting
- Meets **ANSI Z358.1** Standards

Prod. No.	Description	Spray Head
S90430	Deck mount eyewash unit	2 swivel type



S90430

## Wall Mounted Eyewash Units

- Wall mounting unit includes heavy duty aluminum wall bracket with corrosion resistant powder coated finish
- Each spray head has a “flip-top” dust cover and internal flow control
- Filter removes impurities from the water flow
- Spray heads swivel 90 degrees
- Right hand swivel
- Bowls available in two materials:
  - 11-1/2” circular blue ABS plastic
  - 11-1/2” circular stainless steel
- Completely assembled and water tested prior to shipment
- Meets **ANSI Z358.1** Standards

Prod. No.	Description	Bowl	Spray Head
S90440	Wall mount eyewash unit	Stainless steel	2 swivel type
S90445	Wall mount eyewash unit	Blue ABS plastic	2 swivel type



S90440

# FACE/EYEWASH STATIONS – PEDESTAL MOUNTED

## Pedestal Mounted Face/Eyewash Unit

- Free standing, pedestal mounted face/eyewash stations
- Model S90450 features two spray heads mounted side-by-side
- Each spray head has a “flip-top” dust cover and internal flow control
- Filter removes impurities from the water flow
- Spray heads swivel 90 degrees
- Right hand swivel
- ½” IPS chrome plated brass stay-open ball valve and Teflon seals
- Bowls available in two materials:
  - 11-1/2” circular blue ABS plastic
  - 11-1/2” circular stainless steel
- Completely assembled and water tested prior to shipment
- Meets **ANSI Z358.1** Standards

Prod. No.	Description	Bowl	Head
S90450	Pedestal face/eyewash	Stainless steel	2 swivel type
S90450-4*	Pedestal face/eyewash	Stainless steel	2 swivel type



S90450

\*Please Note: same features as S90450 but with hand-foot control assembly



S90510



S90243

## EYEWASH/DRENCH SHOWER COMBINATION SAFETY STATIONS

- These safety stations combine both drench shower and eyewash units in one
- Shower heads and eyewash components offer same features as individual units shown above
- Several versions available: stations include a 10" shower head along with a built-in two-head eyewash bowl/outlet of your choice
- Each spray head has a "flip-top" dust cover and internal flow control
- Filter removes impurities from the water flow
- Model S90570 features all stainless steel construction
- Models S90510, S90510-2, S90520 & S90570 feature 1" IPS chrome plated brass stay-open ball valve and Teflon seals - meet **ANSI Z358.1** standards
- Models S90520-3 and S90520-4 feature slow self-closing valve with pull chain and ring (shower operates for 10 seconds after chain is released)
- Self-closing valve models do not meet **ANSI 358.1** standards

Prod. No.	Station Description	Head	Eyewash Bowl	Valve
S90510	Eyewash/drench	ABS blue plastic	Stainless steel	Stay-Open
S90510-2	Eyewash/drench	Stainless steel	Stainless steel	Stay-Open
S90520	Eyewash/drench	ABS blue plastic	ABS blue plastic	Stay-Open
S90520-3	Eyewash/drench	ABS blue plastic	ABS blue plastic	Self-Closing
S90520-4*	Eyewash/drench	ABS blue plastic	ABS blue plastic	Self-Closing
S90570	Eyewash/drench	Stainless steel	Stainless steel	Stay-Open

\*Please Note: same features as S90520-3 but with hand-foot control assembly

- Deliver 30 GPM at 30 PSI and a 20" diameter spray pattern from 60" above floor level
- Spray heads available in two materials:
  - 10" circular blue ABS plastic
  - 10" circular stainless steel
- Models S90243 & S90243-2 feature 1" IPS chrome plated brass stay-open ball valve and Teflon seals - meet **ANSI Z358.1** standards
- Models S90243-3 feature slow self-closing valve with pull chain and ring (shower operates for 10 seconds after chain is released)
- Self-closing valve models do not meet **ANSI 358.1** standards
- Valves made in the USA
- Furnished with stainless steel actuating arm and 29" stainless steel pull rod

### Horizontal/Wall Mounted Emergency Drench Showers

Prod. No.	Description	Head	Valve
S90243	Drench shower	ABS blue plastic	Stay-Open
S90243-2	Drench shower	Stainless Steel	Stay-Open
S90243-3	Drench shower	Stainless Steel	Self-Closing





***sellstrom***<sup>®</sup>

Product that works.

**HEARING PROTECTION**

**SOME SOUND  
ADVICE**



S23410



S23412



S23413



S23410



S23414

## HEARING PROTECTION

### What you should know about hearing protection!

- Exposure to continuous high noise levels causes irreversible hearing loss
- Developing an effective workplace hearing safety program is critical
- OSHA sets the permissible 8 hour work day noise exposure level at 90 dBA and only 2 hours of exposure to 100 dBA
- Many companies place noise level limits even lower than the OSHA standard
- Here are guidelines that some companies apply for increased safety:
  - 8 hours exposure = 85 dBA
  - 4 hours exposure = 88 dBA
  - 2 hours exposure = 91 dBA
  - 1 hour exposure = 94 dBA

### About NRR ratings and their practical application in the field

- The NRR ratings found on many hearing protection products in the market, including Sellstrom, have been tested and certified in controlled laboratories
- However, working environments are seldom controlled environments
- In the field hearing protection is not always fitted properly leading to noise creep and the potential for hearing damage
- As a precaution NIOSH recommends the following deratings during field use:
  - Ear Muffs – NIOSH recommends derating NRR ratings by 25%
  - Ear Plugs – NIOSH recommends derating NRR ratings by 50-75%
- In some applications, to achieve maximum protection the use of ear plugs and muffs together may be the safest solution. It is estimated that by combining the two, an extra 5 dB's can be added to the overall tested NRR rating

## EAR PLUGS – PREMIUM DISPOSABLE

### Disposable Ear Plugs – Bullet Shape

- Contoured bullet shape premium quality polyurethane ear plugs
- Gently but quickly expand to fit ear canal – one size fits all!
- Soft, non-irritating PU foam for maximum comfort
- Available corded and uncorded
- Plugs are individually packed in pairs and sold:
  - Uncorded = 200 pair in convenient dispenser box
  - Uncorded = 500 pair in bulk bag (replacement plugs for dispenser)
  - Uncorded = 500 pair in convenient see-through wall dispenser
  - Uncorded = 10 pair in retail slide blister package
  - Corded = 100 pair in convenient dispenser box
- Independently tested/certified to **NRR 32 (ANSI S3.19)**
- **CSA Class AL**

**NEW!**



S23412

Prod. No.	Type	Shape	Color	Package
S23410	Uncorded	Bullet	Hi-Viz Green	200 pair dispenser box
S23411	Uncorded	Bullet	Hi-Viz Green	500 pair bulk pack
S23412	Corded	Bullet	Hi-Viz Green	100 pair dispenser box
S23413	Uncorded	Bullet	Hi-Viz Green	500 pair in wall dispenser
S23414	Uncorded	Bullet	Hi-Viz Green	10 pair in retail package

# EAR PLUGS – PREMIUM REUSABLE

## Reusable Ear Plugs – Tapered

- Newly developed 4-flange, tapered earplug ensures optimum ear canal coverage
- Firm push/pull post makes insertion and removal quick and easy
- One size fits all
- Reusable – can be washed and reused dozens of times
- Made with non-allergenic polymer materials
- Plugs are individually packed in pairs and sold:
  - Uncorded = 100 pair/box
  - Corded = 100 pair/box
  - Corded = 1 pair in see-through plastic storage case with belt clip
- Independently tested/certified to **NRR 27 (ANSI S3.19)**
- **CSA Class AL**

**NEW!**



S23421

Prod. No.	Type	Shape	Color	Package
S23420	Uncorded	Tapered	Blue/Hi-Viz Green	100 Pair/Box
S23421	Corded	Tapered	Blue/Hi-Viz Green	100 Pair/Box
S23422	Corded	Tapered	Blue/Hi-Viz Green	1 Pair/Plastic Case

S23420



S23421

# EAR PLUGS – PREMIUM BANDED

## Banded Ear Plugs

- Banded ear plugs are designed to wear around the neck when not in use
- Ensures workers always have quality hearing protection when required
- Ideal for regular and intermittent applications - easily installed or removed
- Compliance enforcement is made easy due to the Hi-Viz green band
- Specially designed band shape is curved at the plug end – keeps the ear pods up and away from dirty and contaminated surfaces when not in use
- Comfortable blue ear plugs/pods are easily replaced when dirty (S23431)
- Used extensively on construction work sites, at airports and race tracks, in factory and shop applications and wherever reusable ear protection is required
- Independently tested/certified to **NRR 25 (ANSI S3.19)**
- **CSA Class AL**


**NEW!**



S23422

*Comes with convenient plastic case.*

Prod. No.	Type	Shape	Color	Package
S23430	Banded	Tapered	Hi-Viz Green	1/Bag
S23431	Replacement blue plugs/pods (pair)			10 pair/Bag



S23430



S23431



## EAR MUFFS – PREMIUM DIELECTRIC



S23407

### HPD425 Premium Dielectric Ear Muff

**NEW!**

- HPD425 ear muffs offer premium features and protection
- Stylish, modern lightweight design
- Dielectric – protects you from electric shocks and shorts
- Hi-Viz green/black cups are highly visible even in low light conditions
- Cup pads are soft and comfortable – ideal for extended use
- Heavy duty non-conductive swivel fork arms ensure strength & durability
- Easily adjustable for quick and convenient positioning
- Features soft foam head band for maximum operator comfort and style
- Independently tested/certified to **NRR 25 (ANSI S3.19)**
- **CSA Class A**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23407	Hi-Viz Green/Black	Soft EVA Foam	25 dB	10/Box

## EAR MUFFS – PREMIUM SERIES

- Sellstrom introduces a full range of ear muffs offering premium features
- Stylish, modern lightweight design
- Cup pads are soft and comfortable – ideal for extended use
- Strong stainless steel wire swivel fork arms ensure strength & durability
- Easily adjustable for quick and convenient positioning
- Feature soft EVA head bands for maximum operator comfort and style

### HP431 Premium Ear Muff

**NEW!**

- The HP431 ear muff offers our highest NRR rating (31 dB)
- Ideal for work in very high noise environments
- Independently tested/certified to **NRR 31 (ANSI S3.19)**
- **CSA Class A**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23406	Black/Red	Soft EVA Foam	31 dB	10/Box

### HP427 Premium Ear Muff

**NEW!**

- Our most popular premium series ear muff
- Low profile “slim” design is ultra-lightweight and comfortable
- Folds into a very compact, easy-to-store size
- Independently tested/certified to **NRR 27 (ANSI S3.19)**
- **CSA Class AL**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23404	Black/Orange	Soft EVA Foam	27 dB	10/Box

### HP424 Premium Ear Muff

**NEW!**

- Low profile “slim” design is ultra-lightweight and comfortable
- Folds into a very compact, easy-to-store size
- Independently tested/certified to **NRR 24 (ANSI S3.19)**
- **CSA Class A**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23403	Black	Soft EVA Foam	24 dB	10/Box

Soft EVA foam head band



S23406

Soft EVA foam head band



S23404

Soft EVA foam head band



S23403



S23409

## EAR MUFFS – PREMIUM CAP MOUNTED

### HPS428 Premium Cap Mounted Ear Muff

**NEW!**

- Designed to mount on to most brands of slotted hard hats
- Cup pads are soft and comfortable – ideal for extended use
- Strong stainless steel wire swivel fork arms ensure strength & durability
- Easily adjustable for quick and convenient positioning
- One of the highest NRR ratings for a cap mounted muff (28 dB)
- Independently tested/certified to **NRR 28 (ANSI S3.19)**
- **CSA Class A**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23409	Black/Red	Soft EVA Foam	28 dB	10/Box

## EAR MUFFS – ADVANTAGE SERIES

- Sellstrom carries two Advantage Series ear muffs
- Comfortable, lightweight and economically priced
- Dielectric – protects you from electric shocks and shorts
- Cup pads are soft and comfortable – ideal for extended use
- Tough, long lasting tension bands
- Easily adjustable for quick and convenient positioning



S23400

### Tonedown 200 Ear Muff

- Our highest NRR rated economy ear muff (26 dB)
- Bright safety color yellow cups
- Independently tested/certified to **NRR 26 (ANSI S3.19)**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23400	Yellow	Curved plastic	26 dB	50/Box



S23401

### H225 Ear Muff

**NEW!**

- Our most popular and economically priced ear muff
- Attractive blue cups
- Comes in convenient clamshell package for display purposes
- Independently tested/certified to **NRR 25 (ANSI S3.19)**
- **CSA Class A**

Prod. No.	Cup Color	Head Band	NRR Rating	Pkg. Qty
S23401	Blue	Curved plastic	25 dB	10/Box



**sellstrom**<sup>®</sup>

Product that works.

**HEAD PROTECTION**

**WORKING SAFE  
MAKES SENSE**



# HARD HATS



S69540

## Regular Brim Slotted Hard Hats – Type 1, Class E

- **Made in the USA** – Sellstrom hard hats are a cap style version with partial brim
- Rain gutter channels water and debris away from neck and face
- Hard hats/suspensions have been tested and certified in both the forward and backward positions
- Wearing a hard hat in the backwards position is useful when the brim interferes with the line-of-sight, the use of equipment or when workers “want the look”
- Hard hats certified for both forward and backwards use are identified by a double reverse arrow symbol after the ANSI Z89.1 mark
- Available in two impact absorbing 6 point suspensions systems: the more popular ratcheting style or the more economical Pin Lock style
- 6 point suspensions offer maximum comfort and impact absorbing qualities
- Available in 6 popular colors
- Slotted
- Meets **ANSI Z89.1 standards for Class G (2,200 volts), E (20,000 volts), Type 1 (top of the head impact)**
- **CE Approved**



## HARD HATS

Prod. No.	Cap Color	Suspension	Pack. Qty.
S69000	White	Pin Lock	24/Box
S69010	Yellow	Pin Lock	24/Box
S69020	Orange	Pin Lock	24/Box
S69030	Red	Pin Lock	24/Box
S69040	Blue	Pin Lock	24/Box
S69050	Green	Pin Lock	24/Box
S69500	White	Ratcheting	24/Box
S69510	Yellow	Ratcheting	24/Box
S69520	Orange	Ratcheting	24/Box
S69530	Red	Ratcheting	24/Box
S69540	Blue	Ratcheting	24/Box
S69550	Green	Ratcheting	24/Box

## HARD HAT ACCESSORIES

Prod. No.	Description	Pack. Qty.
S22450	Sweatbands (absorbs excessive perspiration)	30/Box
S60100	Replacement Pin Lock suspensions	6/Bag
S60200	Chin straps (fits into slotted tabs)	6/Bag
S60500	Replacement Ratcheting suspensions	6/Bag
S62240	Blue cotton twill with fleece winter lining	1/Bag

**Please Note:** Sellstrom carries a full range of hard hat face shield adaptor brackets for slotted and non-slotted regular and full brim hard hats. Please consult the Face Protection/Face Shields section of our catalogue under Face Shield Hard Hat Adaptor Brackets for full details.



**sellstrom**  
Product that works.



S69500



S69510



S69520



S69530



S69540



S69550

S60500



S62240



***sellstrom***<sup>®</sup>

Product that works.

**KneePro**

**KNEE & ELBOW  
PROTECTION**

**ULTIMATE  
COMFORT  
ALL DAY  
EVERY DAY**



## KNEE PADS – PREMIUM GRADE

# KneePro



S96110

### KneePro Ultra Flex III Knee Pads

- Sellstrom's **KneePro Ultra Flex III** knee pads have been the industry standard for more than 30 years
- Simply the best knee pads made!
- The articulating hinged design ensures proper placement all day long – set them once and forget you are even wearing them
- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee – no Velcro, which contaminates over time
- Straps stay aligned with your legs in any position – will not bind behind the knee
- Built with strong, flexible hard plastic outer shells that extend well above, below and to the inside/outside of the knee for added knee and leg protection
- Metal rivet hinge ensures long lasting protection while kneeling or walking
- On the outside, pads feature a perfectly placed curved non-marking Grip Strip
- Grip-Strip designed for use in all applications without gumming up
- Grip Strips are easily replaceable
- On the inside, pads offer a long lasting 5/8" closed cell foam pad for maximum comfort and protection (KneePro Ultra Flex III version)
- Sweat does not penetrate closed cell foam – lasts longer and won't "stink"
- **Our new KneePro Hybrid Ultra Flex III** version offers even greater user comfort and protection through the use of a three layer, 3/4" thick closed cell foam pad with built-in GEL packs – the ultimate in knee protection!
- Virtually indestructible – built for years of hard work and heavy use
- Specially designed Quick-Snap clips ensure quick and easy removal
- Comes in convenient, reusable mesh bag with one extra Quick-Snap clip
- Pads weigh only 9 oz. each
- Straps, Grip Strips & speedklips are replaceable
- Excellent for welders, ship builders, roofers, construction workers, flooring installers and anywhere hard working knee pads are required

# KNEE PADS – PREMIUM GRADE

## KneePro Ultra Flex III Knee Pads

Prod. No.	Mod. No.	Shell Color	Grip Strip	Pkg. Qty.
S96110	KPUF03	Grey	Orange	6/24 pair
S96111	KPUF03-B	Black	Black	6/24 pair
S96112	KPUF03-G	OD Green	OD Green	6/24 pair
S96113	KPUF03-T	Tan	Tan	6/24 pair
S96114	KPUF03-F	Foliage	Foliage	6/24 pair

## KneePro "Hybrid" Ultra Flex III Knee Pads

**NEW!**

- The new **KneePro Hybrid Ultra Flex III** offers all of the same legendary features as the KneePro Ultra Flex III pad but has the added advantage of a built in GEL pack for added comfort and fit
- This is the ultimate knee pad for extreme applications where users are on their knees for extraordinarily long periods of time
- Unlike many GEL pads on the market, our GEL packs are securely placed inside a three layer, 3/4" closed cell foam knee protector compartment and are guaranteed to stay leak-free
- Available with black shells and Hi-Viz orange Grip Strip

Prod. No.	Mod. No.	Shell Color	Grip Strip	Pkg. Qty.
S96211	KPUF03-H	Black	Hi-Viz Orange	6/24 pair



S96111



S96112



S96113



S96114

Hard Plastic outer sheels are extremely strong.

Quick snap clips ensure quick and easy removal

Non-Marking Grip-Strip for use on any surface.

Hinged with metal rivet for ease of movement while kneeling or walking.

Soft elastic woven straps are placed well above and below the knee – ensures proper pad placement all day long without any binding behind the knee!

S96211 "Hybrid"

Gel packs are securely placed inside a three layer 3/4" (19 mm) closed cell foam compartment and are guaranteed to stay leak free.



S96110-7



S96350

Serrated inner pads channel air flow, creating cooler working environment.



S96310

## KNEE PADS – PREMIUM GRADE

# KneePro

### KneePro Ultra Flex III Knee Pad Replacement Parts

Prod. No.	Description	Set
S96110-7	KneePro III replacement Grip Strips – Orange (PR)	1 Pair (2 pcs.)
S96110-6	Knee Pad Pro III replacement straps and clips (kit)	4 of each

## KNEE PADS – SPECIALTY

### KneePro Roofers Knee Pads

- The **KneePro** Roofers vented foam rubber knee pads are specially designed for the tough roofers industry
- Manufactured using a special grade of ultra-dense rubber, offering extreme durability
- Non-marring rubber leaves no transfer on surfaces
- Inner pads are serrated, creating channels that allow air to flow through the pad
- These channels dissipate heat, creating a cooler working environment at the knee
- Ideal for roofers working in high heat applications
- Straps are located to allow the calf muscle curvature to help hold the pads in place without pinching the knee joint
- The upper end of the pads is hooked upward and inward to help hold the pads in place on the knee
- Weight – 1.25 Lbs. per pad, 2.5 Lbs. per pair
- Ideal for roofers, welders and anyone kneeling onto heated surfaces

Prod. No.	Mod. No.	Shell Color	Type	Pkg. Qty.
S96350	KPVFR	Black	Roofers	6/12

## KNEE PADS – ADVANTAGE SERIES

### KneePro ZeroGravity Lightweight Knee Pads


- The **KneePro ZeroGravity** knee pad is one of the lightest yet toughest knee pads on the market today – weigh only 2 oz. each
- So light, you won't even know you have them on!
- The outer shell is made using a durable, heat formed non-marking material for maximum life
- The inner closed cell foam protective pad is a full ½" thick for superior comfort
- Pad is molded to contour of knee, which helps it to stay in place during use
- Revolutionary new fastening system pops in and out like a button for easy and convenient on/off action
- To adjust the strap, simply pull the strap end to a comfortable size
- Extra wide soft woven elastic cloth strap for improved comfort and fit
- Economically priced but built for hours of long lasting protection and comfort
- Ideal for roofing, plumbing, flooring, tiling, gardening, carpentry, electrical work, maintenance and home repair

Prod. No.	Mod. No.	Shell Color	Pkg. Qty.
S96310	KPZG03	Gray	20/100 pair
S96311	KPZG03-G	OD Green	20/100 pair

**ArmorPro Tactical Elbow Pad**

- The **ArmorPro** Tactical Elbow Pad is the ultimate in elbow and arm protection
- The 11" long abrasion resistant foam & rubber body protects most of your arm
- Secures to your body with comfortable extra-wide top and bottom cinch straps
- Pull tabs help with adjustment even when wearing gloves
- Pad stays in position until "you" decide to change or remove
- Body is extremely flexible, becoming an extension of your arm
- Elbow protecting cap slides up and down for personal adjustment, comfort & fit:
  - shift cap to upper position for arm protection during belly crawl or;
  - lower position for sniper stand off – your choice, your comfort
  - Tough grip cap holds your elbow in place on any surface
- Lightweight and cool – only weighs 7 ounces (each pad)
- Available in 4 colors: Black, OD Green, Tan and foliage/coyote brown

Prod. No.	Mod. No.	Shell Color	Pkg. Qty.
S96410	KPAP07-B	Black	6/12/24 pair
S96411	KPAP07-G	OD Green	6/12/24 pair
S96412	KPAP07-T	Tan	6/12/24 pair
S96413	KPAP07-F	Foliage	6/12/24 pair



S96411



S96410



S96411



S96412





The background of the entire page is a dynamic, high-contrast image of a welder's work. A bright, intense light from a welding torch is the central focus, with a dense spray of white and blue sparks radiating outwards. The sparks are captured in motion, creating a sense of energy and heat. The overall color palette is dominated by deep blues and blacks, with the bright white and yellow of the weld providing a stark contrast. The text is overlaid on this background, with the 'sellstrom' logo at the top and the 'WELDING SAFETY' title in the center. At the bottom, a dark grey horizontal bar contains the 'TABLE OF CONTENTS' and two entries with their corresponding page numbers.

**sellstrom**®

Product that works.

# WELDING SAFETY

## TABLE OF CONTENTS

---

WELDING HELMETS, FILTERS & PLATES  
WELDING CURTAINS, TENTS & BLANKETS

82-99  
100-108





**sellstrom**<sup>®</sup>

Product that works.

**WELDING HELMETS,  
FILTERS AND PLATES**

**SPARKS  
PRODUCTIVITY**



## WELDING HELMETS – GALAXY SERIES



S41340-612

- Our newest premium welding helmets
- Uniquely shaped fixed front helmet design provides oversized head, neck and side protection
- Made using lightweight Super Tuff nylon materials, this helmet offers outstanding protection, performance, comfort and reliability
- Designed for use with cartridge respirator
- Uses standard 90 x 110mm formatted ADF filters
- Easy auto-darkening filter and cover plate removal and installation
- Multi-adjustable ratcheting headgear with sweat-band for added comfort (S27413)
- Welding helmet supplied with Impulse MagSense ADF technology
- The most advanced ADF technology available (see ADF products section for complete details)
- First filter with optical and magnetic sensors!
- Patented Magnetic Sensor technology ensures no flickering or premature switching from dark to light or where arc is temporarily hidden or obscured
- Variable shade 9-13
- Models ending in 611: viewing area 1.6" x 3.8" (internal control)
- Models ending in 612: Extra-large viewing area: 2-1/4" x 4" (external shade control) - 40% larger viewing area than traditional filters
- Impulse MagSense ADF's offer 3 year warranty – an industry best!
- Meets **ANSI Z87.1** standards

# WELDING HELMETS – GALAXY SERIES

## Galaxy Series - Welding Helmets with ADF

Prod. No.	Color	ADF Filter
S41300-611	Black	Impulse MagSense variable shade 9-13 (S27611)
S41310-611	Silver	Impulse MagSense variable shade 9-13 (S27611)
S41340-611	Blue	Impulse MagSense variable shade 9-13 (S27611)
S41370-611	Red	Impulse MagSense variable shade 9-13 (S27611)
S41300-612*	Black	Impulse MagSense XL variable shade 9-13 (S27612)
S41310-612*	Silver	Impulse MagSense XL variable shade 9-13 (S27612)
S41340-612*	Blue	Impulse MagSense XL variable shade 9-13 (S27612)
S41370-612*	Red	Impulse MagSense XL variable shade 9-13 (S27612)

**\*Please Note:** Impulse MagSense XL models offer external variable shade control

## Replacement Parts for Galaxy Series Welding Helmets

Prod. No.	Description
S27413	Replacement ratcheting headgear suspension
S41305	Replacement front lenses (5/pack)



S41310-611 OR 612



S41340-611 OR 612




S41300-611

Comes standard with our Impulse MagSense optical and magnetic triggered auto-darkening filter

Uniquely shaped fixed front helmet design provides oversized head, neck and side protection

Designed for use with respirators

**40% larger viewing area!** 612 models provide extra large 2 1/4" x 4" viewing area with external shade control



S41370-612



# WELDING HELMETS – TITAN SERIES

- Sellstrom's award winning Titan Series fixed front welding helmet offers the user a balanced, lightweight and ergonomic welding helmet
- **Made in the USA** using special nylon materials – lighter, tougher and more durable than fiberglass
- Nylon material incorporates a proprietary heat and spatter resistant coating
- Extended crown provides greater overhead protection
- Specially designed rigid neck bib provides superior protection from spatter
- Lower portion of helmet (chin and neck area) narrows to allow for maximum side-to-side head movement
- 5-1/4" x 4-1/2" fixed front bezel ensures quick and easy loading of filter, cover and protective plates
- Complete with Sellstrom's patented "quick-release" ratchet headgear suspension with sweatband included (S27001)
- Can also be mounted on slotted hard hats using Sellstrom's dielectric universal slot adaptor (S61970)
- Sold without filter or with a variety of ADF options (your choice)
- Meets **ANSI Z87.1** standards



S24401

## Titan Series - Welding Helmet Only

- Welding helmet only without ADF filter

Prod. No.	Color	Bezel Color	Bezel Size
S24401	Black	Silver	5-1/4" x 4-1/2"
S24441	Blue	Silver	5-1/4" x 4-1/2"
S24471	Red	Silver	5-1/4" x 4-1/2"

# WELDING HELMETS – TITAN SERIES

## Titan Series - Welding Helmets with ADF

- Welding helmet supplied with ADF of your choice
- Impulse XVA and MagSense ADF's made in Switzerland

### No Graphics

Prod. No.	Color	Bezel Color	ADF Filter
S24401-602	Black	Silver	Impulse XVA fixed shade 10 (S27602)
S24401-611	Black	Silver	Impulse MagSense variable shade 9-13 (S27611)
S24401-625	Black	Silver	Impulse variable shade 9-13 (S27625)
S24441-602	Blue	Silver	Impulse XVA fixed shade 10 (S27602)
S24441-611	Blue	Silver	Impulse MagSense variable shade 9-13 (S27611)
S24441-625	Blue	Silver	Impulse variable shade 9-13 (S27625)
S24471-611	Red	Silver	Impulse MagSense variable shade 9-13 (S27611)
S24471-625	Red	Silver	Impulse variable shade 9-13 (S27625)

## Replacement Parts for Titan Series Welding Helmets

Prod. No.	Description
S27322	Silver bezel
S27330	Retainer clip
S27350	Gasket



S24441



S24471-611





## WELDING HELMETS – TRIDENT SERIES



S41200GL-611  
"OLD GLORY" GRAPHICS

### Trident Series Welding Helmets

- Sellstrom's exclusive Trident Series welding helmet offers the user a balanced, lightweight and ergonomic portrait window welding helmet
- Available in standard 2" x 4-1/4" fixed or flip front, as well as 5-1/4" x 4-1/2" fixed front options
- Sleek modern design is available in a multitude of colors and graphic designs
- Extended crown provides greater overhead protection
- Specially designed rigid neck bib provides superior protection from spatter
- Lower portion of helmet (chin and neck area) narrows to allow for maximum side-to-side head movement
- Easy auto-darkening and cover plate installation
- Complete with Sellstrom's patented "quick-release" ratchet headgear suspension with sweatband included (S27001)
- Can also be mounted on slotted hard hats using Sellstrom's dielectric universal slot adaptor (S61970)
- Sold without filter or with a variety of ADF options (your choice)
- Meets **ANSI Z87.1** standards



# WELDING HELMETS – TRIDENT SERIES

## Trident Series - Welding Helmet Only

- Welding helmet only without ADF filter

Prod. No.	Color	Bezel Size
S41000	Black	2" x 4-1/4" fixed front
S41011	Silver	2" x 4-1/4" fixed front
S41100	Black	2" x 4-1/4" flip front
S41111	Silver	2" x 4-1/4" flip front
S41200	Black	5-1/4" x 4-1/2" fixed front
S41211	Silver	5-1/4" x 4-1/2" fixed front



S41000



S41100

## Trident Series - Welding Helmets with ADF

- Welding helmet supplied with ADF of your choice
- All helmets listed feature 5-1/4" x 4-1/2" bezel

### No Graphics

Prod. No.	Color	ADF Filter
S41200-602	Black	Impulse XVA fixed shade 10 (S27602)
S41200-611	Black	Impulse MagSense variable shade 9-13 (S27611)
S41200-625	Black	Impulse variable shade 9-13 (S27625)
S41211-602	Silver	Impulse XVA fixed shade 10 (S27602)
S41211-611	Silver	Impulse MagSense variable shade 9-13 (S27611)
S41211-625	Silver	Impulse variable shade 9-13 (S27625)

### Camo Graphics

Prod. No.	Color	ADF Filter
S41200CA-602	Camo	Impulse XVA fixed shade 10 (S27602)
S41200CA-611	Camo	Impulse MagSense variable shade 9-13 (S27611)
S41200CA-625	Camo	Impulse variable shade 9-13 (S27625)



"CAMO" GRAPHICS

### Old Glory Graphics

Prod. No.	Color	ADF Filter
S41200GL-602	Old Glory	Impulse XVA fixed shade 10 (S27602)
S41200GL-611	Old Glory	Impulse MagSense variable shade 9-13 (S27611)
S41200GL-625	Old Glory	Impulse variable shade 9-13 (S27625)

### Winners Circle Graphics

Prod. No.	Color	ADF Filter
S41200WC-602	Winners	Impulse XVA fixed shade 10 (S27602)
S41200WC-611	Winners	Impulse MagSense variable shade 9-13 (S27611)
S41200WC-625	Winners	Impulse variable shade 9-13 (S27625)



"WINNERS CIRCLE" GRAPHICS

The LATEST technologically advanced auto-darkening welding helmet

Patented ratchet headgear design

Phenomenal optics

Solar-powered auto-darkening filter automatically darkens

Broad range of functionality

Maximum protection



# WELDING HELMETS – SMARTWELD PRO SERIES



S23005

- Sellstrom’s SmartWeld Pro fixed front welding helmet offers outstanding features and benefits at a surprisingly low cost
- Our most popular premium welding helmet
- Sleek, modern design and look
- The latest technologically advanced auto-darkening welding helmet
- Solar powered exclusive SmartWeld Pro ADF Swiss Engineered
- Reaction time is an incredible 0.0003 seconds, an industry leader
- Auto-delay function
- Phenomenal optics – Optical class 1-1-1-1
- Comes with variable shade 8-12 extended view ADF
- Internal settings to adjust shade number and also for the optical light sensitivity which can be adjusted to a higher or lower level
- Helmet, ADF and cover plate is suitable for electro-welding applications including Shielded Metal Arc, MIG and TIG welding as well as Plasma cutting
- Meets **ANSI Z87.1** standards
- **Also CE approved to DIN 1121**

Prod. No.	Color	ADF Filter
S230005	Black	Variable Shade 8-12

## Replacement Parts for SmartWeld Pro Welding Helmet

Prod. No.	Description
S250315	Rear Cover plate (5/pack)
S250325	Front Cover plate (5/pack)

# WELDING HELMETS – 290 SERIES



## 290 Series Welding Helmets

- Sellstrom’s 290 Series welding helmets have been an industry leader for decades
- **Made in the USA** - our most popular welding helmet series
- Molded from Super Tuff nylon – lighter than fiberglass and extremely durable
- Extended crown provides greater overhead protection
- Specially designed rigid neck bib provides superior protection from spatter
- Patented Sel-Snap lens retention system provides easy loading of filter, cover and protective plates
- Available in standard 2" x 4-1/4" and 4-1/2" x 5-1/4" lift and fixed front options
- Available in 4 popular colors
- Available with our proprietary SUPER KOOL SILVER COATING which keeps the helmet 30% cooler than standard helmets and sheds spatter without burning
- Provides maximum operator comfort and safety
- Complete with Sellstrom’s patented “quick-release” ratchet headgear suspension with sweatband included (S27001)
- Can also be mounted on slotted hard hats using Sellstrom’s dielectric universal slot adaptor (S61970)
- Sold without filter or with a variety of ADF options (your choice)
- Meets **ANSI Z87.1** standards and are **CUL certified to CAN/CSA-Z94.3** standards
- **Also CE certified**

## 290 Series – 2" x 4-1/4" Welding Helmets Only

- 2" x 4-1/4" welding helmet only (without filter)

Prod. No.	Color	Bezel Type	Retention System	Helmet Coating
S29301	Black	Lift front	Sel-Snap	None
S29311	Silver	Lift front	Sel-Snap	SUPER KOOL SILVER
S29341	Blue	Lift front	Sel-Snap	None
S29371	Red	Lift front	Sel-Snap	None
S29411	Silver	Lift front	Sel-Snap	SUPER KOOL SILVER coated lift front
S29501	Black	Fixed front	Sel-Snap	None
S29511	Silver	Fixed front	Sel-Snap	SUPER KOOL SILVER

## 290 Series – 4-1/2" x 5-1/4" Welding Helmets Only

- 4-1/2" x 5-1/4" welding helmet only (without filter)

Prod. No.	Color	Bezel Type	Retention System	Helmet Coating
S29901	Black	Fixed front	Sel-Snap	None
S29911	Silver	Fixed front	Sel-Snap	SUPER KOOL SILVER
S29941	Blue	Fixed front	Sel-Snap	None
S29971	Red	Fixed front	Sel-Snap	None

## 290 Series - 4-1/4" x 5-1/4" Fixed Front Welding Helmet with ADF

- Welding helmet supplied with auto darkening filter

Prod. No.	Color	Helmet Coating	ADF Filter
S29711	Silver	SUPER KOOL SILVER	Phantom Plus shade 9-13



S29301



S29511



S29971



S29711



## WELDING HELMETS – 280 SERIES



S28511

- Sellstrom's 280 Series welding helmets have been an industry leader for decades
- **Made in the USA**, the 280 Series is a traditional bucket style welding helmet
- Molded from Super Tuff nylon – lighter than fiberglass and extremely durable
- Patented Sel-Snap lens retention system provides easy loading of filter, cover and protective plates
- Available in standard 2" x 4-1/4" lift and fixed front versions
- Lift front version comes standard with spring loaded positive lock feature
- Also available in 4-1/2" x 5-1/4" fixed front version
- Available with our proprietary SUPER KOOL SILVER COATING which keeps the helmet 30% cooler than standard helmets and sheds spatter without burning
- Provides maximum operator comfort and safety
- Available with Sellstrom's patented "quick-release" ratchet headgear suspension with sweatband included, or with universal slot adaptors for slotted hard hats or with Zip-Klip bracket adaptor for non-slotted hard hats
- Specially designed shape for use with cartridge respirators
- Meets ANSI Z87.1 standards and are CUL certified to CAN/CSA-Z94.3 standards
- **Models 23501 & 23901 are CE certified**

# WELDING HELMETS – 280 SERIES

## 280 Series – 2" x 4-1/4" Welding Helmets Only

- 2" x 4-1/4" welding helmet only (without filter)

Prod. No.	Color	Bezel Type	Headgear	Helmet Coating
S28301	Black	Lift front	Ratcheting	None
S28311	Silver	Lift front	Ratcheting	SUPER KOOL SILVER
S28312	Silver	Lift front	Universal slot	SUPER KOOL SILVER
S28501	Black	Fixed front	Ratcheting	None
S28503	Black	Fixed front	Zip-Klip	None
S28511	Silver	Fixed front	Ratcheting	SUPER KOOL SILVER

## 280 Series - 4-1/2" x 5-1/4" Fixed Front Welding Helmet

- 4-1/2" x 5-1/4" welding helmet only (without filter)

Prod. No.	Color	Bezel Type	Headgear	Helmet Coating
S28901	Black	Fixed front	Ratcheting	None
S28911	Silver	Fixed front	Ratcheting	SUPER KOOL SILVER



S28311

*Designed for use with respirators.*



S28301



S28501



S28901



S28911



S21301



S29411-08E



S21100

## WELDING HELMETS – SPECIALTY

### Leather Hooded Welding Helmet

- Leather Hooded Welding Helmet
- Special leather welding hood is ideal for confined space applications and wherever risk of welding sparks are present not only in the face area but around the rest of the head, neck and shoulders
- Extra-long bib for under-chin protection from spark and spatter
- Extremely durable heat and flame resistant grey leather material
- Leather hood is permanently attached to specially designed sure-fit headgear platform using 6 metal plated rivets
- Four stainless steel top ventilation holes with built-in screens for user comfort
- Complete with ratcheting headgear suspension with sweatband included (S27051)
- Comes with standard 2" x 4-1/4" spring loaded positive lock lift front option
- Meets **ANSI Z87.1** standards

Prod. No.	Type	Bezel Type	Headgear	Filter
S21301	Leather Hooded	Lift front	Ratcheting	None
S21301-10	Leather Hooded	Lift front	Ratcheting	Shade 10 plate

### Confined Space Welding Helmet/Hood

- Modified 290 Series welding helmet features replaceable top and bottom (2 separate pieces) leather bib protectors (replacement #S21100)
- Originally designed for shipbuilding applications including submarine work, this helmet has since proven effective for other tight/confined space applications
- Patented Sel-Snap lens retention system provides easy loading of filter, cover and protective plates
- Features our proprietary SUPER KOOL SILVER COATING which keeps the helmet 30% cooler than standard helmets and sheds spatter without burning
- Provides maximum operator comfort and safety
- Complete with Sellstrom's patented "quick-release" ratchet headgear suspension with sweatband included (S27001)
- Comes with standard 2" x 4-1/4" spring loaded positive lock lift front option
- Meets **ANSI Z87.1** standards

Prod. No.	Type	Bezel Type	Headgear	Filter
S29411-08E	Confined space	Lift front	Ratcheting	None

### Welding Helmet Accessories and Replacement Parts

Prod. No.	Description
S21100	Welders leather bibs with Velcro tabs (fits inside most welding helmets, and a replacement part for Sellstrom S29411-08E)
S21300	4-1/2" x 5-1/4" spring loaded positive lock lift front adapter for 290 Series helmets
S22450	450 Sweat-Band all-purpose seat bands
S27000	Replacement sweatbands for ratcheting headgear suspensions
S27001	Replacement ratcheting headgear for Sellstrom's 280, 290, Titan and Trident Series welding helmets (meets ANSI Z87.1 standards)

**\*Please Note:** To attach Sellstrom welding helmets to slotted hard hats, use #S61970 universal slotted dielectric hard hat adaptor. Please consult the Face Protection/Face Shields section of our catalogue under Face Shield Hard Hat Adaptor Brackets for full details. To attach Sellstrom welding helmets to non-slotted hard hats use #S61700 zip-klip adapter

## WELDING HELMETS – SPECIALTY

### Iron Mask Hand Held Welding Shield

- Sellstrom's USA made exclusive Iron Mask hand held welding shield is used for temporary viewing of welding applications
- Removable cap allows for protection when used in right or left hand
- Lightweight and easy to hold in either hand
- Opening fits any sized gloved hand
- Comes with 2" x 4-1/4" shade 10 filter plate and cover plate
- Meets **ANSI Z87.1** standards and is **CUL certified to CAN/CSA-Z94.3** standards

Prod. No.	Description
S25000-10	Iron Mask hand held welding shield

**sellstrom**<sup>®</sup>  
Product that works.



S25000-10

SELLSTROM

WELDING HELMETS,  
FILTERS AND PLATES






S27611

## WELDING FILTERS – AUTO-DARKENING FILTERS (ADF)

- Sellstrom is a leading supplier of innovative, state-of-the-art auto-darkening filters (ADF's)
- Several models and sizes available – we have the perfect ADF for your application
- When you want superior eye protection when welding, Sellstrom ADF's offer all of the built-in safety features and technology you need

### Impulse MagSense Series Auto-Darkening Filters

- Sellstrom's patented Impulse MagSense auto-darkening filters are simply the most technologically advanced product in the market today
- The optical-magnetic detection system is the most fail-safe welding arc recognition system in the world
- The optical detection function reacts to light like standard ADF's
- The redundant magnetic arc detection system instantly detects the magnetic waves that occur during welding operations
- Together, these combined systems ensure that the filter will never open even if the optical sensors are blocked
- Fail safe, absolutely no flickering
- Sensing system is fully adjustable so that you can fine-tune the filter to ambient conditions – adjusts from zero to six feet
- Great in production applications where lighting issues, close proximity to other welders, smoke or reflections can confuse other filters
- 100% solar powered with dual sensors
- On/off magnetic sensor switch
- Ultra-thin design (27612)
- Light shade: 4 IR – provides excellent visibility before and after welding operations
- Dark shade range: variable 9-13
- Hi/low delay switch
- Switching speed: up to 0.1 ms
- Opening delay: 0.25 seconds
- Overall dimensions – 3-1/2"H x 4-1/4" W (90 x 110mm)
- Supplied with horizontal/vertical adapters for 5-1/4"H x 4-1/2"W or 4-1/2" H x 5-1/4"W welding helmets
- Active viewing area:
  - 27611: 1.6" x 3.8"
  - 27612: 2-1/4" x 4" (40% larger active viewing area!)
  - Fits Sellstrom Galaxy Series welding helmets
- Protection plates: polycarbonate
- The perfect ADF for all welding processes including MIG and TIG pulsing
- Three year warranty – industry best!
- Made in Switzerland
- Meets **ANSI Z87.1** standards
- Also **CE certified**




2-1/4" x 4" active viewing area

S27612

Prod. No.	ADF Description	Shade	Active Viewing Area
S27611	Impulse MagSense	Internal variable 9-13	1.6" x 3.8"
S27612	Impulse MagSense XL	External variable 9-13	2-1/4" x 4" (40% larger)

Made in Switzerland.

Impulse MagSense optical-magnetic detection system is the most fail-safe welding arc recognition system in the world!



Fail-safe: absolutely no flickering.



# WELDING FILTERS – AUTO-DARKENING FILTERS (ADF)

## Impulse XVA Extended View Series Auto-Darkening Filters

- Edge-to-edge viewing area provides an outstanding 60% greater viewing area than standard ADF's!
- Uses optical detection technology for auto-darkening process
- 100% solar powered with dual sensors
- Everything below the gold portion becomes a fixed shade 10 filter as soon as you strike an arc
- Light shade: 3 IR – provides excellent visibility before and after welding operations
- Dark shade: fixed shade 10 IR
- Switching speed: up to 0.3 ms
- **S27601 dimensions:**
  - overall size: 4-½"H x 5-¼"W
  - overall shade 10 (extended) viewing area: 4"H x 4-½"W
  - Active viewing area: 1.6"H x 3.8"W
- **S27602 dimensions:**
  - overall size: 5-¼"H x 4-½" W
  - overall shade 10 (extended) viewing area: 3.2" H x 5" W
  - Active viewing area: 1.6"H x 3.8"W
- Overall size: 5-¼" H x 4-½" W (27602)
- Water resistant
- Three year warranty – industry best!
- Made in Switzerland
- Meets **ANSI Z87.1** standards
- Also **CE** certified


Prod. No.	ADF Description	Shade	Active Viewing Area
S27601	Impulse XVA	Fixed shade 10	1.6"H x 3.8"W
S27602	Impulse XVA	Fixed shade 10	1.6"H x 3.8"W

## Impulse Series Auto-Darkening Filters

- Uses optical detection technology for auto-darkening process
- Ultra-thin design
- 100% solar powered with dual sensors
- Light shade: 3 IR (27600) and 4 IR (27625) – provides excellent visibility before and after welding operations
- Dark shade:
  - **S27600:** fixed shade 10
  - **S27625:** variable 9-13 (variable sensitivity, variable delay)
- Switching speed: up to 0.3 ms
- Overall size: 2"H x 4-¼"W (27600) 3-½"H x 4-¼" W (90 x 110mm) (27625)
- Active viewing area: 1.4" x 3.4"
- Water resistant
- Three year warranty – industry best!
- Made in Switzerland
- Meets **ANSI Z87.1** standards
- Also **CE** certified

Prod. No.	ADF Description	Shade	Active Viewing Area
S27600	Impulse	Fixed shade 10	1.4"H x 3.4"W
S27625	Impulse	Internal variable 9-13	1.6"H x 3.8"W

View from rear




S27601


Passive Shade 10 IR edge-to-edge viewing area provides an outstanding 60% greater viewing area than standard ADF's!

Active viewing area

View from front



S27602



S27600



S27625

## WELDING FILTER PLATES – PASSIVE

- Traditional welding filter plates are widely used in the industry
- Unlike auto-darkening filters, welding filter plates are a passive fixed shade system – you choose the right filter shade for your application as mandated by ANSI Z49.1-2005 standards
- Available in two common sizes: 2”H x 4-1/4”W and 4-1/2”H x 5-1/4”W
- Available in a wide variety of materials and shades for every application
- These filters fit several Sellstrom models, as well as most other welding helmets in the market
- Meet **ANSI Z87.1** standards

### Polycarbonate Passive Filter Plates

- Polycarbonate passive filter plates offer outstanding impact strength and optical clarity
- The most popular passive filter plate in the market
- Meet **ANSI Z87.1 High Impact** standards

Prod. No.	Plate Size	Shade	Type
S16604	2”H x 4-1/4”W	4 IR	Polycarbonate
S16605	2”H x 4-1/4”W	5 IR	Polycarbonate
S16606	2”H x 4-1/4”W	6 IR	Polycarbonate
S16606B	2”H x 4-1/4”W	6 IR Cobalt Blue	Polycarbonate
S16609	2”H x 4-1/4”W	9 IR	Polycarbonate
S16610	2”H x 4-1/4”W	10 IR	Polycarbonate
S16610B	2”H x 4-1/4”W	10 IR Cobalt Blue	Polycarbonate
S16611	2”H x 4-1/4”W	11 IR	Polycarbonate
S16612	2”H x 4-1/4”W	12 IR	Polycarbonate
S16709	4-1/2”H x 5-1/4”W	9 IR	Polycarbonate
S16710	4-1/2”H x 5-1/4”W	10 IR	Polycarbonate
S16711	4-1/2”H x 5-1/4”W	11 IR	Polycarbonate
S16712	4-1/2”H x 5-1/4”W	12 IR	Polycarbonate


### Gold Coated Polycarbonate Passive Filter Plates

- Polycarbonate passive filter plates offer outstanding impact strength and optical clarity
- Gold coating is ideal for intense welding operations, adding extra heat and light reflection
- Meet **ANSI Z87.1 High Impact** standards

Prod. No.	Plate Size	Shade	Type
S18509	2”H x 4-1/4”W	9 IR	Gold Coated PC
S18510	2”H x 4-1/4”W	10 IR	Gold Coated PC
S18511	2”H x 4-1/4”W	11 IR	Gold Coated PC
S18512	2”H x 4-1/4”W	12 IR	Gold Coated PC
S18709	4-1/2”H x 5-1/4”W	9 IR	Gold Coated PC
S18710	4-1/2”H x 5-1/4”W	10 IR	Gold Coated PC
S18711	4-1/2”H x 5-1/4”W	11 IR	Gold Coated PC
S18712	4-1/2”H x 5-1/4”W	12 IR	Gold Coated PC



S16605



S16709



S18509




S18709

# WELDING FILTER PLATES – PASSIVE

## Heat Treated Glass Passive Filter Plates

- Heat treated glass passive filter plates offer an economical filter plate option
- Meet **ANSI Z87.1** basic impact standards

Prod. No.	Plate Size	Shade	Type
S16509	2"H x 4-1/4"W	9 IR	Heat Treated Glass
S16510	2"H x 4-1/4"W	10 IR	Heat Treated Glass
S16511	2"H x 4-1/4"W	11 IR	Heat Treated Glass
S16512	2"H x 4-1/4"W	12 IR	Heat Treated Glass
S16309	4-1/2"H x 5-1/4"W	9 IR	Heat Treated Glass
S16310	4-1/2"H x 5-1/4"W	10 IR	Heat Treated Glass
S16311	4-1/2"H x 5-1/4"W	11 IR	Heat Treated Glass
S16312	4-1/2"H x 5-1/4"W	12 IR	Heat Treated Glass



S16509

## COVER/IMPACT PLATES

- Cover and impact plates are positioned in front of passive and ADF filters providing an economical "shield" that protects the more expensive filters plates from pitting and scratching
- As the cover/impact plate becomes damaged, you simply replace it with a new plate
- Sellstrom carries three popular styles of cover plates and one style of impact plates

### Cover Plates

- Cover plates are the most economical way to protect filter plates from pitting and scratching
- Cover plates are not High Impact rated and therefore are not designed to provide safe eye protection from flying projectiles

### Impact Plates

- In addition to protecting filter plates from pitting and scratching, impact plates meet **ANSI Z87.1 High Impact** standards, providing added eye protection from flying debris during welding operations
- Impact plates provide the best and safest pre-filter protection

### Cover Plates – CR-39 Long Life

- CR-39 clear cover plates provide the best protection from pitting and scratching
- Our most popular cover plates
- Made of durable, heat resistant materials containing CR-39 Monomer
- Combines the optics of glass with the added durability of thermostat material
- Superior resistance to scratches, heat and chemicals
- Meets **ANSI Z87.1** Basic Impact standards and **Federal Specs GGG-H-211D** (not to be used as an impact plate)
- Refractive Index Value – 1.498
- Abbe Value – 59.3
- Density – 1.31 g/cm<sup>3</sup>
- Plate thickness - .056"
- Individually bagged

Prod. No.	Plate Size	Shade	Type	Pkg. Qty.
S19002	2"H x 4-1/4"W	Clear	CR-39	100/box
S19004	4-1/2"H x 5-1/4"W	Clear	CR-39	50/box




S19002



S19004



S19512



S19602



S18402



S18100

## COVER/IMPACT PLATES

### Cover Plates – Economy Polycarbonate

- Polycarbonate cover plates offer good scratch resistant characteristics at an economical price
- Individually enveloped

Prod. No.	Plate Size	Shade	Type	Pkg. Qty.
S19512	2"H x 4-1/4"W	Clear	PC	100/box
S19514	4-1/2"H x 5-1/4"W	Clear	PC	100/box

### Cover Plates – Glass

- Economical scratch and spatter resistant cover plate. Not impact resistant.
- Bulk packed

Prod. No.	Plate Size	Shade	Type	Pkg. Qty.
S19602	2"H x 4-1/4"W	Clear	Glass	24/box
S19604	4-1/2"H x 5-1/4"W	Clear	Glass	30/box
S19606	2"H x 4-1/4"W	Clear	Glass	1,000/box

### Impact Plates – High Impact Polycarbonate

- These plates are made with a special High Impact rated polycarbonate material
- Provide great visual clarity and scratch resistance characteristics as well as providing eye protection from flying debris
- Meets **ANSI Z87.1+ High Impact** standard
- Individually bagged

Prod. No.	Plate Size	Shade	Type	Pkg. Qty.
S18402	2"H x 4-1/4"W	Clear	High Impact PC	Individual
S18403	2.6"H x 4-1/4"W	Clear	High Impact PC	Individual

## MAGNIFIER PLATES

- Magnifier plates are positioned in back of passive and ADF filters.
- Magnifier plates offer the feature of magnifying your vision, much like reading glasses for improved vision where necessary
- Made of high quality polycarbonate material
- Provide great visual clarity and scratch resistance characteristics
- Available in a wide range of Dioptic ratings from 1.00 – 2.50

Prod. No.	Plate Size	Shade	Dioptic Rating	Type	Pkg. Qty.
S18100	2"H x 4-1/4"W	Clear	1.00	PC	1 ea. /200/box
S18125	2"H x 4-1/4"W	Clear	1.25	PC	1 ea. /200/box
S18150	2"H x 4-1/4"W	Clear	1.50	PC	1 ea. /200/box
S18175	2"H x 4-1/4"W	Clear	1.75	PC	1 ea. /200/box
S18200	2"H x 4-1/4"W	Clear	2.00	PC	1 ea. /200/box
S18225	2"H x 4-1/4"W	Clear	2.25	PC	1 ea. /200/box
S18250	2"H x 4-1/4"W	Clear	2.50	PC	1 ea. /200/box



*sellstrom*<sup>®</sup>

Product that works.


**WELDING CURTAINS,  
TENTS & BLANKETS**

**WE HAVE YOU  
COVERED**



Product shown: S97710-3 CEPRO curtain in S97250 Rhino H.D. frame

# WELDING CURTAINS & FRAMES



- Welding curtains are designed for use in workplaces where bystanders must be protected against hazardous Infrared and Ultra Violet radiation emitted during welding operations
- They provide protection against dangerous Blue Light and Ultra Violet (UV) rays
- In cases of prolonged exposure, these rays can cause actinic conjunctivitis and potentially cataracts
- Curtains also protect the welder against welding light reflection
- Not suitable for supervising welding work or as a substitute for welding helmets

# WELDING CURTAINS & FRAMES

## Cepro Series Welding Curtains c/w Snap System

- Cepro curtains offer the best possible protection for bystanders in welding areas and meet **EN-1598** the highest standard in this field
- Cepro curtains have now been upgraded to meet the **NF P 92-503 "M1"** combustion classification (non-flammable for flexible materials under 5mm thick)
- Each curtain is supplied with sealed eyelets every one foot (12") along the top, and every two feet (24") along the bottom
- These curtains also feature 5 snap fasteners down each side for interconnecting two curtains together
- This allows multiple curtains to be added as required to form one long curtain
- Cepro curtains provide a versatile, quick and economical curtain solution
- All Cepro curtains are transparent which ensures bystanders and supervisors a good overall view of the work area and welder from the outside looking in
- Transparent curtains also allow the welder to see their outside surroundings, improving safety and preventing welders from feeling isolated
- Each curtain is provided with 7 steel suspension rings for quick and easy installation from a 1" tube
- Available in popular orange and green transparent PVC materials
- Made from 14 mil (0.40 mm) thick PVC material
- Packaged in clear ploy bag



S97709-1

Prod. No.	Size	Color
S97709-1	6'H x 4'W	Transparent orange
S97709-3	6'H x 4'W	Transparent green
S97710-1	6'H x 6'W	Transparent orange
S97710-3	6'H x 6'W	Transparent green

## Cepro Series - Gazelle Welding Curtain Kits with Lightweight Frame

- Cepro Gazelle kits include the curtain and an economical but convenient frame
- Frame comes complete with a set of feet providing a completely portable stand-alone curtain solution
- Extremely versatile – can be moved to any location quickly and easily
- The curtain frame (6'H x 6-1/2'W) is easily assembled and is manufactured using 1" x 0.04" zinc plated pipe interconnected with strong bolt fixings
- Very lightweight – only 15 pounds including curtain
- Complies with European standard **EN-1598**




S97240-1

Prod. No.	Size	Color
S97240-1	6'H x 6'W	Transparent orange
S97240-3	6'H x 6'W	Transparent green


## Cepro Series - Rhino Heavy Duty Frame (only)

- The Cepro Gazelle frame is for use with Cepro 6' x 6' curtains (not included)
- 6-1/2'H x 6-1/4'W frame is manufactured using 1.2" x 0.08" round pipe and 1.2" x 1.5" x 0.08" rectangular pipe and is powder coated grey and comes complete with four 2" diameter swivel casters (two with brakes) providing a completely portable stand-alone curtain solution
- Extremely versatile – can be moved to any location quickly and easily
- This is a heavy duty portable welding curtain frame that will provide years of trouble free use
- Complies with European standard **EN-1598**



S97250

Prod. No.	Size	Color
S97250	6-1/2'H x 6-1/4'W	Powder coated grey



S97305-1



S97230



S97390



S97392

## WELDING CURTAINS & FRAMES

### Supervisor Series Welding Curtains

- Sellstrom Supervisor Series welding curtains are specially designed to provide a safer environment for welding supervisor, co-workers and bystanders
- Made from top grade heavy duty transparent vinyl materials which ensures bystanders and supervisors a good overall view of the work area and welder from the outside looking in
- Transparent curtains also allow the welder to see their outside surroundings, improving safety and preventing welders from feeling isolated
- Made with special flame-retardant materials, these curtains may be used around arc, plasma, gas or other high amperage welding equipment
- Resistant to tearing, cracking, fire, water and mildew
- Brass grommets on 12" centers and at corners for strength and longer life
- Curtains supplied with heavy duty self-locking metal hooks
- Curtains feature durable nylon thread and double stitching on all sides ensuring a secure, long lasting hem
- Curtains provide a versatile, quick and economical curtain solution
- Curtains meet CPA 1-84 and California Fire Marshall's requirements for flame resistance

Prod. No.	Size	Color
S97305-1	5'H x 5'W	Transparent orange
S97305-2	5'H x 5'W	Transparent yellow
S97305-3	5'H x 5'W	Transparent green
S97306-1	5'H x 6'W	Transparent orange
S97306-2	5'H x 6'W	Transparent yellow
S97306-3	5'H x 6'W	Transparent green
S97309-1	6'H x 4'W	Transparent orange
S97309-2	6'H x 4'W	Transparent yellow
S97309-3	6'H x 4'W	Transparent green
S97310-1	6'H x 6'W	Transparent orange
S97310-2	6'H x 6'W	Transparent yellow
S97310-3	6'H x 6'W	Transparent green
S97311-1	6'H x 8'W	Transparent orange
S97311-2	6'H x 8'W	Transparent yellow
S97311-3	6'H x 8'W	Transparent green

### Supervisor Series Welding Curtain Frame (only)

- Supervisor Series steel frame has been designed to fit a wide range of welding curtains
- Adjustable design - can be made into a 5' x 5', 5' x 6', 6' x 4', 6' x 6'
- Frame is constructed with 7/8" galvanized steel tubular pipe for stability and long life
- Frame comes complete with a set of anti-skid legs providing a completely portable stand-alone curtain solution
- Extremely versatile – can be moved to any location quickly and easily
- Set of 4 casters available for maximum mobility (S97390)
- Additional heavy duty hooks also available (S97392 – each)

Prod. No.	Description
S97230	Adjustable welding curtain frame (only)
S97390	Set of 4 casters (optional)
S97392	Additional heavy duty hooks (each)



# WELDING SCREENS

## Portable Welding Screen

- Sellstrom's portable welding screen is designed for a safer working environment for welding sites
- Made of top grade heavy duty yellow vinyl (non-transparent)
- Unrolls and sets up in seconds – a quick and easy safety solution for your welding environment

Prod. No.	Description	Size
S97222	Portable welding screen	5' x6'

# WELDING TENT

## Cepro Series – Outdoor Welding Tent

- The Cepro outdoor welding tent protects workers, work space and jobsite equipment against all kinds of weather conditions
- Cover is made from 17 oz. white heavy duty PVC fabric and is self-extinguishing according to the M1 classification
- Tent opens/closes at both the front and back
- Fitted with 8" wide ground flaps all around
- Frame is manufactured from 1" diameter galvanized tubes for durability and extended life
- The height in the middle of the tent is over 7' making it an ideal protective cover for many confined space kits including our PeakWork CSK1-60
- Dimensions: 6-1/4' W x 6-1/2' D x 6-1/2' H (at the sides) and 7-1/4' H (at centre)

Prod. No.	Description	Size
S97260	Outdoor Welding Tent	17 oz. white PVC



S97222



S97260



S97260



S97455



S97450



S97453

## WELDING BLANKET – IN VINYL BAG

### 100% Fiberglass High Temp Fabric

- Designed for hot work operations
- Intended for use in horizontal applications with light to moderate exposures such as chipping, grinding, heat treating, sand blasting and light horizontal welding
- Strong, safe and chemical resistant
- Hemmed on all four sides with Kevlar thread and have brass grommets on corners and 36" center
- Machine washable
- White fiberglass blanket has a **1,000° F** continuous service temperature rating
- Convenient blue vinyl pouch with carrying handles protects welding blanket from exposure to harsh UV rays, chemicals, moisture, dust, salt air, insects and temperature extremes

Prod. No.	Material Type	Size	Weight	Temperature
S97455	100% fiberglass	5' x 6'	18 oz.	1,000°F/540°C

## EMERGENCY FIRE BLANKETS – IN VINYL BAG

### 100% Fiberglass High Temp Blanket

- Strong, safe and chemical resistant
- For use on small and contained fires
- Hemmed on all four sides with Kevlar thread and have brass grommets on corners and 36" center
- Machine washable
- White fiberglass blanket has a **1,000° F** continuous service temperature rating
- S97450 comes in convenient red vinyl hanging pouch with carrying handles protects welding blanket from exposure to harsh UV rays, chemicals, moisture, dust, salt air, insects and temperature extremes
- Two heavy duty grommets on top of pouch for easy hanging
- S97452 comes in convenient vinyl duffel bag with handles for easy storage in limited space

Prod. No.	Material Type	Size	Weight	Temperature
S97450	100% fiberglass	5' x 6'*	18 oz.	1,000°F/540°C
S97452	100% fiberglass	5' x 6'***	18 oz.	1,000°F/540°C

\*Red vinyl hanging pouch with carrying handles

\*\* Red vinyl duffel bag with handles for easy portability

### SoftShield™ Carbon Fiber Felt High Temp Blanket

- Extremely lightweight and flexible
- For use on small and contained fires
- Maintains physical integrity
- Protects for excursion temperatures to **3,000°F/1,650°C**
- Resistant to sparks and spatter, and is scratch-resistant to protect finishes and equipment
- Comes in convenient red vinyl pouch with carrying handles protects welding blanket from exposure to harsh UV rays, chemicals, moisture, dust, salt air, insects and temperature extremes

Prod. No.	Material Type	Size	Weight	Temperature
S97453	Carbon fiber felt	5' x 6'	17 oz.	3,000°F/1,650°C

# EMERGENCY FIRE BLANKETS – IN METAL STORAGE CABINET

## 100% Fiberglass High Temp Blanket

- Strong, safe and chemical resistant
- For use on small and contained fires
- Hemmed on all four sides with Kevlar thread and have brass grommets on corners and 36" center
- Machine washable
- White fiberglass blanket has a **1,000° F** continuous service temperature rating
- Comes in strong, red metal cabinet (16" H x 15" W x 5-1/2" D) which can be easily wall mounted or placed on a flat surface for quick and easy access
- Easy-to-identify bright red case with large white lettering
- Replacement blankets available in unsealed clear bag (S97467)

Prod. No.	Material Type	Size	Weight	Temperature
S97457	100% fiberglass	5' x 6'	18 oz.	1,000°F/540°C
S97467	Replacement blanket in unsealed clear bag			



S97457

## SoftShield™ Carbon Fiber Felt High Temp Blanket

- Extremely lightweight and flexible
- For use on small and contained fires
- Maintains physical integrity
- Protects for excursion temperatures to **3,000°F/1,650°C**
- Resistant to sparks and spatter, and is scratch-resistant to protect finishes and equipment
- Comes in strong, red metal cabinet (16" H x 15" W x 5-1/2" D) which can be easily wall mounted or placed on a flat surface for quick and easy access
- Easy-to-identify bright red case with large white lettering
- Replacement blankets available in unsealed clear bag (S97466)

Prod. No.	Material Type	Size	Weight	Temperature
S97456	Carbon fiber felt	5' x 6'	17 oz.	3,000°F/1,650°C
S97466	Replacement blanket in unsealed clear bag			



S97456




S97466



S97404-3



S97404-12



S97404-8

## HIGH TEMPERATURE FABRICS

- Sellstrom offers a wide range of heat resistant, high temperature fabrics for severe heat environments
- Typical applications include:
  - high heat reflection
  - molten metal splash
  - welding shields
  - freeze protection
  - steam tracing insulation
  - pipe wrap
  - stress relief

### 100% Fiberglass High Temp Fabric

- 100% white woven textured fiberglass designed for maximum flexibility using low irritating yarns
- Strong, safe, chemical resistant
- Hemmed on all four sides with Kevlar thread and have brass grommets on corners and 36" center
- Maintains physical integrity
- Protects for excursion temperatures to **1,000°F/540°C**
- Available in 18 oz. & 32 oz. material
- Ideal for pipe lagging and welding protection

Prod. No.	Material Type	Size	Weight	Temperature
S97404-3	100% fiberglass	6' x 6'	18 oz.	1,000°F/540°C
S97404-4	100% fiberglass	6' x 6'	32 oz.	1,000°F/540°C

### SoftShield™ Carbon Fiber Felt High Temp Fabric

- Extremely lightweight and flexible
- Maintains physical integrity
- Protects for excursion temperatures to **3,000°F/1,650°C**
- Resistant to sparks and spatter, and is non-scratch material to protect finishes and equipment

Prod. No.	Material Type	Size	Weight	Temperature
S97404-12	Carbon fiber felt	6' x 6'	17 oz.	3,000°F/1,650°C
S97408-12	Carbon fiber felt	6' x 8'	17 oz.	3,000°F/1,650°C

### Silica High Temp Fabric

- The optimal choice for welding applications
- 96% amorphous silica material that is both pliable and durable
- Low soluble chlorides and halogens facilitate use in both nuclear and fossil fuel power plants
- Hemmed on all four sides with Kevlar thread and have brass grommets on corners and 36" center
- Water repellent
- Maintains physical integrity
- Protects for excursion temperatures to **3,000°F/1,650°C**

Prod. No.	Material Type	Size	Weight	Temperature
S97404-8	Silica	6' x 6'	18 oz.	3,000°F/1,650°C







**PEAKWORKS®**

# FALL PROTECTION



## TABLE OF CONTENTS

---

HARNESSES	113-121
LANYARDS	122-125
RETRACTABLE HORIZONTAL LIFELINES	126
CONFINED SPACE	127
SELF-RETRACTING LIFELINES	128-132
TOOL TETHER SYSTEMS	133-134
ANCHORAGE CONNECTORS	135-138
ROPE GRABS AND LIFELINES	139-140
KITS	141-145
RESCUE PRODUCTS	146-147
ENGINEERED SYSTEMS	148-150
LADDER SYSTEMS	151
HARDWARE AND ACCESSORIES	152
STANDARDS AND REGULATIONS	153-154



# PEACE OF MIND

## PeakWorks Knows Fall Protection

From its inception in 2008, PeakWorks has been passionate about providing workers peace of mind when working at heights. The PeakWorks founders, with over 50 years of fall protection experience between them, set out to build a company that not only offered an industry-leading product line, but also provided their customers with value-added services supplying real solutions for both workers and the companies employing them. Today, as an integral part of our family of brands, we embrace those same principles. We know that the best fall protection is to eliminate the fall hazard in the first place. However, we also know that life doesn't always work that way. Our single goal, then, remains very simple: to ensure the best possible outcome when the unexpected occurs.

## PeakWorks Embraces Industry Standards

Our in-house fall protection experts are driven to provide the best possible products and systems to ensure maximum worker safety. Like you, we live and work in North America; and we are intimately knowledgeable about the strict regulations imposed in this country, which has the highest standards in the world. In fact, we are so dedicated to the advancement of worker safety that our fall protection experts are active members of both the CSA and ANSI standards committees. Not only do we adhere to these standards, we help to develop them!

## PeakWorks Thrives on Problem Solving

PeakWorks is all about solving problems for workers at height. Our team of experts is available to consult on applications, hazard analysis training, recertification of products and much more. If you need help, we are just a phone call away!

## PeakWorks Offers Uncompromising Value

Great news! Not only have we developed a world class fall protection program, we have also made every effort to ensure that it is delivered at the best value to you, the customer. We have accomplished this without compromising product quality – your safety remains our primary objective. So give us a call and let us know how PeakWorks can not only exceed your safety expectations, but potentially lower your overall fall protection costs at the same time.

## ANSI Certification

Products that are certified to the ANSI standard is much different than products that meets or exceed ANSI standard. Certified to ANSI means that the product has been tested and certified by a third party testing facility that have meet all the requirements of ISO 17025. The products undergo all the testing that is set forth by the ANSI standard to qualify as certified product. This gives the user an extra level of assurance that the product will perform as design. On the other hand, if a product has the term "Meets or exceeds" on the labelling or instruction manual it simply means that the manufacturer has tested the products internally usually without a 3rd party verification. It's important that you as the user of the equipment understand these difference so that you can make an informed decision on the products you are using or specifying to use in the field.



# FALL PROTECTION DEFINED

## What is Fall Protection?



Fall Protection refers to a series of regulated products or systems designed to protect workers from the risk of falls when working at height.

## Types of Fall Protection

There are three basic types of fall protection available on the market:

**Fall Restraint** – Comprised of products or equipment which prevent a free fall from happening in the first place. The fall restraint system is designed to prevent a worker from ever reaching the edge or drop-off point when working at heights. Common examples: Guard Rails or Restraint Lanyards connected to Full Body Harnesses that are shorter in length than the distance from the Anchor Point to the Drop-Off Point.

**Fall Arrest** – Comprised of products, equipment or systems which stop a free fall once it occurs. These products are carefully designed and tested to stop a falling worker with minimal risk of injury. Common examples: Full Body Harnesses connected to Shock Absorbing Lanyards, or Self-Retracting Lifelines that are connected to an approved Anchor Point.

**Work Positioning** – Comprised of products or equipment which support or suspend a worker in order to allow the worker **to be positioned at their working point hands-free**. Common examples: Rebar Chain Assembly, Boatswain's Chairs, Descent Controllers.

## Know Your A, B, C's

Fall protection systems are designed to prevent contacting a lower level if you fall from a height. There are several key components to these systems and it is important to know the basics.

**A = Anchorage Connectors** – The Anchorage is an engineered product which connects to some form of structure. The combination of these two critical components must be capable of withstanding the forces incurred during a fall. In Canada, these components must be capable of withstanding a minimum 5,000 lb (22 kN) of force. Common examples: Anchor Slings, Fixed D-Rings, Beam Anchors, Concrete Hole Anchors, Carabiners.

**B = Body Support** – The Body Support is the component that is worn on or around the torso. There are two types of Body Support:

### Restraint Belt:

Belt that is installed at the waist and used for worker positioning and travel restraint. A Restraint Belt must NEVER be used for fall arrest.

### Full Body Harness:

A Full Body Harness is a body support device that is installed on the entire body and is designed to distribute the forces of a fall to the shoulders, thighs and pelvis.

All Full Body Harnesses have a back D-ring designed for the fall arrest connection point. Other styles of Full Body Harnesses are available with other attachment points such as side D-rings for work positioning, a frontal D-ring for ladder climbing, and shoulder D-rings for confined space work. Some styles of harnesses can also have a combination of all or some of these attachment points, for example our Class APLE has the following connection points: (1) back D-ring, (2) side D-rings, (1) frontal D-ring and (2) shoulder D-rings.

Full Body Harnesses are the only accepted body support to be used for a fall arrest application. NEVER use a Restraint Belt in a fall arrest application.


**C = Connectors** – Connectors are the engineered components that connect the Body Harness or Body Belt to the appropriate Anchorage. Common examples: Shock Absorbing Lanyards, Self-Retracting Lifelines (SRL's), Restraint Lanyards, Lifelines.





PEAKWORKS®

# HARNESSES



SECURING  
YOUR PEACE  
OF MIND

## HARNESS

### Reference Guide



PeakWorks offers three series of harnesses: Compliance, Contractor, and PeakPro.

- Certified to both **ANSI Z359.11** and **CSA Z259.10** standards
- Meet or exceed all applicable OSHA standards
- 130 to 310-lb (60 to 141-kg) capacity (combined weight of person, tools, clothing, etc.)
- Sub-pelvic strap for added safety and support
- Fall indicator for easier inspection before use
- Polyester webbing



Example:  
V8001000  
(FBH-10002A)

### Compliance



- Hi-viz green
- 3 points of adjustment ensuring a good fit (2 leg, 1 chest)
- Buckles: Pass-Thru (chest and legs)



Example:  
V8002000  
(FBH-10000A)

### Contractor



- **Hi-viz green top and black bottom, easily visible and distinguishable for ease of donning**
- **5 points of adjustment ensure a good fit (2 leg, 2 torso, 1 chest)**
- Buckles: Pass-Thru (chest and legs), Pass-Thru or Grommets (legs)



Example:  
V8006100  
(FBH-60110A)

### PeakPro



- Hi-viz green top and black bottom, easily visible and distinguishable for ease of donning
- 5 points of adjustment ensuring a good fit (2 leg, 2 torso, 1 chest)
- **Buckles: premium Stab Lock (chest), Stab Lock (legs) or Grommets (legs)**
- **Padded shoulder, back and leg straps for all-day comfort**



# FULL BODY HARNESSES

## About Full Body Harnesses



- Full body harnesses are designed to arrest a fall while simultaneously distributing the tremendous shock or load to the worker's body.
- There are many applications and conditions in which full body harnesses must be worn. In order to maximize effectiveness and minimize injury, it is critical that an appropriate body harness be selected based on the job for which it is intended. PeakWorks offers a full range of body harnesses for almost every application.
- Full body harnesses must be fitted and tightened properly to ensure maximum protection and to minimize injury.
- Waist or restraint belts are not replacements for full body harnesses.
- All PeakWorks full body harnesses are built to meet or exceed the highest standards while providing maximum fit and comfort.

## Harness Classes

- Full body harnesses come in many styles with a variety of attachment points (D-rings). The placement of these rings is critical to the type of application and positioning of the worker when performing a job.
- The fall protection industry and regulatory committees have standardized the positioning of these attachment rings into Harness Classes A, D, E, L, P.
- Depending on the application, full body harnesses may require more than one attachment class in order to correctly position the body and stress points during a fall, i.e. AE and AP.
- All full body harnesses come with a standard Class A D-ring (located at the back between the shoulder blades).



Class A - Fall Arrest



Class D - Descent



Class E - Limited Access



Class L - Ladder



Class P - Work Positioning

## Harness Hardware

- PeakWorks full body harnesses are available with a variety of buckle types for your convenience:



Pass-Thru Chest Strap



Pass-Thru Leg Strap



Grommeted Leg Strap



Stab Lock Chest or Leg Strap



Friction Torso Adjustment



Large Back D-Ring



Padded Back Support



Frontal D-Ring

# FULL BODY HARNESSES

## Compliance Series



The PeakWorks Compliance Series harness is the best value on the market. When compliance and price are the keys drivers, this harness is the solution.

- Certified to both ANSI Z359.11 and CSA Z259.10 standards
- High visibility colour
- 3 points of adjustment ensuring a good fit (2 leg, 1 chest)
- 2 lanyard parks on chest strap for easy storage of lanyard
- Pass-Thru leg and chest buckles for quick donning
- Sub-pelvic strap for added safety and support
- Fall indicator for easier inspection before use
- Large back D-ring for easy connection
- Meets or exceeds all applicable OSHA standards
- Polyester webbing
- 130 to 310-lb (60 to 141-kg) capacity (combined weight of person, tools, clothing, etc.)



V8001000  
FBH-10002A

PROD. NO.	MOD. NO.	Series	Size	Weight Capacity	Class	Harness Weight	BUCKLE TYPE			D-RING LOCATION				
							Chest	Legs	Torso	Back	Sides	Front	Shoulders	
V80010000	<b>FBH-10002A</b>	Compliance	Universal	130 to 310 lbs (60 to 141 kg)	Class A	2 lbs (0.9 kg)	Pass Thru	Pass Thru	N/A	X				

# FULL BODY HARNESES

## Contractor Series



The PeakWorks **Contractor Series** is our most popular harness. With an impressive list of features, this harness offers incredible value.

- Certified to both **ANSI Z359.11** and **CSA Z259.10** standards
- High visibility colour
- Two-tone colour scheme for ease of donning
- Fully adjustable for a universal fit
- 5 points of adjustment ensure a good fit (2 leg, 2 torso, 1 chest)
- Pass-Thru leg and chest buckles for quick donning
- Grommeted leg straps available
- 2 lanyard parks on chest strap for easy storage of lanyard
- Sub-pelvic strap for added safety and support
- Polyester webbing
- Fall indicator for easier inspection before use
- Large back D-ring for easy connection
- Available in a variety of classes: A, AP, AE
- Meets or exceeds all applicable OSHA standards
- 130 to 310-lb (60 to 141-kg) capacity (combined weight of person, tools, clothing, etc.)



Contractor Harnesses now include 2 lanyard parks for easy storage



V800200  
FBH-10000A



V8002210  
FBH-10020B



V8008000  
FBH-10000AHV



V8002030  
FBH-10020E

PROD. NO.	MOD. NO.	Series	Size	Weight Capacity	Class	Harness Weight	BUCKLE TYPE			D-RING LOCATION			
							Chest	Legs	Torso	Back	Sides	Front	Shoulders
V8002000	<b>FBH-10000A</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class A	2.5 lbs (1.1 kg)	Pass Thru	Pass Thru	Friction	X			
V8008000	<b>FBH-10000AHV</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class A	2.5 lbs (1.4 kg)	Pass Thru	Pass Thru	Friction	X			
V8002010	<b>FBH-10000B</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class AP	3 lbs (1.4 kg)	Pass Thru	Pass Thru	Friction	X	2		
V8002030	<b>FBH-10000E</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class AE	3 lbs (1.4 kg)	Pass Thru	Pass Thru	Friction	X			2
V8002200	<b>FBH-10020A</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class A	3 lbs (1.4 kg)	Pass Thru	Grommet	Friction	X			
V8002210	<b>FBH-10020B</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class AP	3.5 lbs (1.6 kg)	Pass Thru	Grommet	Friction	X	2		
V8002230	<b>FBH-10020E</b>	Contractor	Universal	130 to 310 lbs (60 to 141 kg)	Class AE	3.5 lbs (1.6 kg)	Pass Thru	Grommet	Friction	X			2

# FULL BODY HARNESSES

## PeakPro Series

\*\*\*  
BEST



The PeakWorks **PeakPro Series** harness is our gold standard harness. With its legendary comfort, this harness can be worn comfortably all day long when working at heights.

- Certified to both **ANSI Z359.11** and **CSA Z259.10** standards
- High visibility colour
- Two-tone colour scheme for ease of donning
- Padded shoulder, back and leg straps for all-day comfort
- Fully adjustable for a universal fit
- 5 points of adjustment ensuring a good fit (2 leg, 2 torso, 1 chest)
- Stab Lock leg and chest buckles for quick donning
- 2 lanyard parks on chest strap for easy storage of lanyard
- Grommeted leg straps available
- Sub-pelvic strap for added safety and support
- Fall indicator for easier inspection before use
- Large back D-ring for easy connection
- Available in a variety of classes: A, AP, AE
- Meets or exceeds all applicable OSHA standards
- Polyester webbing
- 130 to 310-lb (60 to 141-kg) capacity (combined weight of person, tools, clothing, etc.)



PeakPro Harnesses now include 2 lanyard parks for easy storage



V8006100  
FBH-60110A

V8006110  
FBH-60110B

V8006200  
FBH-60120A

V8006210  
FBH-60120B

PROD. NO.	MOD. NO.	Series	Size	Weight Capacity	Class	Harness Weight	BUCKETYPE			D-RING LOCATION			
							Chest	Legs	Torso	Back	Sides	Front	Shoulders
V8006100	<b>FBH-60110A</b>	PeakPro	Universal	130 to 310 lbs (60 to 141 kg)	Class A	3.5 lbs (1.6 kg)	Stab Lock	Stab Lock	Friction	X			
V8006110	<b>FBH-60110B</b>	PeakPro	Universal	130 to 310 lbs (60 to 141 kg)	Class AP	4 lbs (1.8 kg)	Stab Lock	Stab Lock	Friction	X	2		
V8006200	<b>FBH-60120A</b>	PeakPro	Universal	130 to 310 lbs (60 to 141 kg)	Class A	3.5 lbs (1.6 kg)	Stab Lock	Grommet	Friction	X			
V8006210	<b>FBH-60120B</b>	PeakPro	Universal	130 to 310 lbs (60 to 141 kg)	Class AP	4.5 lbs (2 kg)	Stab Lock	Grommet	Friction	X	2		



# FULL BODY HARNESSSES

## Full Body Harness/Belt Combos



- Certified to **ANSI Z359.11** standards
- Lightweight for all-day comfort
- Offered with the Contractor series or PeakPro series harnesses
- Padded lumbar support designed to eliminate any discomfort from the weight of tool pouches
- Waist belt is designed to be removable, so a worker can add their favourite tool pouches with ease
- Positioning belt is designed with 2 side D-rings for any position applications
- Available with traditional Pass-Thru leg strap buckle or with tongue buckle
- 2 lanyard parks on chest strap for easy storage of lanyard



All Contractor and PeakPro Harnesses now include 2 lanyard parks for easy storage



V825521X  
FBH10020A1020-X

V825522X  
FBH10000A1020-X

V825562X  
FBH60110A1020-X

PROD. NO.	MOD. NO.	Series	Size	Weight Capacity	Class	Harness Weight	Chest	Legs	Torso	Back	Sides	Front	Shoulders
V825521X	<b>FBH-10020A1020X</b>	Contractor	S,M,L,XL,XXL	130 to 310 lbs (60 to 141 kg)	Class AP	3 lbs (1.4 kg)	Pass Thru	Grommet	Friction	X	X		
V825522X	<b>FBH-10000A1020X</b>	Contractor	S,M,L,XL,XXL	130 to 310 lbs (60 to 141 kg)	Class AP	2.5 lbs (1.1 kg)	Pass Thru	Pass Thru	Friction	X	X		
V825562X	<b>FBH-60110A1020X</b>	PeakPro	S,M,L,XL,XXL	130 to 310 lbs (60 to 141 kg)	Class AP	3.5 lbs (1.6 kg)	Stab Lock	Stab Lock	Friction	X	X		

When ordering a harness/belt combo, **PROD. NO. X** refers to the product size, for example:

Size	PROD. NO.	MOD. NO.
S	V8255211	FBH10020A1020-S
M	V8255212	FBH10020A1020-M
L	V8255213	FBH10020A1020-L
XL	V8255214	FBH10020A1020-XL
XXL	V8255215	FBH10020A1020-XXL

Note: see belt sizing chart on page 121.

# BELTS



The PeakWorks series of belts adds versatility and productivity to any PeakWorks harness.

- Lightweight for worker comfort
- Fits all PeakWorks harnesses
- Padded lumbar support made from closed cell foam
- Plated grommets for improved corrosion resistance
- Polyester webbing



Tongue Buckle



D-Ring



V805101X  
WB-1010-X



V805601X  
WB-6010-X



V8059  
WB-6006



V805602X  
WB-6020-X

Belt sizing chart:

Size	Min.	Max.
Small	32" (813 mm)	40" (1,016 mm)
Medium	36" (914 mm)	44" (1,118 mm)
Large	42" (1,067 mm)	48" (1,219 mm)
X-Large	44" (1,118 mm)	52" (1,321 mm)
XX-Large	48" (1,219 mm)	56" (1,422 mm)

PROD. NO. (see table below)	MOD. NO.	Size (X)	Product Name	D-Ring Location	
				Back	Sides
V805101X	<b>WB-1010-X</b>	S, M, L, XL, XXL	Restraint Belt	1	
V805601X	<b>WB-6010-X</b>	S, M, L, XL, XXL	PeakPro Restraint Belt with Padded Lumbar Support	1	
V805602X	<b>WB-6020-X</b>	S, M, L, XL, XXL	PeakPro Positioning Belt with Padded Lumbar Support		2
V8059	<b>WB-6006</b>	Universal	Padded Lumbar Support for Belt		

When ordering a belt, **PROD. NO. X** refers to the product size, for example:


Size	PROD. NO.	MOD. NO.
S	V8051011	WB-1010-S
M	V8051012	WB-1010-M
L	V8051013	WB-1010-L
XL	V8051014	WB-1010-XL
XXL	V8051015	WB-1010-XXL



# LANYARDS

# CONNECTING YOU SAFELY





## LANYARDS

### About Lanyards

- Lanyards are engineered products, and the critical connection component between the full body harness and the anchor. They are sometimes referred to as connectors.
- PeakWorks lanyards are designed and tested to comply to strict CSA and ANSI standards.
- There is a wide variety of lanyards to suit a wide range of applications.
- There are two common types of lanyards: Fall Restraint and Fall Arrest.

### Fall Restraint Lanyards

- Fall restraint lanyards are a fixed-length connection and have no shock absorbing capability.
- These lanyards are designed to limit the distance a worker can move from the anchor point and towards the edge of the structure and should never be used when there is a risk of falling.

### Fall Arrest Lanyards

- The shock absorbing action of these lanyards limits and reduces the force of a fall on the worker, significantly reducing injury to the body.

#### SP (Shock Pack):

- SP (Shock Pack) lanyards are comprised of "tear webbing" which is woven in a manner that allows the webbing to tear when it has a load applied to it. This tearing absorbs a significant amount of downward force under load, reducing injury.
- This tear webbing is folded and shrink-wrapped into a compact 1 x 2 x 6" (2.5 x 5 x 15 cm) pack that is sewn into the lanyard next to the body connector.
- Cable lanyards are ideal if you're working in abrasive or high-heat environments.

# SHOCK ABSORBING LANYARDS

## Shock Pack (SP)



PeakWorks Shock Pack (SP) shock absorbing lanyards are certified to **ANSI Z359.13** standards.

- Made with a superior grade, heavy-duty 1 3/4" (45 mm) or 1" (25 mm) polyester webbing for maximum strength or 1/4" (6 mm) galvanized plastic coated cable, with tear webbing shock absorber
- Resists abrasions and harmful UV rays
- Shock packs are designed to tear the inner webbing to reduce the force the worker feels to an acceptable level



PROD. NO.	MOD. NO.	Style	Single or Double Leg	Weight Capacity	Body	Anchor 1	Anchor 2	Length X	Adjustable
V8104306	<b>SA-7400-6U</b>	Tear Pack 1" Webbing	Single	130 to 310 lb	Snap	Snap		6' (1.8 m)	
V8104326	<b>SA-7402-6U</b>	Tear Pack 1" Webbing	Single	130 to 310 lb	Snap	Form		6' (1.8 m)	
V8104300	<b>SA-7400-6AU</b>	Tear Pack 1" Webbing	Single	130 to 310 lb	Snap	Snap		6' (1.8 m)	Yes
V8104320	<b>SA-7402-6AU</b>	Tear Pack 1" Webbing	Single	130 to 310 lb	Snap	Form		6' (1.8 m)	Yes
V8104356	<b>SA-7405-6U</b>	Tear Pack 1" Webbing	Single	130 to 310 lb	Snap	Snap + D-ring		6' (1.8 m)	
V8104406	<b>SA-84000-6U</b>	Tear Pack 1" Webbing	Double	130 to 310 lb	Snap	Snap	Snap	6' (1.8 m)	
V8104426	<b>SA-84022-6U</b>	Tear Pack 1" Webbing	Double	130 to 310 lb	Snap	Form	Form	6' (1.8 m)	
V8108306	<b>SA-7500-6U</b>	Tear Pack 1/4" PVC Coated Cable	Single	130 to 310 lb	Snap	Snap		6' (1.8 m)	
V8108326	<b>SA-7502-6U</b>	Tear Pack 1/4" PVC Coated Cable	Single	130 to 310 lb	Snap	Form		6' (1.8 m)	
V8108426	<b>SA-85522-6U</b>	Tear Pack 1/4" PVC Coated Cable	Double	130 to 310 lb	Snap	Form	Form	6' (1.8 m)	

## RESTRAINT LANYARDS



Preventing a fall is a better way of protecting workers than arresting a fall. For these applications, PeakWorks has a wide selection of fall restraint lanyards. Fall restraint lanyards should never be used if there is any risk of falling.

- Fall restraint lanyards are a fixed length connection and have no shock absorbing capability
- These lanyards are designed to limit the distance a worker can move from the anchor point and towards the edge of the structure and should never be used when there is a risk of falling
- PeakWorks restraint lanyards are made using two types of material – a rugged heavy-duty polyester webbing or a premium polyester rope – and with a variety of hook configurations
- PeakWorks restraint lanyards are available in 4' (1.2 m) and 6' (1.8 m) lengths



V81540X  
LAN-3400-X



V81542X  
LAN-3402-X



V860151  
RA-100



V815100X  
LAN-1222-X



V815120X  
LAN-1242-X



Snap Hook  
3/4" (19 mm)  
Gate Opening



Form Hook  
2 1/2" (64 mm)  
Gate Opening

PROD. NO.	MOD. NO.	Length in ft (m)	Product Name	Hook Type	
				Body	Anchor
V81540X	<b>LAN-3400-X</b>	4,6 ft (1.2, 1.8 m)	Restraint Lanyard with 1" (25 mm) Webbing	Snap	Snap
V81542X	<b>LAN-3402-X</b>	4,6 ft (1.2, 1.8 m)	Restraint Lanyard with 1" (25 mm) Webbing	Snap	Form
V815100X	<b>LAN-1222-X</b>	2,3,4,5,6 ft (0.6, 0.9, 1.2, 1.5, 1.8 m)	Restraint Lanyard with 5/8" (16 mm) Rope	Snap	Snap
V815120X	<b>LAN-1242-X</b>	2,3,4,5,6 ft (0.6, 0.9, 1.2, 1.5, 1.8 m)	Restraint Lanyard with 5/8" (16 mm) Rope	Snap	Form
V860151	<b>RA-100</b>	2 ft (0.6 m)	Rebar Chain Assembly	(2) Snap	Form

# RETRACTABLE HORIZONTAL LIFELINES


## T-Line



- The most versatile fall protection system available, the T-Line Safety System is a totally new approach to fall protection that can be used in most applications, including many that either aren't supported by existing systems or require expensive specially engineered systems
- Facilitates both horizontal and vertical freedom for the user. The system is self-retracting and self-tensioning
- Two models, one that will span up to 40' (12 m) and the XL version that will span up to 80' (24 m) in a single span
- Functions as both a self-retracting lifeline and a horizontal lifeline
- Works in both vertical and horizontal applications
- Easy to install
- Prevents the pendulum effect in the event of a fall
- Shorter fall arrest distances over large spans than most horizontal lifelines
- Each end can be mounted at different heights
- Integrated rescue winch
- Generates much lower forces on the anchors
- Can be easily serviced



PROD. NO.	MOD. NO.	Product Name	Length	Weight
V865240	<b>T-LINE-40</b>	Hybrid Vertical Horizontal Retractable Lifeline	40' (12 m)	50 lb (23 kg)
V865280	<b>T-LINE-80</b>	Hybrid Vertical Horizontal Retractable Lifeline	80' (24 m)	60 lb (27 kg)



(Illustration for 40 ft (12 m) system)

V865240  
T-LINE-40

## FALL PROTECTION FOR CONFINED SPACE



- The PeakWorks engineering team has developed a unique tripod with distinct advantages over the competition
- The PeakWorks TR-100 Tripod offers a built-in pulley system that is located above the head assembly
- The placement of this pulley situates the wire rope cable directly over the centre point of the tripod for superior perfect operator balance
- Locating the pulley system above the head assembly also allows the operator increased head room over traditional "below-the-head" pulley systems
- The PeakWorks TR-100 features adjustable aluminum legs complete with swivel steel feet and non-slip rubber bases
- The TR-100 can be used with a 65' (20 m) Man Rated Winch (MW-65G) or, by attaching the tripod mounting bracket, with a PeakWorks SRL-53303 60' (18 m) or 108' (33 m) recovery style SRL
- 7' (2 m) tripod features adjustable locking legs, two additional anchorage points, non-slip safety feet and safety chain
- Meets or exceeds **CSA Z259.15** and **ANSI Z359.18** and **OSHA** requirements
- MW-65G man winch features 65' (20 m) galvanized cable with swivel hook, 300 lb (135 kg) capacity
- 310 lb (141 kg) capacity (combined weight of person, tools, clothing, etc.)



PROD. NO.	MOD. NO.	Product Name
V85011	<b>TR-100</b>	7' (2 m) Tripod with Chain and Pulley
V84537065	<b>MW-65G</b>	65' (20 m) Man Winch with 3/16" (5 mm) Cable and Swivel Hook
V85024	<b>CSK1-60</b>	Confined Space Kit: Tripod, 3-Way 60' (18 m) SRL and Bag
V85025	<b>CSK2-65</b>	Confined Space Kit: Tripod, 65' (20 m) Man Winch and Bag
V85026	<b>CSK3-60</b>	Confined Space Kit: Tripod, 3-Way 60' (18 m) SRL, 65' (20 m) Man Winch and Bag
V860005	<b>BAG-005</b>	Tripod Carrying Bag (See page 41)
V855130	<b>CP-15300-3</b>	Confined Space Yoke
V8460	<b>SRL-53303-BRKT</b>	Tripod Mounting Bracket for SRL-53303
V860153	<b>CP-41210-3</b>	Stainless Steel Pulley - Single Oscillating Side Plates (See page 41)





PEAKWORKS®

**SELF-RETRACTING  
LIFELINES**

**REACH YOUR  
PEAK SAFETY  
PERFORMANCE**

## SELF-RETRACTING LIFELINES (SRL'S)



- Manufactured in Germany to exacting specifications using lightweight aluminum or plastic housings for maximum operator comfort
- Certified to **ANSI Z359.14** and **CSA Z259.2.1**
- Aluminum housing units are available using heavy-duty polyester webbing or galvanized steel cable
- Plastic housing units available with heavy-duty webbing only
- PeakWorks webbing SRL's are manufactured using special 0.1" (2.5 mm) thick, 1" (25 mm) wide Dyneema® Core materials, giving them one of the highest performances of this type of fibre in the world
- The anchor point incorporates a heavy-duty, durable and convenient swivel eye
- SRL's with webbing feature a sewn-in indicator on the lifeline itself for maximum safety
- Rescue units come with release pins and a two-way winch handle to engage the rescue/recovery mode
- There are two applications for SRL's:
  1. The traditional way to use an SRL, which is overhead without any contact to surfaces
  2. Leading Edge applications, where the unit is installed on the working surface and used horizontally near the fall hazard (the "Leading Edge", see below)
- While PeakWorks non-LE units can be used in overhead applications only, SRL's that are Leading Edge certified can be used in both overhead and Leading Edge applications
- Available in lengths from 6 to 170 ft (1.8 to 52 m)
- Available in single and double leg versions
- 300 lb (136 kg) capacity for 1 worker (combined weight of person, tools, clothing, etc.)



## SRL'S WITH LEADING EDGE (LE)

### What is a Leading Edge?

- A leading edge can be described as any sharp edge commonly found on a worksite, with which a cable or webbing connection could come into direct contact during a fall
- There is considerable force at play during a fall, and a non Leading Edge SRL (cable or webbing) may cut or snap at a sharp edge during the fall; Leading Edge (LE) self-retracting lifelines are designed to protect the worker when operating near an edge and where a fall hazard exists that could cause the lifeline to come into contact with the edge, for example when working over structural steel or in high-rise concrete buildings under construction with open flooring
- An SRL Leading Edge (LE) device is an SRL that has enhanced design features for use in leading edge applications; it provides additional protection against the sharp or abrasive surfaces found on many construction sites and is capable of withstanding a fall over a leading edge
- Unlike standard SRL's, SRL LE units are designed for use in both vertical and horizontal applications; the ability to work in a horizontal position vastly increases the versatility of an LE unit

### Why Choose a PeakWorks SRL LE Device?

- SRL makers have designed several methods to ensure there is no breakage when a fall happens and, more recently, to conform to the new ANSI LE standard; PeakWorks SRL LE's are **certified to the new ANSI standard Z359.14 for Leading Edge** applications as well as for non-Leading Edge applications
- While the most common method of converting an SRL to an SRL LE is to add a shock absorbing lanyard to the end of a normal SRL, which then absorbs enough of the dynamic force exerted at the edge to eliminate the webbing/cable from cutting, the downfall to this system is that an extra 48" must be added to the total fall distance formula – **PeakWorks offers LE certified units which can be used without external shock absorbers**
- All PeakWorks SRL LE units are clearly marked to ensure that the correct SRL is used for a Leading Edge application
- Units are lightweight and can be mounted on a worker's harness for better mobility and range of motion; they can also be mounted below a worker's fall arrest D-Ring (please refer to instruction manual for details)

## WHAT TYPE OF TESTING IS REQUIRED FOR AN SRL LE?

- Our SRL LE units have been tested and certified to the **US ANSI standard Z359.14**
- SRL LE units are tested for both overhead and leading edge applications
- The additional testing protocols below are requirements for leading edge testing only
- These test protocols ensure that if the worker falls over an edge at the anchor, or 5 feet away from the anchor, the SRL will successfully arrest the fall

## PERPENDICULAR EDGE DYNAMIC TEST





Figure 5b: Dynamic Performance Testing: SRL-Leading Edge

## LATERAL OFFSET DYNAMIC TEST



\* Drop test procedures from ANSI Z359.14 standard.

Ref.: <http://www.asse.org/ansi/asse-z359-fall-protection-code-version-3-0-/>

## FEATURES AND BENEFITS




- Each of our SRL LE units has its LE protection properties built into the braking mechanism as opposed to adding a shock pack to the unit
- Fall clearance for an SRL LE is less than for a unit with an added shock pack


## FALL CLEARANCE COMPARISON

- When working at height, it's important to understand the fall clearance requirements of your connecting device..
- Below is a simple comparison of a shock absorbing lanyard and SRL.

### COMPETITORS SRL LE WITH EXTERNAL ENERGY ABSORBER



### PEAKWORKS SRL LE WITH NO EXTERNAL ENERGY ABSORBER



## SRL LE APPLICATIONS

- Boom lifts, scissor lifts (need to tie off at your feet)
- Roofers on sloped or flat roofs (no overhead anchor points)
- Steel erectors (possibility of lifeline coming in contact with an edge during a fall situation)

*PeakWorks understands the importance of calculating the fall clearance, which is why we created an app for calculating fall clearances. Visit the App Store today to download it.*



# SELF-RETRACTING LIFELINES (SRL'S)



V845523006LE  
SRL-50302-6LE



V845525006LE  
SRL-50502-6LE



V845526006LE  
SRL-50602-6LE



V8454230XX  
SRL-40302-XX



V8455330XXLE  
SRL-53302-XXLE



V8455340XX  
SRL-53303-XX


**NOW AVAILABLE**  
Leading Edge  
SRL'S  
Certified to ANSI  
Z359.14-2012

PROD. NO.	MOD. NO.	Product Name	ANSI Z359.14-2012 LE Certified	Housing	Webbing/Cable ft (m)	Length ft (m)
V845523006LE	<b>SRL-50302-6LE</b>	SRL with Webbing, Snap Hook	<b>Yes</b>	Aluminum	1" (25 mm) Webbing	6 ft (1.8 m)
V845525006LE	<b>SRL-50502-6LE</b>	SRL with Webbing, Twin Leg, Snap Hook	<b>Yes</b>	Aluminum	1" (25 mm) Webbing	6 ft (1.8 m)
V845526006LE	<b>SRL-50602-6LE</b>	SRL with Webbing, Twin Leg, Form Hook	<b>Yes</b>	Aluminum	1" (25 mm) Webbing	6 ft (1.8 m)
V845533010LE	<b>SRL-53302-10LE</b>	SRL with Galv. Steel Cable, Snap Hook	<b>Yes</b>	Aluminum	3/16" (5 mm) Cable	10 ft (3 m)
V845533020LE	<b>SRL-53302-20LE</b>	SRL with Galv. Steel Cable, Snap Hook	<b>Yes</b>	Aluminum	3/16" (5 mm) Cable	20 ft (6 m)
V845533040LE	<b>SRL-53302-40LE</b>	SRL with Galv. Steel Cable, Snap Hook	<b>Yes</b>	Aluminum	3/16" (5 mm) Cable	40 ft (12 m)
V845533060LE	<b>SRL-53302-60LE</b>	SRL with Galv. Steel Cable, Snap Hook	<b>Yes</b>	Aluminum	3/16" (5 mm) Cable	60 ft (18 m)
V845423012	<b>SRL-40302-12</b>	SRL with Webbing, Snap Hook	No	Plastic	1" (25 mm) Webbing	12 ft (3.5 m)
V845423018	<b>SRL-40302-18</b>	SRL with Webbing, Snap Hook	No	Plastic	1" (25 mm) Webbing	18 ft (5.5 m)
V845534060	<b>SRL-53303-60</b>	SRL with Galv. Steel Cable, Rescue/Recovery, Snap Hook	No	Aluminum	3/16" (5 mm) Cable	60 ft (18 m)
V845534108	<b>SRL-53303-108</b>	SRL with Galv. Steel Cable, Rescue/Recovery, Snap Hook	No	Aluminum	3/16" (5 mm) Cable	108 ft (33 m)
V845534140	<b>SRL-53303-140</b>	SRL with Galv. Steel Cable, Rescue/Recovery, Snap Hook	No	Aluminum	3/16" (5 mm) Cable	140 ft (43 m)
V845533140	<b>SRL-53302-140</b>	SRL with Galv. Steel Cable, Snap Hook	No	Aluminum	3/16" (5 mm) Cable	140 ft (43 m)
V845533170	<b>SRL-53302-170</b>	SRL with Galv. Steel Cable, Snap Hook	No	Aluminum	3/16" (5 mm) Cable	170 ft (52 m)



NEW!

## PEAKWORKS TOOL TETHERING SYSTEM



- PeakWorks introduces their patented tool tethering system, designed to protect workers from tools dropped at height
- Developed and manufactured in Canada, the Peakworks system offers a unique tool attachment product that provides the strongest, most secure tool anchor clamping mechanism in the market
- The high-strength HDPE clamps can be securely mounted onto a wide variety of flat, hex and round shaped tool bodies, ensuring a powerful and positive tether anchor point
- HDPE materials work in both extreme cold and high heat applications and are very durable and long lasting
- The clamps are secured using high strength fasteners and are easily installed and removed using the hex key wrench provided in the kit
- Unlike traditional heat-tape anchoring systems, our clamps can be reused and/or repositioned at any time - a true cost saving system
- **Bonus** - Peakworks anchor clamps have been specially designed to prevent tools from falling through commonly used construction site grating (19-4)
- No other tool tethering program offers this added safety feature!
- All Peakworks anchor clamps feature a strong, molded eye hole for quick attachment to/ detachment from wrist or standard lanyards with built-in carabiners
- Currently there are no ANSI or CSA standards for tool tethering systems, however all Peakworks products were subjected to an extreme and rigorous series of tests at CSA's test lab to ensure maximum peace-of-mind and safety
- All Peakworks anchor clamps are available in individual blister packs or 10 piece bulk packs (5 bulk packs -50 pieces per box)



### PEAKWORKS ROUND CLAMP

- Designed for use with round and hex shank tool bodies
- Available in 4 sizes: 1/2", 5/8", 3/4" and 7/8"

PROD. NO.	MOD. NO.	Type	Size	Package Qty.
V8561101	<b>TT-1000-1</b>	Round	1/2"	1 PIECE (BLISTER)
V8561102	<b>TT-1000-10</b>	Round	1/2"	10/BOX 50/CARTON*
V8561201	<b>TT-2000-1</b>	Round	5/8"	1 PIECE (BLISTER)
V8561202	<b>TT-2000-10</b>	Round	5/8"	10/BOX 50/CARTON*
V8561301	<b>TT-3000-1</b>	Round	3/4"	1 PIECE (BLISTER)
V8561302	<b>TT-3000-10</b>	Round	3/4"	10/BOX 50/CARTON*
V8561401	<b>TT-4000-1</b>	Round	7/8"	1 PIECE (BLISTER)
V8561402	<b>TT-4000-10</b>	Round	7/8"	10/BOX 50/CARTON*



**NEW!**

### PEAKWORKS FLAT CLAMP

- Designed for use with wide or flat tool bodies
- Available in 2 sizes:
  - 15/16"W x 5/16" H (small)
  - 115/16"W x 9/16"H (large)
- Small flat clamp fits a range of wrenches of approximately 7/16" to 1 1/4"
- Large flat clamp fits a range of larger wrenches approximately 1 1/4" - 17/8"

PROD. NO.	MOD. NO.	Type	Size	Package Qty.
V8561501	<b>TT-5000-1</b>	Flat	5/16 x 5/16"	1 PIECE (BLISTER)
V8561502	<b>TT-5000-10</b>	Flat	5/16 x 5/16"	10/BOX 50/CARTON*
V8561601	<b>TT-6000-1</b>	Flat	1-15/16 x 9/16"	1 PIECE (BLISTER)
V8561602	<b>TT-6000-10</b>	Flat	1-15/16 x 9/16"	10/BOX 50/CARTON*



**NEW!**

### PEAKWORKS PRESS BLOCK

- Designed for use with round and hex shank tool bodies and larger tools
- Available in 2 sizes: 1/2" - 3/4" and 11/16" - 1 1/4"
- Comes with standard hex shaped opening and includes a separate rubber insert that can be placed between the tool and the clamp for extra sizing compatibilities and increased clamping grip

PROD. NO.	MOD. NO.	Type	Size	Package Qty.
V8561701	<b>TT-7000-1</b>	Press block	1/2" - 3/4"	1 PIECE (BLISTER)
V8561702	<b>TT-7000-10</b>	Press block	1/2" - 3/4"	10/BOX 50/CARTON*
V8561801	<b>TT-8000-1</b>	Press block	1-1/16" - 1-1/4"	1 PIECE (BLISTER)
V8561802	<b>TT-8000-10</b>	Press block	1-1/16" - 1-1/4"	10/BOX 50/CARTON*



**NEW!**

### PEAKWORKS LANYARDS

- The PeakWorks tool tethering system includes two specially designed lanyards that connect the tool anchor clamp to either the operator or to a suitable anchor point
- The wrist lanyard features a built-in heavy duty adjustable wrist collar on one end and a small carabiner on the other, conveniently tethering the tool to your wrist
- The standard lanyard features two small carabiners designed to connect to the tool anchor clamp and the other end to operator (or a suitable anchor)
- The small carabiner is designed to fit into the molded eye hole built-in to each of the Tool Collar HDPE clamps and is used to tether the tool to your body or to a suitable fixed anchor
- Both lanyards can also be used and mounted to variety of other tools in the market that feature hanging hole openings (ie: adjustable wrenches and pipe wrenches)
- Peakworks lanyards are designed for use with tools with a maximum weight of 15 pounds. Do not exceed this weight limitation.



**NEW!**

PROD. NO.	MOD. NO.	Type	Size (unstretched)	Package Qty.
V856210	<b>TT-9900</b>	Wrist	13"	1 PIECE C/W HANG CARD
V856211	<b>TT-9900-10</b>	Wrist	13"	10/BOX 50/CARTON*
V856220	<b>TT-9901</b>	Standard	32"	1 PIECE C/W HANG CARD
V856221	<b>TT-9901-10</b>	Standard	32"	10/BOX 50/CARTON*

*\*Please note: All Peakworks products are available individually, or in bulk 10 packs which are then master packed 5 packs (50 pieces) per carton. Save by purchasing in both 10 packs and master packs of 50.*

## ANCHORAGE CONNECTORS

### Anchors and Roof Brackets



- A complete fall arrest system requires three primary components: approved full body harness, connector and anchorage connector
- Anchors can be connected to a variety of materials such as steel, wood and concrete
- PeakWorks offers a wide range of anchor systems including: single-use/reusable roof anchors, sliding beam anchors, concrete hole anchors and permanent anchors
- The anchor should be located directly above the worker to prevent swinging
- The height of an anchor is a key variable when determining fall clearance
- As with all fall protection products, anchors must be inspected by a competent person at a minimum annually
- All PeakWorks anchors are built with a minimum tensile strength of 5,000 lb (22 kN)
- All PeakWorks anchors meet or exceed **CSA Z259.15** and **ANSI Z359.18** standards and **OSHA** requirements
- 310-lb (141-kg) capacity for 1 worker (combined weight of person, tools, clothing, etc.)



V822111X  
CP-10011-X



V8224111  
AC-9450-DPLTF



V8229001  
RB-9701



V8229100  
RB-9800



V8229104  
RB-9900



V8221114  
CP-10010-1



V8221115  
CP-10010-2

PROD. NO.	MOD. NO.	Product Name	Application
V8221111	<b>CP-10011-1</b>	Permanent Anchorage with 1/2" (13 mm) Hole	Permanent
V8221112	<b>CP-10011-2</b>	Permanent Anchorage with 5/8" (16 mm) Hole	Permanent
V8221113	<b>CP-10011-3</b>	Permanent Anchorage with 3/4" (19 mm) Hole	Permanent
V8224111	<b>AC-9450-DPLTF</b>	D-Ring Plate w/ D-Ring & Fasteners	Permanent
V8229001	<b>RB-9701</b>	Single-Use Roof Bracket	Temporary
V8229100	<b>RB-9800</b>	Reusable Roof Anchor Bracket	Temporary
V8229104	<b>RB-9900</b>	Stainless Steel Reusable Roof Anchor Bracket	Temporary
V8221114	<b>CP-10010-1</b>	5K Concrete Swivel Anchor with 5/8" (16 mm) Sleeve Anchor	Permanent
V8221115	<b>CP-10010-2</b>	5K Steel Swivel Anchor with 1/2" x 4" (13 mm x 102 mm) G8 Steel Bolt Lock Washer and Lock Nut	Permanent



# ANCHORAGE CONNECTORS

## Overhead Beam Clamps




Overhead beam clamps are designed to attach to overhead structure without the aid of any tools. Simply adjust the size of the clamp to the bottom flange of the beam, lock it in place and its ready to go. The beam anchors provide a safe and practical solution to connecting to overhead beams. PeakWorks offers two styles of beam clamps.

- 1) Stationary – Fixed in one location
- 2) Sliding - which can follow the worker to prevent a swing fall

Both beam clamps style models have a breaking strength of 5,000 lbs. (22kN).



V8222130  
CP-11010-1



V8221131  
AC-9450-SBAR



V8221132  
AC-9450-SBAR2



V8221130  
AC-9450-IANCHOR

PROD. NO.	MOD. NO.	Product Name	Size of beam	Application
V8222130	<b>CP-11010-1</b>	Adjustable Sliding Beam Anchor -	3.5" to 13.25" (88.9 mm to 336.6 mm)	Temporary
V8221131	<b>AC-9450-SBAR</b>	SKY BAR	3.5" to 12" (88.9mm to 336.6 mm)	Temporary
V8221132	<b>AC-9450-SBAR2</b>	SKY BAR-FIXED THREADED ROD	4" to 13.5" (101.6 mm to 343 mm)	Temporary
V8221130	<b>AC-9450-IANCHOR</b>	STEEL I-BEAM ANCHOR POINT	6" to 21" (152.4 mm to 533.4 mm)	Temporary

## ANCHORAGE CONNECTORS

### Drop In/Drop Thru Anchors



#### Removable Anchors

Removable Anchors, developed for fall protection, are safe, lightweight, and surprisingly simple to employ. PeakWorks manufactures 2 styles of removable anchors

- 1) Drop Thru Anchors
- 2) Concrete anchors

#### Drop Thru Anchors

The Drop Thru Anchor is a removable and reusable anchor designed for overhead applications. Available in three different sizes 4", 6", 12" diameter plates. Simply insert the cable end of the anchorage connector to an approved anchor and begin using it. Once the task is complete simply pull the cable back through the opening and its ready to be re-used.

#### Concrete Anchors

PeakWorks anchors have been tested to meet **ANSI Z359.7**. They have a long list of benefits above competitive products. A few include:

- Ease of use – simply drill the proper size hole into your concrete, blow the dust out with compressed air, and insert the unit.
- Multi-directional attributes – PeakWorks Removable anchors work in horizontal, vertical and overhead surfaces.
- Reusability – when your job is done, simply fill in the drilled hole if necessary and reuse at your new desired location.



V8223140  
AC-9452-DTA-4



V8223145  
AC-9452-DTA-12



V8222120  
CP-12010-1



V8221121  
CP-12010-2

PROD. NO.	MOD. NO.	Product Name	Size of Open/ hole to install thru/ in	Application
V8223140	<b>AC-9452-DTA-4</b>	DRP THRU ANCHOR 4" PLATE, 8 FT CABLE	1-3/4" to 2"Ø min hole size (4.1cm to 4.4cm)	Temporary
V8223142	<b>AC-9452-DTA-6</b>	DRP THRU ANCHOR 6" PLATE, 8 FT CABLE	1-3/4" to 2"Ø min hole size (4.1cm to 4.4cm)	Temporary
V8223145	<b>AC-9452-DTA-12</b>	DRP THRU ANCHOR 12" PLATE, 8 FT CABLE	1-3/4" to 2"Ø min hole size (4.1cm to 4.4cm)	Temporary
V8222120	<b>CP-12010-1</b>	3/4" (19 mm) Concrete Hole Anchor	3/4" (19 mm)	Temporary
V8221121	<b>CP-12010-2</b>	3/4" (19 mm) Toggle-Lok Anchor	3/4" (19 mm)	Temporary

# ANCHORAGE CONNECTORS

## Anchor Slings



- Anchor slings provide peace of mind when a temporary anchor is required
- PeakWorks offers anchor slings using two basic material styles: abrasion-resistant webbing or galvanized cable
- All PeakWorks anchor slings are built to a minimum tensile strength of 5,000 lb (22 kN)
- All PeakWorks anchor slings meet or exceed **CSA and ANSI standards**



V820310X  
RAS3-X



V820350X  
CAS-X



V8205705  
AC-6601



V8205704  
AC-6600-48



V8205505  
AC-6604



V820800X  
AS-21000-X



V820860X  
AS-21110-X

PROD. NO.	MOD. NO.	Product Name	"Length in ft (m) (X)"	End Configuration	
V820310X	<b>RAS3-X</b>	Residential Anchor Sling	3, 4, 6 (0.9, 1.2, 1.8 m)	Reinforced Loop	Loop
V820350X	<b>CAS-X</b>	Commercial Anchor Sling	3, 4, 6 (0.9, 1.2, 1.8 m)	Loop	D-Ring
V8205705	<b>AC-6601</b>	choker sling, 2 D rings, 60" L	5 ft (1.5 m)	1 Large D-ring	1 Small D-ring
V8205704	<b>AC-6600-48</b>	wrap sling 48" L, 2 D rings	4 ft (1.2 m)	1 Large D-ring	1 Large D-ring
V82005805	<b>AC-6600</b>	wrap sling 60" L	5 ft (1.5 m)	Loop	1 Large D-ring
V8205505	<b>AC-6604</b>	Choker sling 1 D ring, 1 loop 60" L	5 ft (1.5 m)	Loop	1 Large D-ring
V820800X	<b>AS-21000-X</b>	Cable Anchor Sling, 1/4" (6 mm) PVC Coated Galv. Cable	4, 6 (1.2, 1.8 m)	Eye	Eye
V820860X	<b>AS-21110-X</b>	Cable Anchor Sling, 1/4" (6 mm) PVC Coated Galv. Cable	4, 6 (1.2, 1.8 m)	O-Ring	O-Ring

## ROPE GRABS AND LIFELINES

### Rope Grabs

- All PeakWorks rope grab meets or exceed **ANSI Z359.15** standards
- Rope grabs are designed to travel hands-free on 5/8" (16 mm) rope
- These automatic rope grabs follow the user during their ascent or descent
- In the event of a fall, the rope grab will "bite" onto the rope and arrest the user's fall
- PeakWorks rope grabs are also equipped with a panic lock feature which "bites" onto the rope even if the user mistakenly pushes the cam up, ensuring that the rope grab will lock and arrest the fall in any situation
- Rope grabs offer the most cost-effective fall protection solution when working at height
- 130 to 310-lb (60 to 141-kg) capacity (combined weight of person, tools, clothing, etc.)



V830103  
RG-11015



V830113  
RG-11005

PROD. NO.	MOD. NO.	Product Name	Rope	
			Size	Type
V830103	<b>RG-11015</b>	ADP Rope Grab with Panic Grab, Small Eye w/SP	5/8" (16 mm)	3 Strand
V830113	<b>RG-11005</b>	ADP Rope Grab with Panic Grab, Large Eye w/SP	5/8" (16 mm)	3 Strand



## ROPE GRABS AND LIFELINES

### Lifelines

- All PeakWorks lifelines are certified to CSA Z259.2.5-2012 and meets or exceeds ANSI Z359.15 standards
- Lifelines are specially designed from rope made using high-strength polysteel
- Polysteel is an extruded co-polymer fibre that yields an extremely high-strength, lightweight rope with excellent resistance to acids and alkalis
- PeakWorks vertical lifelines are all 5/8" (16 mm) in diameter
- Minimum breaking strength 6,000 lb (27 kN)
- We offer a wide range of lengths with a variety of snap hook/carabiner options
- All PeakWorks lifelines have a back splice at the trailing end to prevent the rope grab from coming off the end of the lifeline




V84013XXX  
VL-1115-X



V84014XXX  
VL-1125-X



V84014XXX  
VL-1825-X



PROD. NO.	MOD. NO.	Length in ft (m) (X)	Product Name	End Configuration	
				Anchor End	Trailing End
V84013XXX	<b>VL-1115-X</b>	25, 50, 100 (7.6, 15.2, 30.5 m)	Premium Vertical Lifeline, 5/8" (16 mm) Rope	Carabiner	Back Splice
V84014XXX	<b>VL-1125-X</b>	25, 50, 100 (7.6, 15.2, 30.5 m)	Premium Vertical Lifeline, 5/8" (16 mm) Rope	Snap Hook	Back Splice
V84084XXX	<b>VL-1825-X</b>	25, 50, 100 (7.6, 15.2, 30.5 m)	Standard Vertical Lifeline, 5/8" (16 mm) Rope	Snap Hook	Back Splice

Note: other lengths available as a special order.



*PeakWorks has kits configured by application and working environment, making it easy to choose the right product for the job.*

- *All PeakWorks kit components are certified to the applicable CSA and ANSI standards.*
- *PeakWorks offers a wide range of pre-packaged fall protection kits that include specific full body harnesses and connectors and, in the case of roofer's kits, a shock-absorbing panic rope grab and anchor.*
- *PeakWorks kits come in a waterproof pail or a breathable bag for convenient storage.*





# KITS



## ROOFER'S KIT

### RK6 Series Reusable Roofer's Kits



Meet the new OSHA Residential Construction Regulation.

Complete Roofer's Kit provides all the necessary components to help meet federal OSHA compliance for residential construction. Effective March 15, 2013, Federal regulations under 29 CFR 1926.501(b)(13) requires all workers engaged in residential construction six feet (1.8 m) or more above lower levels to be protected by conventional fall protection system. For more information, training and compliance assistance visit OSHA's Residential Fall Protection Web Page.



All you need in one convenient pail!



Pail-16L

#### RB-9800

- Reusable roof bracket
- 5,000 lbs. breaking strength
- 1 User
- Meets OSHA and ANSI Standards



#### FBH-10002A

- Class A harness
- Universal size
- 3 Point adjustment
- ANSI and CSA certified
- Meets OSHA and ANSI Standards



#### RG-12142

- Vertical lifeline w/rope grab
- Manual rope grab w/integral shock absorber
- Meets OSHA and ANSI Standards



MODEL	<b>RK6-25 Contains:</b>	<b>RK6-50 Contains:</b>	
Harness	FBH-10002A <ul style="list-style-type: none"> <li>• Class A harness</li> <li>• Universal size</li> <li>• ANSI and CSA certified</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	FBH-10002A <ul style="list-style-type: none"> <li>• Class A harness</li> <li>• Universal size</li> <li>• ANSI and CSA certified</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	
Rope Grab	<ul style="list-style-type: none"> <li>• Manual rope grab</li> <li>• With Integral 3 ft. shock absorbing lanyard</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	<ul style="list-style-type: none"> <li>• Manual rope grab</li> <li>• With Integral 3 ft. shock absorbing lanyard</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	} <b>All in One RG-12142</b>
Vertical Lifeline	<ul style="list-style-type: none"> <li>• 5/8" 3 Strand rope</li> <li>• 25' long</li> <li>• CSA certified</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	<ul style="list-style-type: none"> <li>• 5/8" 3 Strand rope</li> <li>• 50' long</li> <li>• CSA certified</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	
Roof Bracket	RB-9800 <ul style="list-style-type: none"> <li>• Reusable bracket</li> <li>• 5,000 pound breaking strength</li> <li>• 1 User</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	RB-9800 <ul style="list-style-type: none"> <li>• Reusable bracket</li> <li>• 5,000 pound breaking strength</li> <li>• 1 User</li> <li>• Meets OSHA and ANSI Standards</li> </ul>	



## KITS

### Contractor Kits



V8252306  
FK-005:

- **HARNES:** FBH-10020A CONTRACTORS 1D WITH TONGUE & GROMMET LEGS
- **CONNECTOR:** SA-7400-6U SHOCK PACK 6 FT WITH REGULAR SNAP HOOKS
- **BAG:** BAG-001 LARGE MESH BAG



V8252316  
FK-006:

- **HARNES:** FBH-10020A CONTRACTORS 1D WITH TONGUE & GROMMET LEGS
- **CONNECTOR:** SA-7402-6U SHOCK PACK 6 FT WITH 1 REGULAR SNAP HOOKS + 1 FORM HOOK
- **BAG:** BAG-001 LARGE MESH BAG



V8252326  
FK-007:

- **HARNES:** FBH-10020A CONTRACTORS 1D WITH TONGUE & GROMMET LEGS
- **CONNECTOR:** SA-84000-6U 100% TIE OFF SHOCK PACK 6 FT WITH (3) REGULAR SNAP HOOKS
- **BAG:** BAG-001 LARGE MESH BAG



V8252336  
FK-008:

- **HARNES:** FBH-10020A CONTRACTORS 1D WITH TONGUE & GROMMET LEGS
- **CONNECTOR:** SA-84022-6U 100% TIE OFF SHOCK PACK 6 FT -1 REGULAR SNAP HOOKS + 2 FORM HOOKS
- **BAG:** BAG-001 LARGE MESH BAG



V8252346  
FK-009:

- **HARNES:** FBH-10020B CONTRACTORS 3D (1 FALL ARREST+ 2 SIDE D-RINGS) WITH TONGUE & GROMMET LEGS
- **CONNECTOR:** SA-84000-6U 100% TIE OFF SHOCK PACK 6 FT WITH (3) REGULAR SNAP HOOKS
- **BAG:** BAG-001 LARGE MESH BAG



PROD. NO.	MOD. NO.	Product Name	Weight Capacity
V8252306	<b>FK-005</b>	CONTRACTOR KIT: FBH-10020A + SA-7400-6U+ BAG-001	130 to 310 lb (60 to 141 kg)
V8252316	<b>FK-006</b>	CONTRACTOR KIT: FBH-10020A + SA-7402-6U+ BAG-001	130 to 310 lb (60 to 141 kg)
V8252326	<b>FK-007</b>	CONTRACTOR KIT: FBH-10020A + SA-84000-6U+ BAG-001	130 to 310 lb (60 to 141 kg)
V8252336	<b>FK-008</b>	CONTRACTOR KIT: FBH-10020A + SA-84022-6U+ BAG-001	130 to 310 lb (60 to 141 kg)
V8252346	<b>FK-009</b>	CONTRACTOR KIT: FBH-10020B + SA-84000-6U+ BAG-001	130 to 310 lb (60 to 141 kg)

- OSHA requirements for prompt rescue state "The employer shall provide for prompt rescue of employees in the event of a fall or shall assure that employees are able to rescue themselves" OSHA 1926.502 (D) and OSHA 1910.66 therefore every fall protection application and work environment must have a pre-planned rescue system established.
- PeakWorks offers a wide range of equipment and training to help you develop the rescue system required for your specific application.
- Contact your representative for details.

## RES-Q-Pole

- The PeakWorks Res-Q-Pole with Res-Q-Head is an innovative and effective solution designed to remotely connect a carabiner to a fallen worker or anchor
- The pole is a strong yet lightweight fibreglass-constructed telescoping pole that reaches from 6 to 12' (1.8 to 3.7 m)
- A lightweight bracket holds the carabiner open until the operator hooks onto the victim's D-ring or anchor and pulls back. At that point the carabiner is released from the head and snaps shut
- Designed for use with the CP-03015-1 carabiner (sold separately)

## RES-Q-Kit

- The Res-Q-Kit is a unique 4:1 100' (30.4 m) raise and lower kit; it allows a person to be lowered using friction or raised by using a mechanical one-directional pulley
- The Res-Q-Kit is our most effective retrieval kit



V855121  
RES-Q-POLE w RES-Q-HEAD



V85523100  
RES-Q-KIT 100'



V860120  
CP-03015-1  
(Carabiner sold separately)

PROD. NO.	MOD. NO.	Product Name
V855121	<b>RES-Q-POLE w RES-Q-HEAD</b>	Rescue Pole, Telescoping 6 to 12' (1.8 m to 3.7 m), with Rescue Head Carabiner Attachment
V85523100	<b>RES-Q-KIT 100'</b>	Res-Q-Kit, 100' (30.4 m)

## About Confined Space

- OSHA Regulations define a confined space as an area, other than an underground working, that:
  - is enclosed or partially enclosed;
  - is not designed or intended for continuous human occupancy;
  - has limited or restricted means for entry or exit that may complicate the provision of first aid, evacuation, rescue or other emergency response or service;
  - is large enough and so configured that a worker could enter to perform assigned work.
- Confined space has limited openings for entry and exit. Examples would be spaces such as: silos, vats, ship holds, sewers, tunnels, large pipelines and other such spaces that humans could enter to perform work.

## EMERGENCY DESCENT SYSTEMS

### ESCAPE-RITE® SERIES



PeakWorks Escape-Rite® is an emergency controlled descent device that has been trusted in the field for decades. The Escape-Rite® device helps employers meet the OSHA requirement for prompt rescue including personal escape, self-rescue and assisted rescue. It is compact, lightweight, and very simple to use. Its bi-directional design provides the capability for more users to evacuate in a short period of time. As a descent is initiated, the other end of the rope ascends making it ready for another rescue automatically. Available in two descent rate options of three or six feet per second; depending on the height and number of users needed to evacuate. Angled descent packages are available for approved applications ranging from 45 to 90 degrees.

- Unit Dimensions: 18 in. x 9.75 in. x 8 in.
- Maximum Working Load: 400 lbs. (181 kg) - one person descent at a time
- Weight: Unit w/ spool: 12.25 lbs. Cable: .06 lb./ft.
- Made in USA

PROD. NO.	MOD. NO.	Description	System Lengths	User Weight Capacity
V85539XX	<b>1003-DEVXXX</b>	Escape-Rite Descent rate approx. 3 ft / s (0.91 m/s)	10 ft - 300 ft (3 m to 91.4 m)	400 lbs. (181 kg) One person descent at a time
V86009XX	<b>1006-DEVXXX</b>	Escape-Rite Descent rate approx. 6 ft / s (1.83 m/s)	10 ft - 300 ft (3 m to 91.4 m)	400 lbs. (181 kg) One person descent at a time

XXX- denotes the length of the system



V85599XX  
1003-DEVXXX

The PeakWorks Fall Protection Tank Trolley™ is designed for use on water and fuel storage tanks. The Tank Trolley™ provides a 5,000 lbs. anchorage as required by OSHA and ANSI standards. The Tank Trolley simply rides on the top lip of the storage tank and can be used with a standard lanyard or self-retracting lifeline.



- Standards Compliance:  
Materials Meets **OSHA 1926.5 subpart M, 1910.66 app. C, ANSI A10.14, Z359.1**
- Trolley:  
Rollers 1/4" Steel, Powder coated finish with forged steel O-ring attachment  
Polyurethane composite material
- Capacity:  
Application 310 lb. designed working load
- **TROLLEY6:**  
Storage tanks with minimum 10' diameter, fits 1/4" to 1" flange widths
- **TROLLEY6A:**  
Storage tanks with minimum 10' diameter, fits 1" to 1 7/8" flange widths
- Made in USA



V82235  
9900-TROLLEY6



V82236  
9900-TROLLEY6A



9900-TROLLEY6  
(SIDE VIEW)

PROD. NO.	MOD. NO.	Description	Flange width	Weight
V82235	<b>9900-TROLLEY6</b>	Standard Tank Trolley™	fits 1/4" to 1" flange widths	14 lbs. (6.4 kg)
V82236	<b>9900-TROLLEY6A</b>	Wide Flange Tank Trolley™	fits 1" to 1 7/8" flange widths	14.5 lbs. (6.6 kg)

## ENGINEERED SYSTEM


### Permanent Horizontal Lifelines



#### PERMACABLE® SYSTEMS

The PeakWorks Permacable system is pre-engineered, synthetic cable designed for horizontal lifeline applications. It is lightweight, strong and has an excellent resistance to weather and chemicals. The synthetic cable reduces the forces transferred to the anchorage. Permacable meets all recommended OSHA requirements for horizontal lifelines and can span up to 200 feet without intermediate supports, unlike traditional steel cable which require supports every 30 ft. to 50 ft. It can support up to 2 workers at a time. A special red inspection liner in the cable alerts the user to wear or damage.

- Lightweight only 15 lbs. per 100 ft.
- Strong tensile strength 16,000 lbs.
- Spans up to 200 feet between anchorage and weighs only 15 lbs. per 100 ft.
- Low anchorage points forces.
- Low sag.
- High chemical and wear resistance.
- Adjustable length allows for use in permanent or semi-permanent applications.
- Special red liner alerts user to wear or damage. Allows up to 4 workers.
- Variety of pre-fabricated anchor points, posts and inverted L's are available.
- Meets OSHA 1910.66, 1926 subpart M and Z359.1 standards.
- Made in the USA



#### Temp HLL (Temporary Horizontal Lifeline)

Temporary, polyester rope horizontal lifeline system with bucket storage

##### Features

- Temporary, polyester rope horizontal lifeline that is ideal for electrical, built-up-scaffolding, tanks, vessels and catwalks.
- Low anchorage forces.
- High strength, chemical resistant polyester rope lifeline.
- Quick set-up and disassembly.
- Continuous protection.
- Spans up to 150 feet for one or two workers.
- Three strand polyester rope allows easy inspection of inner fibers.
- Ropevise makes tensioning easy.
- One system can be used for many different spans.
- Meets OSHA and ANSI standards.



##### Specifications

- Type: Polyester Rope Horizontal Lifeline Kit
- Length: 30'-100'
- Standards: Meets **OSHA 1910.66, 1926 subpart M and Z359.1** standards.
- Made In USA

PROD. NO.	MOD. NO	Description
V865321	<b>9450-BW030BG</b>	30' BEAMWALKER KIT IN A BAG
V865324	<b>9450-BW050BG</b>	50' BEAMWALKER KIT IN A BAG
V865327	<b>9450-BW075BG</b>	75' BEAMWALKER KIT IN A BAG
V865340	<b>9450-BW30</b>	30' BEAM WALKER
V865342	<b>9450-BW50</b>	50' BEAMWALKER
V865345	<b>9450-BW75</b>	75' BEAMWALKER
V865330	<b>9450-BW100</b>	100' BEAMWALKER

## ENGINEERED SYSTEM

### DAVIT Systems



Davit systems is a permanent or temporary solution for confined space where a traditional tripod does not meet your needs. PeakWorks Davit System offers numerous configurations to suit an application. Our masts are made out of Aluminum and consist of 3 components

- 1) Offset Mast (offset 12" to 48")
- 2) Elbow section
- 3) Centre post

All davits are man rated to 350 lbs.

Our davit systems come with a SRL or winch bracket for attachment of your Self retracting lifeline or retrieval systems.

PeakWorks also provides a wide variety of bases to accommodate all of your applications. From the standard fixed base floor mount, to the poured in concrete bases, PeakWorks can design a confined space system to fit all your needs.

- Assemblies are offered as adjustable offset units capable of either an 18"/24" or 30"/36" or 42"/48" offset reach.
- All davits are man rated to 350 lbs. and offer a universal bracket for attachment of alternate lifting systems and/or 900 lb. MAF fall arrest devices.
- Assembly provides locations for up to two winch mounting plates.
- One winch mounting plate of the user's choice is provided with assembly.
- Proof loaded to 5,000 lbs. with a 24" offset (note: maximum offset cannot exceed 24").
- Certified to **OSHA Regulations & ANSI Z359** Standards.

DAVIT ARM SYSTEM



Give us a call to help you design your confined space system.

## LADDER SYSTEMS

### Cable Ladder Systems



PeakWorks Cable Ladder systems are designed for hands free movement and 100% protection. The system consists of a top and bottom bracket and a cable that is attached to these brackets at both ends. The cable grab connects the worker to the system and provides a hands free climb without ever having to manipulate the cable grab. For longer systems, PeakWorks provides intermediate brackets to minimize the vibration of the system.

Systems come in standard lengths which are in stock and also can be customized for your exact requirements.

- Description: 3/8" Galvanized steel cable lifeline for use with 2001-9111 CableGrab™
- Designed Working Load: 310 lb.
- Standards Compliance: **ANSI A10.14, Z359.1, OSHA 1910.66, 1926.500**
- Material: Galvanized Steel



PROD. NO.	MOD. NO.	Cable Length (ft.)	Weight (lb)
V865194	<b>2001-GC38030</b>	30	20.0
V865195	<b>2001-GC38040</b>	40	22.5
V865196	<b>2001-GC38050</b>	50	25.0
V865197	<b>2001-GC38060</b>	60	27.5
V865198	<b>2001-GC38070</b>	70	30.0
V865199	<b>2001-GC38080</b>	80	32.5
V8651100	<b>2001-GC38090</b>	90	35.0
V8651101	<b>2001-GC380100</b>	100	37.5
V8651102	<b>2001-GC380110</b>	110	40.0
V8651103	<b>2001-GC380120</b>	120	42.5
V8651104	<b>2001-GC380130</b>	130	45.0
V8651105	<b>2001-GC380140</b>	140	47.5
V8651106	<b>2001-GC380150</b>	150	50.0
V8651107	<b>2001-GC380160</b>	160	52.5
V8651108	<b>2001-GC380170</b>	170	55.0
V8651109	<b>2001-GC380180</b>	180	57.5
V8651110	<b>2001-GC380190</b>	190	60.0
V8651111	<b>2001-GC380200</b>	200	62.5
V8651112	<b>2001-GC380210</b>	210	65.0
V8651113	<b>2001-GC380220</b>	220	67.5
V8651114	<b>2001-GC380230</b>	230	70.0
V8651115	<b>2001-GC380240</b>	240	72.5
V8651116	<b>2001-GC380250</b>	250	75.0

### Climb-Rite® Fixed Rail Ladder Safety System

Fixed rigid rail ladder systems offer the workers 100% fall protection when climbing permanent ladders. Our ClimbRite® ladder systems are custom designed by our in house engineering staff to provide the right solution for your needs. The ClimbRite® systems require minimum maintenance and simply to install.

#### Features

- Hands-free movement up & down ladder.
- Rail system is easy to install & maintain.
- Arresting unit is easily installed & removed from rail.
- Climbing device weighs only 2 lbs.
- All ladder hardware is corrosion resistant stainless steel.
- Can be mounted to side or center of ladder.
- Ladder extensions available.
- Type 316 stainless steel rail is available for marine or other corrosive environments and are used on U.S. Navy vessels.
- **Meets OSHA and ANSI standards.**

#### Typical Applications for the ClimbRite Systems:

- Water Towers
- Marine / Ship Building
- Water treatment stations
- Telecommunication towers
- Wind Turbines
- Tower Cranes
- Permanent industrial ladders

PROD. NO.	MOD. NO.	Description	Material	Standards
V865190	<b>2000-DEV</b>	Climb-Rite® with Double Locking Saphook	316 Stainless Steel, 304 Stainless Steel or Aluminum	Meets OSHA 1910.66, 1926 subpart M and Z359.1 standards.

Give us a call to help you design your Climb-Rite® Fixed Rail Ladder System.





V860001  
BAG-001



V860004  
BAG-004



V860901  
MERCHANDISING TORSO



V860005  
BAG-005



V860402  
RFID-1



V860130  
CP-04011-1



V860120  
CP-03015-1



V860121  
CP-03015-2



V860301  
FBH-PAD



V860006  
BAG-006



V860304  
CP-22300-1



V860303  
CP-23300-1



V860302  
CP-14010



V860153  
CP-41210-3

PROD. NO.	MOD. NO.	Product Name	PROD. NO.	MOD. NO.	Product Name
V860001	<b>BAG-001</b>	Large Mesh Harness Bag 15" x 12" (38 cm x 31 cm)	V860120	<b>CP-03015-1</b>	Carabiner 1" (25 mm) CSA CE
V860004	<b>BAG-004</b>	PeakWorks Carrying Bag 10" x 12" x 12" (25 cm x 31 cm x 31 cm)	V860121	<b>CP-03015-2</b>	Carabiner 0.47" (12mm) CSA CE for CG-9001 & SRL-10301-8
V860005	<b>BAG-005</b>	Tripod Carrying Bag for TR-100 10" x 58" x 10" (147 cm x 25 cm x 25 cm)	V860301	<b>FBH-PAD</b>	Removable Back Pad for PW harnesses
V860006	<b>BAG-006</b>	Premium Tripod Carrying Bag for TR-100 15" x 60" (38 cm x 152 cm)	V860304	<b>CP-22300-1</b>	Tool Lanyard
V860402	<b>RFID-1</b>	RFID Pouch with Grommet	V860303	<b>CP-23300-1</b>	Trauma Strap
V860130	<b>CP-04011-1</b>	Carabiner 2" (50 mm) CSA for Scaffolding	V860302	<b>CP-14010</b>	D-Ring Extender 18" (46 cm)
V860901	<b>MERCH. TORSO</b>	Merchandising Torso for Harness			



## ANSI Standards

Z359.0-2012.....	Definitions and Nomenclature Used for Fall Protection and Fall Arrest
Z359.1-2007.....	Safety Requirements for Personal Fall Arrest Systems, Subsystems and Components
Z359.2-2007.....	Minimum Requirements for a Comprehensive Managed Fall Protection Program
Z359.3-2007.....	Safety Requirements for Positioning and Travel Restraint Systems
Z359.4-2013.....	Safety Requirements for Assisted-Rescue and Self-Rescue Systems, Subsystems and Components
Z359.6-2009.....	Specifications and Design Requirements for Active Fall Protection Systems
Z359.7-2011.....	Qualification and Verification Testing of Fall Protection Products
Z359.11-2014.....	Safety Requirements for Full Body Harness
Z359.12-2009.....	Connecting Components for Personal Fall Arrest Systems
Z359.13-2013.....	Personal Energy Absorbers Energy Absorbing Lanyards
Z359.14-2012.....	Safety Requirements for Self-Retracting Devices for Personal Fall Arrest Systems and Rescue Systems
Z359.15-2014.....	Safety Requirements for Single Anchor Lifelines and Fall Arrester for Personal Fall Arrest Systems

## CSA Standards

CSA Z259.1-05 (R2010).....	Safety Belts and Saddles for work positioning and travel restraint
CSA Z259.2.2-98 (R2009).....	Self-Retracting Devices for Personal Fall-Arrest Systems
CSA Z259.2.3-12 .....	Descent Control Devices
CSA Z259.2.4-15.....	Fall Arrester and Fixed Rigid Rails
CSA Z259.2.5-12.....	Fall Arresters and Vertical Lifelines
CSA Z259.10-12 .....	Full Body Harness
CSA Z259.11-05 (R2010) .....	Energy Absorbers and Lanyards
CSA Z259.12-11 .....	Connecting Components for Personal Fall Arrest Systems
CSA Z259.13-04 (R2009) .....	Flexible Horizontal Lifelines
CSA Z259.14-12 .....	Fall Restrict Equipment for Wood Pole Climbing
CSA Z259.15-12 .....	Anchorage Connectors
CSA Z259.16-04 (R2009) .....	Design of Active Fall Protection Systems

### OSHA REGULATIONS GOVERNING CONSTRUCTION (29 CFR PART 1926)

**Subpart E** covers various requirements for personal protective equipment.

Safety Belts, Lifelines and Lanyards .....	1926.104
Safety Nets.....	1926.105

**Subpart L** covers Scaffolds..... 1926.450-454

**Subpart M** covers fall protection fully, including when and where fall protection systems are required and for what construction work activities. It also defines system component requirements.

Scope, Application and Definitions.....	1926.500
Duty to Have Fall Protection .....	1926.501
Fall Protection Systems Criteria and Practices .....	1926.502
Training Requirements.....	1926.503

**Subpart X** covers Ladders..... 1926.1053

### OSHA REGULATIONS GOVERNING GENERAL INDUSTRY (29 CFR PART 1910)

**Subpart D** mentions a few specific Fall Protection requirements relative to walking/working surfaces.

Fixed Ladders, Ladder Safety Devices.....	1910.27(d)(5)
Safety Requirements for Scaffolding, Boatswain's Chairs.....	1910.28(j)(4)

**Subpart F** covers fall protection as it pertains to powered platforms, man lifts, and vehicle mounted work platforms.

Maintenance .....	1910.66
Personal Fall Arrest Systems .....	1910.66

**Subpart J** covers general environmental controls in which confined spaces are addressed.

Confined Spaces.....	1910.146
----------------------	----------

**ANSI STANDARDS PERSONAL FALL PROTECTION USED IN CONSTRUCTION AND OPERATIONS** .....ANSI A10, 32-2012

### AMERICAN NATIONAL STANDARDS INSTITUTE, INC. (ANSI)

11 West 42nd Street  
New York, NY 10036  
[www.ansi.org](http://www.ansi.org)



## WARRANTY POLICY

SureWerx warrants to the original end user that its PeakWorks products are free from defects in materials and workmanship under normal use and service for a period of one (1) year from date of installation or use by the end user, provided that this period does not exceed one (1) year from date of shipment.

Warranty claims will only be provided for those products that have been made available for inspection by SureWerx.

SureWerx reserves the right, expressed or implied, to elect to have any defective item returned, freight prepaid, to an authorized PeakWorks distributor or warranty repair center for inspection before making a repair or replacement.

All returns must include proof of purchase and an explanation of the defect. Go to [www.sellstrom.com](http://www.sellstrom.com) for a list of authorized warranty repair centers.

This warranty does not cover equipment damages resulting from abuse, damage in transit, or other damage beyond the control of SureWerx. This warranty applies only to the original purchaser and is the only one applicable to our products, and is in lieu of all other warranties, expressed or implied.







# SAFETY APPAREL



# SAFETY BOOTS

## TABLE OF CONTENTS

HI-VIZ SAFETY VESTS	164-168
HI-VIZ SAFETY SHIRTS	169
HI-VIZ SAFETY HOODIES	170
HI-VIZ TRAFFIC SAFETYWEAR	171-172
HI-VIZ SAFETY RAINWEAR & JACKETS	173-176
FLAME RESISTANT SAFETY WEAR	177
SAFETY BOOTS	178-180



CLASS 1 - TYPE O



CLASS 2 - TYPE R AND/OR P

## ANSI/ISEA 107-15 AMERICAN NATIONAL STANDARD FOR HIGH-VISIBILITY SAFETY APPAREL AND ACCESSORIES

The International Safety Equipment Association and American National Standards Institute's ANSI/ISEA 107 – 15 details the level of performance to meet the classes as listed in the standard for background material used to construct HVSA (high-visibility safety apparel) as well as design or such clothing and componentry used. The standard requires fabric and componentry used to pass stringent testing including retroreflective performance, chromacity, luminance, color fastness, resistance to shrinkage, tear strength, and water resistance (if applicable).

Garment design elements and layout of retroreflective or combined performance tape are another key part of the comprehensive standard. For more details, a copy of the standard can be obtained at <https://safetyequipment.org/ansiisea-107-2015/>.

**A simplified explanation of the ANSI/ISEA 107-15 classes of garments is as follows:**

### CLASS 1 - TYPE O

As defined by ANSI, "Performance Class 1 provides the minimum amount of high-visibility materials required to differentiate the wearer visually from non-complex work environments, in scenarios in which the struck-by hazards will not be approaching at roadway speeds, and therefore operative detection and identification distances."

- Basic harness or safety tape over the shoulders and encircling the waist.
- Suitable in less complex work areas where workers are separated from car and truck traffic.
- Example: Class 1 = Class 1 tape configuration + non-retroreflective background material.
- Pioneer model #135U (V1021570U), HI-VIZ SAFETY VEST and Pioneer model #337SFU (V2570470U), FLAME RESISTANT ZIP STYLE HEAVYWEIGHT COTTON SAFETY HOODIE are both Class 1 – Type O HVSA.

### CLASS 2 - TYPE R and/or P

As defined by ANSI, "Performance Class 3 can offer greater visibility to the wearer in both complex backgrounds and through a full range of body movements by mandatory placement of background, retroreflective and combined-performance materials on sleeves and pant legs (if present). Regardless of the area of materials used, a sleeveless garment or vest alone shall not be considered Performance Class 3."

- Full coverage of the upper torso including front, back, sides and over the shoulders.
- The background material must be high visibility.
- For use in more complex or low-light work areas requiring greater visibility.
- Example: Class 2 = Class 2 tape configuration + retroreflective background material.
- Pioneer model #6697U (V1010350U) HI-VIZ SURVEYOR'S SAFETY VEST Pioneer model #6990U (V1051150U) BIRDSEYE SAFETY T-SHIRT are both Class 2 – Type R and P garments.



# ANSI/ISEA 107-15 AMERICAN NATIONAL STANDARD FOR HIGH-VISIBILITY SAFETY APPAREL AND ACCESSORIES



## CLASS 3 - TYPE R and/or P

As defined by ANSI, "Performance Class 3 can offer greater visibility to the wearer in both complex backgrounds and through a full range of body movements by mandatory placement of background, retroreflective and combined-performance materials on sleeves and pant legs (if present). Regardless of the area of materials used, a sleeveless garment or vest alone shall not be considered Performance Class 3."

- A Class 2 garment combined with arm and leg bands.
- The background material must be high visibility to the standard.
- Hi-viz coveralls meet this standard; safety jackets (Class 2) and pants (Class E) can be worn combined, or arm/leg bands can be added to Class 2 garments, to attain Class 3.
- Suitable for use in complex work areas where low light, fast-moving traffic and inclement weather are safety factors.
- Example: Class 3 = Class 3 configuration + retroreflective background material
- Pioneer model #6690U (V1023550U), HI-VIZ SAFETY VEST WITH SLEEVES, Pioneer model #5022U (V1120350U), HI-VIZ 100% WATERPROOF 6-IN-1 BOMBER, Pioneer model #5999AU (V1070161U), HI-VIZ TRAFFIC SAFETY COVERALL.



CLASS 3 - TYPE R AND/OR P

## SUPPLEMENTAL CLASS E

ANSI designates "pants, bib overalls, shorts, and gaiters" as Class E.

- Class E garments must always be worn in combination with other items to meet HVSA PPE requirements.
- Class E items worn in combination with Performance Class 2 or Class 3 items will achieve an overall classification of Performance Class 3.
- Pioneer model # 5404U (V1200450U), 300D HI-VIZ RIPSTOP WATERPROOF SAFETY BIB PANT, Pioneer model # 6000U (V1070460U), HI-VIZ TRAFFIC SAFETY OVERALL are both Class E HVSA.

Safety officials in your region determine the appropriate class wear for specific job sites. Hazardous risk assessment should be performed by a qualified individual to determine the applicable high visibility classification.



SUPPLEMENTAL CLASS E

## ICON LEGEND



CSA



Tear Resistant



Arc Resistant



CSA



Quick Dry



Thermal



CSA Omega



Packable



Waterproof



ASTM



Flame Resistant



## SIZING CHART

Body Measurements (not garment measurements)

Jackets, Coveralls, Overalls																						
	XS		S		M		L		XL		2XL		3XL		4XL		5XL		6XL		7XL	
Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	
Chest	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	
Waist	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	
Arms	32	33		34		35		36		37		38		39		40		41		42		
Hip	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	

Pants (overalls are sized based on chest measurements)																						
	XS		S		M		L		XL		2XL		3XL		4XL		5XL		6XL		7XL	
Size	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	
Waist	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	
Hip	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	
Inseam	30.5		31		31.5		32		32.5		33		33.5		34		34.5		35		35.5	

Shirts (select size by neck for closed collar shirts, by chest for open collar shirts)																				
	S		M		L		XL		2XL		3XL		4XL		5XL		6XL		7XL	
Neck	14-14.5		15-15.5		16-16.5		17-17.5		18-18.5		19-19.5		20-20.5		21-21.5		22-22.5		23-23.5	
Chest	34		38		42		46		50		54		58		62		66		70	
Sleeve	33.5		34		34.5		35		35.5		36		36.5		37		37.5		38	

Women's Garment Sizing						
	XS	S	M	L	XL	2XL
Chest	32	34	36	39	42	45
Waist	24	26	28	31	34	37
Arms	29	30	31	32	33	34
Hip	35	37	39	42	45	48
Inseam	27	28	29	30	31	32

All measurements in inches.

Talls in Coveralls are 2 inches longer in the torso and 1 inch longer in the sleeves and legs.

### Measurement Directions:

- Neck: Measure around the base of your neck, round up to the next half-inch.
- Chest: Measure around your chest, under the arms and across the shoulder blades, over a shirt if stomach is larger than chest; choose the larger size.
- Waist: Measure around your waist at the level you normally wear your pants, over a shirt.
- Hip: Standing with feet together, measure around the widest part of your hips, parallel to the floor.
- Inseam: Measure a good-fitting pair of pants along the inseam, from crotch seam to bottom edge of cuff.
- Sleeve: Bend arm and place fist on hip. Measure from centre back of your neck, across shoulder and down arm to elbow and then to your wrist. This is your sleeve length.

For working garments, measure liberally to find your size, as you need freedom of movement.

# STAR★TECH™

STARTECH™ reflective tape is exclusive to Pioneer safety products. It is designed and tested to far exceed the CSA Z96-15 high-visibility safety apparel reflective tape standard.



STARTECH™ reflective tape has been independently tested to meet:

- CSA Z96-15 High-Visibility Safety Apparel Standard Level 2
- EN ISO 20471 High-Visibility Standard Level 2
- ANSI 107-2015

STARTECH™ FR tape is made of FR cotton or aramid material as backing and has been independent lab tested to meet:

- CGSB 155.20-2000 Heat-Resistant Test Par. 6.2.3
- CSA Z96-09 High-Visibility Safety Apparel Standard Level 2

The many standards for reflective tapes all require passing a battery of tests that simulate working conditions.

These include measuring the retroreflective performance of STARTECH™ tape after being subjected to: abrasion, multiple flexing, cold temperatures, variable temperatures, multiple washings, wet conditions, and, for the FR version, its heat resistance properties as well. Due to its premium design and quality, STARTECH™ tape not only meets but exceeds all of these standards!







# HI-VIZ SAFETY APPAREL

**SAFETY,  
SECURITY,  
SELECTION**



V1010150U  
V1010140U



V1010350U  
V1010340U



V1020250U  
V1020160U  
V1021570U

## HI-VIZ SAFETY VESTS

### Hi-Viz Surveyor's Safety Vest

- 150 Denier woven twill polyester
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- Brass snap front
- Radiophone pocket on chest
- 2 radiophone clip straps
- Cooling underarm mesh vents
- Back ruler slot
- Large back pack pouch with zipper access
- 4 front pockets with brass surveyor tape dispenser grommets
- 5 pen pockets
- 7 other all-purpose storage pockets
- D ring access slot

PROD. NO.	MOD. NO.	Colour	Sizes
V1010150U	<b>6692U</b>	Hi-Viz Orange	S-4XL
V1010140U	<b>6693U</b>	Hi-Viz Yellow/Green	S-4XL

### Hi-Viz Surveyor's Safety Vest

- 600 Denier oxford polyester, PU coated
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- Radiophone pocket on chest
- 12 storage pockets
- Back ruler slot
- Radiophone clip strap
- D ring access slot

PROD. NO.	MOD. NO.	Colour	Sizes
V1010350U	<b>6697U</b>	Hi-Viz Orange	S-4XL
V1010340U	<b>6696U</b>	Hi-Viz Yellow/Green	S-4XL

### Hi-Viz Safety Vest

- Tricot polyester interlock
- 131/134 - ANSI 107-15 Class 2 / CSA Z96-15 Class 2 Level 2, , Type P & R
- 135 - ANSI 107-15 Class 1 / CSA Z96-15 Class 1 Level 2, Type O
- StarTech™ reflective tape
- ID pocket with pen holders
- 3 storage pockets
- Cell phone pocket
- 2 radiophone clip straps
- Adjustable 1 size up at sides

PROD. NO.	MOD. NO.	Colour	Sizes
V1020250U	<b>134BBU</b>	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V1020160U	<b>131BBU</b>	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL
V1021570U	<b>135U</b>	Black	S/M, L/XL, 2/3XL, 4/5XL

# HI-VIZ SAFETY VESTS

## Hi-Viz Safety Tear-Away Vest

- Tricot polyester interlock
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- ID pocket
- 5 point tear-away
- 4 sealed pockets
- Radiophone clip strap
- D ring access slot
- Adjustable 1 size up at front

PROD. NO.	MOD. NO.	Colour	Sizes
V1020951U	<b>6930U</b>	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V1021061U	<b>6931U</b>	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL



V1020951U  
V1021061U

## Hi-Viz Safety Tear-Away Vest

- Polyester mesh
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- ID pocket
- 5 point tear-away
- 4 sealed pockets
- Radiophone clip strap
- D ring access slot
- Adjustable 1 size up at front

PROD. NO.	MOD. NO.	Colour	Sizes
V1021450U	<b>6932U</b>	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V1021560U	<b>6933U</b>	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL



V1021450U  
V1021560U

## Hi-Viz Safety Vest With Snaps

- Polyester mesh
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- ID pocket
- Snap button front
- 5 point tear-away
- Extra-comfortable tear-away chest panels
- 2 flap pockets with hook and loop closure
- 1 cell phone pocket on left chest
- 3 pen slots on right chest
- D ring access slot

PROD. NO.	MOD. NO.	Colour	Sizes
V1021950U	<b>6938U</b>	Hi-Viz Orange	S-5XL
V1021960U	<b>6939U</b>	Hi-Viz Yellow/Green	S-5XL



V1021950U  
V1021960U



V1023550U  
V1023560U

## HI-VIZ SAFETY VESTS

### Hi-Viz Polyester Sleeved Vest

- Polyester tricot short-sleeved safety vest
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape around sleeves & body
- Contrast binding on entire garment and on pocket openings
- 2 radiophone clip straps
- Durable nylon front zipper
- 2 chest pockets, 2 pockets waist pockets

PROD. NO.	MOD. NO.	Colour	Sizes
V1023550U	<b>6690U</b>	Hi-Viz Orange	S-4XL
V1023560U	<b>6691U</b>	Hi-Viz Yellow/Green	S-4XL

## HI-VIZ SAFETY VESTS

### Hi-Viz Tear-Away Mesh Vest

- Polyester mesh
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- 5 point tear-away
- D ring access slot
- Adjustable 1 size up at front



V1030550U  
V1030560U

PROD. NO.	MOD. NO.	Colour	Sizes
V1030550U	<b>597U</b>	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V1030560U	<b>598U</b>	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL

### Hi-Viz Polyester Mesh Safety Vest

- Polyester mesh safety vest
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- Edges bound with self fabric
- 2" silver StarTech™ reflective tape on front and back
- #5 nylon front zipper
- 1 cell phone pocket



V1060360U

PROD. NO.	MOD. NO.	Colour	Sizes
V1060360U	<b>6922U</b>	Hi-Viz Yellow/Green	S-4XL







V1051150U  
V1051160U

## HI-VIZ SAFETY T-SHIRTS

### Birdseye Safety T-Shirt

- Soft premium birdseye moisturewicking polyester
- ANSI Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- Rib crew neck
- Chest pocket with hook and loop closure
- Radiophone clip strap



PROD. NO.	MOD. NO.	Colour	Sizes
V1051150U	<b>6990U</b>	Hi-Viz Orange	S-5XL
V1051160U	<b>6991U</b>	Hi-Viz Yellow/Green	S-5XL



V1051250U  
V1051260U

### Birdseye Long-Sleeved Safety Shirt

- Soft premium birdseye moisturewicking polyester
- ANSI Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- Rib crew neck
- Chest pocket with hook and loop closure
- Radiophone clip strap



PROD. NO.	MOD. NO.	Colour	Sizes
V1051250U	<b>6995U</b>	Hi-Viz Orange	S-4XL
V1051260U	<b>6996U</b>	Hi-Viz Yellow/Green	S-4XL

## HI-VIZ HOODIES

### Hi-Viz Polyester Fleece Hoodie

- Premium 10.5 oz (360 GSM) polyester fleece
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2  
(becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- Double-stitched StarTech™ reflective tape
- Detachable drawstring hood
- Elastic cuffs and hem
- 2 front slash pockets
- Full front reversible zipper
- 2 radiophone clip straps

PROD. NO.	MOD. NO.	Colour	Sizes
V1060350U	<b>6924U</b>	Hi-Viz Orange	S-5XL
V1060460U	<b>6925U</b>	Hi-Viz Yellow/Green	XS-5XL

### Hi-Viz Micro Fleece Zip Hoodie

- 7 oz (240 GSM) micro fleece
- 4-way comfort stretch
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2
- StarTech™ reflective tape
- Full front zipper
- Detachable drawstring hood
- Elastic cuffs and hem
- 2 front slash pockets
- 2 radiophone clip straps

PROD. NO.	MOD. NO.	Colour	Sizes
V1060550U	<b>6940U</b>	Hi-Viz Orange	S-5XL
V1060560U	<b>6941U</b>	Hi-Viz Yellow/Green	XS-5XL



V1060350U  
V1060460U



V1060550U  
V1060560U




## HI-VIZ TRAFFIC SAFETY WEAR

### Hi-Viz Traffic Safety Jacket



V1070260U

- Polyester knit
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- StarTech™ reflective tape
- Mesh ventilation panels on upper arms
- 2-way brass zipper
- 2 radiophone clip straps
- Adjustable snap wrists
- 5 storage pockets: 2 chest, 2 front slash, 1 cell phone



PROD. NO.	MOD. NO.	Colour	Sizes
V1070260U	<b>5999JU</b>	Hi-Viz Yellow/Green	S-4XL



V1070360U

### Hi-Viz Traffic Safety Pant

- Polyester knit
- ANSI 107-15 Class E Level 2, Supplemental Type
- CSA Z96-15 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands
- StarTech™ reflective tape
- Mesh ventilation panels on upper legs
- Brass zipper fly access
- 2-way 28" leg zippers for ventilation and easy boot access
- 5 storage pockets: 2 side, 2 back, 1 tool
- Elastic waist with drawstring




PROD. NO.	MOD. NO.	Colour	Sizes
V1070360U	<b>5999PU</b>	Hi-Viz Yellow/Green	XS-4XL

# HI-VIZ TRAFFIC SAFETY WEAR

## Hi-Viz Traffic Safety Coverall

- Polyester knit
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 3 Level 2
- StarTech™ reflective tape
- Mesh ventilation panels on upper arms and legs
- 2-way brass zipper
- 2 radiophone clip straps
- 2-way 28" leg zippers for ventilation and easy boot access
- Adjustable snap wrists
- 7 storage pockets: 2 rear, 2 chest, 2 side, 1 tool
- Hammer loop
- 2 pass-through pockets
- Elastic waist



PROD. NO.	MOD. NO.	Colour	Sizes
V1070161U	<b>5999AU</b>	Hi-Viz Yellow/Green	XS-5XL



V1070161U

## Hi-Viz Traffic Safety Overall

- Polyester knit
- ANSI 107-15 Class E, Supplemental Type
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with CSA Class 2 Level 2 top featuring reflective arm bands)
- StarTech™ reflective tape
- Mesh ventilation panels on upper legs
- 2-way brass zipper
- Radiophone clip strap
- 2-way 28" leg zippers for ventilation and easy boot access
- 7 storage pockets: 2 rear, 2 chest, 2 side, 1 tool
- Hammer loop
- 2 pass-through pockets
- Elastic waist and suspenders



PROD. NO.	MOD. NO.	Colour	Sizes
V1070460U	<b>6000U</b>	Hi-Viz Yellow/Green	XS-4XL



V1070460U



V1090150U  
V1090160U



V1090250U  
V1090260U



V1080150U  
V1080160U

## HI-VIZ LIGHTWEIGHT SAFETY RAINWEAR

### Hi-Viz 150D Lightweight Waterproof Safety Jacket with Detachable Hood



- 150 Denier PU coated polyester, 10 oz (350 GSM)
- 100% waterproof and windproof
- StarTech™ reflective tape
- Taped and heat sealed seams
- Extra liberal fit for working comfort

#### Jacket Features:

- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- Multiple front and back vents
- Fully mesh lined
- Adjustable wrists
- 2 large front cargo pockets
- Detachable and adjustable hood, folds into comfort fleece collar
- Full front zipper with storm placket

### Hi-Viz 150D Lightweight Waterproof Safety Pants

#### Pant Features:

- ANSI 107-15 Class E, Supplemental Type
- CSA Z96-15 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands
- Elastic suspenders with quick-release clips
- Boot access zippers with adjustable ankles
- Fly access

PROD. NO.	MOD. NO.	Colour	Sizes
V1090150U	<b>5594U</b>	Hi-Viz Orange	S-4XL
V1090250U	<b>5595U</b>	Hi-Viz Orange	S-4XL
V1090160U	<b>5596U</b>	Hi-Viz Yellow/Green	S-4XL
V1090260U	<b>5597U</b>	Hi-Viz Yellow/Green	S-4XL

### Lightweight Waterproof Suit



- 2 pieces: hooded jacket and bib pant, fold into storage pouch
- ANSI 107-15 Class 1/Class 1/Class E, Type O/Supplemental Type
- 100% waterproof polyester/PVC
- CSA Z96-09 Class 1 Level 2
- StarTech™ reflective tape
- Taped and heat sealed seams
- Jacket: back vents, adjustable hem, 2 large front cargo pockets
- Hood folds and zips into collar, full front zipper, drawstring with toggle on hem.
- Bib Pants: High quality black elastic suspenders with non-corrosive plastic buckles, snap on hems to fit snug to boots.



PROD. NO.	MOD. NO.	Colour	Sizes
V1080150U	<b>5598U</b>	Orange	S-4XL
V1080160U	<b>5599U</b>	Yellow/Green	S-4XL

# HI-VIZ SAFETY RAINWEAR

## 300D Hi-Viz Ripstop Waterproof Safety Jacket



- 300 Denier durable ripstop polyester, PU coated
- 100% waterproof and windproof
- Double-stitched and heat sealed seams
- Abrasion-, puncture- and tear-resistant
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-09 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- Multiple ventilation panels, front and back
- Fully mesh and taffeta lined
- Drop back
- 2 lower zip pockets, 2 lower inside pockets, concealed chest zip cell pocket on left side
- Fleece-lined collar with chin guard
- 2 radiophone clip straps
- Embroidery access zipper
- Full front 2-way zipper with snap placket
- Ribbed elastic waist
- Elastic wrists with hook and loop closure
- 5400H/5401H hood (sold separately)

PROD. NO.	MOD. NO.	Colour	Sizes
V1200250U	<b>5400U</b>	Hi-Viz Orange	S-4XL
V1200260U	<b>5401U</b>	Hi-Viz Yellow/Green	XS-4XL

## Hood for Hi-Viz 300D Ripstop Waterproof Safety Jacket



- 300 Denier durable ripstop polyester, PU coated
- Snap closure with drawstring
- Snaps for connecting to 300D ripstop jackets

PROD. NO.	MOD. NO.	Colour	Sizes
V1200350U	<b>5400HU</b>	Hi-Viz Orange	Fit-All
V1200360U	<b>5401HU</b>	Hi-Viz Yellow/Green	Fit-All

## 300D Hi-Viz Ripstop Waterproof Safety Bib Pant



- 300 Denier durable ripstop polyester, PU coated
- 100% waterproof and windproof
- Double-stitched and heat sealed seams
- Abrasion-, puncture- and tear-resistant
- ANSI 107-15 Class E, Supplemental Type
- CSA Z96-09 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands
- Fully lined
- 12" leg zippers with hook and loop plackets and adjustor straps
- Zippered inside bib pocket
- Zippered fly access

PROD. NO.	MOD. NO.	Colour	Sizes
V1200450U	<b>5404U</b>	Hi-Viz Orange	S-4XL
V1200460U	<b>5405U</b>	Hi-Viz Yellow/Green	XS-4XL



V1200250U  
V1200260U



V1200350U  
V1200360U



V1200450U  
V1200460U



V1120151U  
V1120161U



V1120350U  
V1120360U

## HI-VIZ 6-IN-1 SAFETY RAINWEAR

### Hi-Viz 100% Waterproof 6-in-1 Parka



- 300 Denier PU coated oxford polyester
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2 (as long as sleeves are not zipped off, becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- Double-stitched StarTech™ reflective tape
- 100% waterproof and windproof
- Taped and heat sealed seams

#### Outer Jacket:

- Quilted lining, 2 inner pockets, 7" side zippers for greater mobility, storm cuffs, embroidery access zipper
- Detachable snap hood
- Full front zipper with snap storm placket
- 2 large front cargo pockets

#### Inner Jacket:

- Quilted lining
- Detachable sleeves
- Comfort collar
- 2 large front cargo pockets
- 2 inner pockets
- Reversible to black

PROD. NO.	MOD. NO.	Colour	Sizes
V1120151U	<b>5020BBU</b>	Hi-Viz Orange	XS-5XL
V1120161U	<b>5021BBU</b>	Hi-Viz Yellow/Green	XS-5XL

### Hi-Viz 100% Waterproof 6-in-1 Bomber Jacket



- 300 Denier PU coated oxford polyester
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2 (as long as sleeves are not zipped off, becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- Double-stitched StarTech™ reflective tape
- 100% waterproof and windproof
- Taped and heat sealed seams

#### Outer Jacket:

- Fully mesh lined, adjustable cuffs, 2 radiophone clip straps, 1 cell phone pocket, 4 inner pockets
- Detachable snap hood
- Full front zipper with snap storm placket
- 2 large front cargo pockets

#### Inner Jacket:

- Quilted lining
- Detachable sleeves
- Comfort collar
- 2 large front cargo pockets
- 2 inner pockets
- Reversible to black

PROD. NO.	MOD. NO.	Colour	Sizes
V1120350U	<b>5022U</b>	Hi-Viz Orange	S-4XL
V1120360U	<b>5023U</b>	Hi-Viz Yellow/Green	S-4XL



## HI-VIZ INSULATED RAINWEAR

### Hi-Viz 100% Waterproof Quilted Bib Pant

- 300 Denier PU coated oxford polyester with 5.3 oz (180 GSM) warm quilted polyester lining
- ANSI 107-15 Class E, Supplemental Type
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with CSA Class 2 Level 2 top featuring reflective arm bands)
- Double-stitched StarTech™ reflective tape
- 100% waterproof and windproof
- 20" boot access 2-way leg zippers with snap storm covers
- Double-stitched, taped and heat sealed seams
- 2-way zipper with brass snap storm placket
- Premium adjustable elastic suspenders with quick-release clips
- Elastic waist
- 2 front slash cargo pockets
- Sealed inside chest pocket with pen slot
- Outside chest pocket with flap



PROD. NO.	MOD. NO.	Colour	Sizes
V1120651U	<b>5040BBU</b>	Hi-Viz Orange	S-5XL
V1120661U	<b>5041BBU</b>	Hi-Viz Yellow/Green	S-5XL



V1120651U  
V1120661U

### 100% Waterproof Winter Quilted Safety Parka

- 300 Denier PU coated oxford polyester
- ANSI 107-15 Class 3, Type P & R
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- StarTech™ reflective tape
- 100% waterproof and windproof
- 5.9 oz (200 GSM) poly filling
- Taped and heat sealed seams
- 2 large front pockets
- Cell/radiophone pocket on left chest
- Inside storage pocket and pouch pocket
- Full front zipper with snap placket
- Embroidery access zipper
- Adjustable hood folds into collar
- Knitted storm cuffs
- Zip-to-top fleece-lined collar



PROD. NO.	MOD. NO.	Colour	Sizes
V1150150U	<b>5030U</b>	Hi-Viz Orange	S-5XL
V1150160U	<b>5031U</b>	Hi-Viz Yellow/Green	S-5XL



V1150150U  
V1150160U



V2510850U  
V2510860U

## FLAME RESISTANT

### Flame Resistant Hi-Viz Vest



- FR treated polyester mesh
- Meets EN ISO 14116 Index 1
- Must be worn over an FR sleeved garment
- ANSI 107-15 Class 2, Type P & R
- CSA Z96-15 Class 2 Level 2
- 5 point tear-away
- StarTech™ FR reflective tape
- D ring access slot
- Adjustable 1 size up at front

PROD. NO.	MOD. NO.	Colour	Sizes
V2510850U	<b>6914AU</b>	Hi-Viz Orange	S/M, L/XL, 2/3XL, 4/5XL
V2510860U	<b>6916AU</b>	Hi-Viz Yellow/Green	S/M, L/XL, 2/3XL, 4/5XL

## FLAME-GARD™



V2570470U  
V2570450U

### Flame Resistant Zip-Style Heavyweight Cotton Safety Hoodie



- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- Material and all components meet CGSB 155.20, 2000
- Thermal Protective Performance (TPP) value with the spacer: 12 / contact test: 10.5
- ANSI 107-15 Class 1, Type O
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 23 cal/cm<sup>2</sup> (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Double sewn StarTech™ FR reflective tape
- Sewn with inherently FR thread
- 2 front slash pockets
- FR brass non-locking zipper
- Tough double-stitched seams
- Liberal sizing
- Detachable snap hood

PROD. NO.	MOD. NO.	Colour	Sizes
V2570450U	<b>3375FU</b>	Orange	S-5XL
V2570470U	<b>3385FU</b>	Black	S-5XL



# PREMIUM POLYURETHANE BOOT



# RANPRO – PREMIUM P/U SAFETY BOOTS



**INCREDIBLE PERFORMANCE - OUTSTANDING COMFORT & FIT!**

# RANPRO SAFETY BOOTS

## Ranpro Ultra - Cold Weather Boot

- Foam PU waterproof construction
- Rated for -50°C
- Composite toe and non-metallic midsole provides full safety protection and increased thermal insulation that keeps warm in winter and cool in summer
- Omega/EH rated - Electric shock resistant 18 Kv
- Winter tire inspired tread pattern features wider and deeper dispersion lines designed to pull water up and away from the contact point between the sole and ground for greater slip resistance
- Aggressive tread design to provide superior traction in snow and mud
- Reinforced ankle protection for shock absorption and extra ankle room to prevent rubbing
- Upper grip on boot allows you to easily pull on boots even when wet or muddy
- Ergonomically designed upper boot to allow for a better range of movement at the calf
- Lightweight and comfortable
- Innovative heel-tab for easy removal
- Antibacterial and abrasion resistant lining
- Cut-off line for customizable boot height
- Oil, gasoline, mineral, organic and chemical resistant
- Free washable insoles - ergonomically designed and shock absorbing

Prod. No.	Mod. No.	Product Name	Color	Size
V4240140	<b>B105FUL.GR</b>	Ranpro Ultra -50°C Composite Toe/ Plate PU Boot	Green	6-15

## Ranpro Steel Toe Boots

- Extra thick PU compound that keeps warm in winter and cool in summer
- 45% lighter than rubber or PVC
- Steel toe and mid-sole
- Oil, gas, mineral, organic and chemical resistant
- Lightweight and extremely comfortable
- Innovative heel-tab for easy removal
- Extra wide toe, vamp & shaft for easy on/off and more comfortable fit
- Reinforced ankle protection and extra ankle room to prevent rubbing
- Upper grip on boot allows you to easily put on boots
- Cut-off line for customizable boot height
- Ergonomically designed upper boot to allow for a better range of movement at the calf
- Water channeling tire tread-inspired soles
- Non-clogging sole
- Rated to -20°C
- Washable, moisture absorbing, cold insulation insoles

Prod. No.	Mod. No.	Product Name	Color	Size
V4240640	<b>B405FUL.GR</b>	Ranpro Steel Toe PU Boot	Green	4-15

### Ideal applications for Pioneer Ranpro Boots:

- Oil and gas industry
- Construction and Mining
- Fish and Meat Processing
- Cattle Breeding, Poultry, Pig Farming & Fishing
- Vegetable Farming
- Dairy Farms
- Breweries

**PLEASE NOTE:** To order add a dash (-) and the boot size to the end of the product number. no half sizes. RanPro B405FUL Series Boots are also available in yellow and white upon request. Contact your SureWex representative for details.



ULTRA



V4240140  
B105FUL.GR



V4240640  
B405FUL.GR





## WARRANTY

### Garment and Safety Gear

Pioneer warrants all garments to be free of defects in materials and workmanship under the normal use for which the product is intended. Normally, a garment defect of manufacture will show up in the first two months of use.

This warranty is limited to product failure as a result of seam separation, broken snaps or zippers, material delaminating, or any defect in material or workmanship that affects the performance of the garment.

Excluded from this warranty are products that have been affected by cuts or punctures, disfigured from continued wear or use, and products that have been exposed to solvents or excessive heat which may degrade their performance and garments that have not been maintained as per wash care instructions on the garment.

Warranty claims will only be provided for those products that have been made available for inspection by Pioneer. Any warranty claim on garments that have been purchased over 60 days ago will have to be accompanied by pictures and/ or defective garment itself for inspection. To maintain our health and safety standards, all products returned for inspection must be free of all removable debris. Any products returned that do not meet the above conditions will be returned to the customer at their expense.

Pioneer shall not be liable for indirect, special, incidental, or consequential damage or penalties and does not assume liability of purchaser or others for injury to persons or property.

For a warranty claim on a Pioneer garment, please contact your local sales or customer service representative.



### Footwear

Pioneer warrants all Ranpro® boots to be free of defects in materials and workmanship under the normal use for which the product is intended. Normally, a boot defect of manufacture will show up in the first two months of use.

This warranty is limited to product failure as a result of splitting, sole or seam separation, or any defect in material or workmanship that affects the waterproof properties or safety characteristics of the product.

Excluded from this warranty are products that have been affected by cuts or punctures or disfigured from continued wear or use, and products that have been exposed to solvents or excessive heat which may degrade their performance.

Warranty claims are subject to inspection by Pioneer. To maintain our health and safety standards, all products returned need to be cleaned of loose debris and contaminants. Any dirty or contaminated boots will be returned to the customer at their expense.

Pioneer shall not be liable for indirect, special, incidental, or consequential damage or penalties and does not assume liability of purchaser or others for injury to persons or property.

For warranty claims on Pioneer Ranpro® boots, please contact your local sales or customer service representative.

## INDEX

S04501 .....	41	S18225 .....	99	S23407 .....	67
S04704 .....	41	S18250 .....	99	S23409 .....	69
S04705 .....	41	S18402 .....	99	S23410 .....	65
S04706 .....	41	S18403 .....	99	S23411 .....	65
S15020 .....	41	S18509 .....	97	S23412 .....	65
S16309 .....	98	S18510 .....	97	S23413 .....	65
S16310 .....	98	S18511 .....	97	S23414 .....	65
S16311 .....	98	S18512 .....	97	S23420 .....	66
S16312 .....	98	S18709 .....	97	S23421 .....	66
S16509 .....	98	S18710 .....	97	S23422 .....	66
S16510 .....	98	S18711 .....	97	S23430 .....	66
S16511 .....	98	S18712 .....	97	S23431 .....	66
S16512 .....	98	S19002 .....	98	S23469 .....	55
S16604 .....	97	S19004 .....	98	S23470 .....	55
S16605 .....	97	S19602 .....	99	S23480 .....	55
S16606 .....	97	S19604 .....	99	S23490 .....	55
S16606B .....	97	S19606 .....	99	S24401 .....	85
S16609 .....	97	S21100 .....	93	S24401-602 .....	86
S16610 .....	97	S21300 .....	93	S24401-611 .....	86
S16610B .....	97	S21301 .....	93	S24401-625 .....	86
S16611 .....	97	S21301-10 .....	93	S24441 .....	85
S16612 .....	97	S22185 .....	56	S24441-602 .....	86
S16709 .....	97	S22448 .....	37	S24441-611 .....	86
S16710 .....	97	S22449 .....	41	S24441-625 .....	86
S16711 .....	97	S22450 .....	72, 93	S24471 .....	85
S16712 .....	97	S23000S .....	89	S24471-611 .....	86
S18100 .....	99	S23400 .....	69	S24471-625 .....	86
S18125 .....	99	S23401 .....	69	S25000-10 .....	94
S18150 .....	99	S23403 .....	68	S25031S .....	89
S18175 .....	99	S23404 .....	68	S25032S .....	89
S18200 .....	99	S23406 .....	68	S27000 .....	93

S27001 .....	93	S29941 .....	90	S32153 .....	13
S27051 .....	22	S29971 .....	90	S32155 .....	13
S27322 .....	86	S27051 .....	22	S32161 .....	12
S27330 .....	86	S30100 .....	25	S32161B .....	12
S27350 .....	86	S30110 .....	25	S32162 .....	12
S27413 .....	84	S30120 .....	25	S32162B .....	12
S27600 .....	96	S30310 .....	25	S32163 .....	13
S27601 .....	96	S31140 .....	14	S32163B .....	13
S27602 .....	96	S31200 .....	24	S32166 .....	13
S27611 .....	95	S31201 .....	24	S32166B .....	13
S27612 .....	95	S31220 .....	24	S32181 .....	12
S27625 .....	96	S31222 .....	24	S32182 .....	12
S28301 .....	92	S31223 .....	24	S32183 .....	13
S28311 .....	92	S31224 .....	24	S32188 .....	13
S28312 .....	92	S32000 .....	13	S32200 .....	13
S28501 .....	92	S32001 .....	13	S32210 .....	11
S28503 .....	92	S32003 .....	13	S32212 .....	11
S28511 .....	92	S32010 .....	11	S32251 .....	12
S28901 .....	92	S32011 .....	13	S32252 .....	12
S28911 .....	92	S32012 .....	11	S32253 .....	13
S29301 .....	90	S32013 .....	11	S32261 .....	12
S29311 .....	90	S32030 .....	11	S32262 .....	12
S29341 .....	90	S32032 .....	11	S32263 .....	13
S29371 .....	90	S32050 .....	11	S32281 .....	12
S29411 .....	90	S32052 .....	11	S32282 .....	12
S29411-08E .....	93	S32100 .....	13	S32283 .....	13
S29501 .....	90	S32130 .....	13	S34000 .....	26
S29511 .....	90	S32140 .....	14	S34040 .....	26
S29711 .....	90	S32150 .....	13	S35000 .....	22
S29901 .....	90	S32151 .....	12	S35020 .....	22
S29911 .....	90	S32152 .....	12	S35040 .....	22



S35050 .....	22	S38610 .....	18	S41200-611 .....	88
S35100 .....	22	S38640 .....	18	S41200-625 .....	88
S35120 .....	22	S39000 .....	22	S41211 .....	88
S35140 .....	22	S39010 .....	21	S41211-602 .....	88
S35150 .....	22	S39020 .....	21	S41211-611 .....	88
S36000 .....	18	S39040 .....	21	S41211-625 .....	88
S36020 .....	18	S39050 .....	21	S41300-611 .....	84
S36040 .....	18	S39100 .....	22	S41305 .....	84
S36050 .....	18	S39110 .....	21	S41310-611 .....	84
S37040 .....	26	S39120 .....	21	S41340-611 .....	84
S37050 .....	26	S39140 .....	21	S41370-611 .....	84
S37600 .....	26	S39150 .....	21	S41300-612 .....	84
S37601 .....	26	S39200 .....	22	S41310-612 .....	84
S37606 .....	26	S39210 .....	21	S41340-612 .....	84
S37607 .....	26	S39250 .....	21	S41370-612 .....	84
S37608 .....	26	S39300 .....	22	S60100 .....	72
S37701 .....	26	S41000 .....	88	S60200 .....	72
S37704 .....	26	S41011 .....	88	S60500 .....	72
S38110 .....	17	S41100 .....	88	S61600 .....	27
S38140 .....	17	S41111 .....	88	S61601 .....	27
S38150 .....	17	S41200 .....	88	S61602 .....	27
S38210 .....	17	S41200-602 .....	88	S61610 .....	27
S38230 .....	17	S41200CA-602 .....	88	S61800 .....	22
S38240 .....	17	S41200GL-602 .....	88	S61900 .....	27
S38250 .....	17	S41200WC-602 .....	88	S61970 .....	28
S38310 .....	18	S41200CA-611 .....	88	S62240 .....	72
S38340 .....	18	S41200GL-611 .....	88	S69000 .....	72
S38410 .....	17	S41200WC-611 .....	88	S69010 .....	72
S38440 .....	17	S41200CA-625 .....	88	S69020 .....	72
S38510 .....	17	S41200GL-625 .....	88	S69030 .....	72
S38540 .....	17	S41200WC-625 .....	88	S69040 .....	72

S69050 .....	72	S72001 .....	45	S74751 .....	52
S69500 .....	72	S72002 .....	45	S76301 .....	50
S69510 .....	72	S72100 .....	46	S76341 .....	50
S69520 .....	72	S72101 .....	46	S76361B .....	50
S69530 .....	72	S72102 .....	46	S76371 .....	50
S69540 .....	72	S72300 .....	46	S76701 .....	50
S69550 .....	72	S72301 .....	46	S76771 .....	50
S70000 .....	44	S72302 .....	46	S79100 .....	49
S70001 .....	44	S72400 .....	46	S79103 .....	50
S70002 .....	44	S72401 .....	46	S79108 .....	50
S70701 .....	49	S72402 .....	46	S79301 .....	50
S70703 .....	51	S72903 .....	52	S79302 .....	50
S70704 .....	51	S72905 .....	52	S79371 .....	50
S70705 .....	51	S73401 .....	49	S79372 .....	50
S70711 .....	49	S73402 .....	49	S79901 .....	51
S70721 .....	49	S73421 .....	49	S79904 .....	51
S70731 .....	49	S73471 .....	49	S79905 .....	34
S71100 .....	47	S73481 .....	49	S79906 .....	34
S71101 .....	47	S73601 .....	48	S80200 .....	32
S71102 .....	47	S73611 .....	48	S80201 .....	32
S71200 .....	47	S73621 .....	48	S80202 .....	32
S71201 .....	47	S73631 .....	48	S80203 .....	32
S71202 .....	47	S73801 .....	50	S80210 .....	33, 40
S71203 .....	47	S73802 .....	50	S80211 .....	33
S71400 .....	48	S74201 .....	48	S80221 .....	32
S71401 .....	48	S74202 .....	51	S80222 .....	32
S71402 .....	48	S74203 .....	51	S80231 .....	33
S71910 .....	44	S74204 .....	51	S80242 .....	33
S71911 .....	44	S74241 .....	48	S80243 .....	33
S71912 .....	44	S74271 .....	48	S80245 .....	33
S72000 .....	45	S74701 .....	52	S80246 .....	34

S80249 .....	33	S88010 .....	37	S90450-4.....	62
S80250 .....	33	S88110 .....	37	S90479 .....	54
S80251 .....	34	S88113 .....	37	S90481 .....	54
S80252 .....	33	S88200 .....	37	S90482 .....	54
S80290 .....	32	S88203 .....	37	S90483 .....	54
S80300 .....	35	S88210 .....	37	S90484 .....	54
S81000 .....	38	S88213 .....	37	S90486 .....	54
S81010 .....	38	S90100 .....	61	S90487 .....	54
S81200 .....	38	S90101 .....	61	S90488 .....	54
S81210 .....	38	S90243 .....	63	S90494 .....	54
S81220 .....	38	S90243-2.....	63	S90496 .....	54
S81310 .....	38	S90243-3.....	63	S90498 .....	54
S81320 .....	39	S90306 .....	58	S90510 .....	63
S81330 .....	39	S90315 .....	60	S90510-2.....	63
S82000 .....	36	S90320 .....	59	S90520 .....	63
S82500 .....	36	S90321 .....	59	S90520-3.....	63
S83000 .....	39	S90322 .....	60	S90520-4.....	63
S83010 .....	39	S90324 .....	59	S90570 .....	63
S83200 .....	39	S90325 .....	59	S90600 .....	61
S83210 .....	39	S90326 .....	59	S90600-2.....	61
S84001 .....	37	S90329 .....	58	S90602-1.....	61
S84011 .....	37	S90330 .....	58	S96110 .....	76
S85110 .....	41	S90331 .....	58	S96110-6.....	77
S85150 .....	41	S90332 .....	58	S96110-7.....	77
S85250 .....	40	S90333 .....	58	S96111 .....	76
S85350 .....	40	S90335 .....	59	S96112 .....	76
S85450 .....	40	S90336 .....	59	S96113 .....	76
S85550 .....	40	S90430 .....	62	S96114 .....	76
S85560B .....	40	S90440 .....	62	S96211 .....	76
S88000 .....	37	S90445 .....	62	S96310 .....	77
S88003 .....	37	S90450 .....	62	S96311 .....	77

S96350 .....	77	S97404-12 .....	107	V1051160U .....	169
S96410 .....	78	S97408-12 .....	107	V1051250U .....	169
S96411 .....	78	S97450 .....	105	V1051260U .....	169
S96412 .....	78	S97452 .....	105	V1060350U .....	170
S96413 .....	78	S97453 .....	105	V1060360U .....	167
S97222 .....	104	S97455 .....	105	V1060460U .....	170
S97230 .....	103	S97456 .....	106	V1060550U .....	170
S97240-1 .....	102	S97457 .....	106	V1060560U .....	170
S97240-3 .....	102	S97466 .....	106	V1070161U .....	172
S97250 .....	102	S97467 .....	106	V1070260U .....	171
S97260 .....	104	S97709-1 .....	102	V1070360U .....	171
S97305-1 .....	103	S97709-3 .....	102	V1070460U .....	172
S97305-2 .....	103	S97710-1 .....	102	V1080150U .....	173
S97305-3 .....	103	S97710-3 .....	102	V1080160U .....	173
S97306-1 .....	103	V1010140U .....	165	V1090150U .....	173
S97306-2 .....	103	V1010340U .....	165	V1090160U .....	173
S97306-3 .....	103	V1010350U .....	165	V1090250U .....	173
S97309-1 .....	103	V1020160U .....	165	V1090260U .....	173
S97309-2 .....	103	V1020250U .....	165	V1120151U .....	175
S97309-3 .....	103	V1020951U .....	166	V1120161U .....	175
S97310-1 .....	103	V1021061U .....	166	V1120350U .....	175
S97310-2 .....	103	V1021450U .....	166	V1120360U .....	175
S97310-3 .....	103	V1021560U .....	166	V1120651U .....	176
S97311-1 .....	103	V1021570U .....	165	V1120661U .....	176
S97311-2 .....	103	V1021950U .....	166	V1150150U .....	176
S97311-3 .....	103	V1021960U .....	166	V1150160U .....	176
S97390 .....	103	V1023550U .....	167	V1200250U .....	174
S97392 .....	103	V1023560U .....	167	V1200260U .....	174
S97404-3 .....	107	V1030550U .....	167	V1200350U .....	174
S97404-4 .....	107	V1030560U .....	167	V1200360U .....	174
S97404-8 .....	107	V1051150U .....	169	V1200450U .....	174

V1200460U.....	174	V8059.....	121	V8221132.....	136
V2510850U.....	177	V8104300.....	124	V8222120.....	137
V2510860U.....	177	V8104306.....	124	V8222130.....	136
V2570450U.....	177	V8104320.....	124	V8223140.....	137
V2570470U.....	177	V8104326.....	124	V8223142.....	137
V4240140.....	180	V8104356.....	124	V8223145.....	137
V4240640.....	180	V8104406.....	124	V82235.....	148
V8001000.....	115	V8104426.....	124	V82236.....	148
V80010000.....	117	V8108306.....	124	V8224111.....	135
V8002000.....	115, 118	V8108326.....	124	V8229001.....	135
V8002010.....	118	V8108426.....	124	V8229100.....	135
V8002030.....	118	V815100X.....	125	V8229104.....	135
V8002200.....	118	V815120X.....	125	V8252306.....	145
V8002210.....	118	V81540X.....	125	V8252316.....	145
V8002230.....	118	V81542X.....	125	V8252326.....	145
V8006100.....	115, 119	V82005805.....	138	V8252336.....	145
V8006110.....	119	V820310X.....	138	V8252346.....	145
V8006200.....	119	V820350X.....	138	V8255211.....	120
V8006210.....	119	V8205505.....	138	V8255212.....	120
V8008000.....	118	V8205704.....	138	V8255213.....	120
V805101.....	121	V8205705.....	138	V8255214.....	120
V805101X.....	121	V820800X.....	138	V8255215.....	120
V8051011.....	121	V820860X.....	138	V825521X.....	120
V8051012.....	121	V8221111.....	135	V825522X.....	120
V8051013.....	121	V8221112.....	135	V825562X.....	120
V8051014.....	121	V8221113.....	135	V83010.....	139
V8051015.....	121	V8221114.....	135	V830103.....	139
V805601.....	121	V8221115.....	135	V830113.....	139
V805601X.....	121	V8221121.....	137	V84013XXX.....	140
V805602.....	121	V8221130.....	136	V84014XXX.....	140
V805602X.....	121	V8221131.....	136	V84084XXX.....	140

V84537065 . . . . .	127	V8561402 . . . . .	134	V8651102 . . . . .	151
V845423012 . . . . .	132	V8561501 . . . . .	134	V8651103 . . . . .	151
V845423018 . . . . .	132	V8561502 . . . . .	134	V8651104 . . . . .	151
V845523006LE . . . . .	132	V8561601 . . . . .	134	V8651105 . . . . .	151
V845525006LE . . . . .	132	V8561602 . . . . .	134	V8651106 . . . . .	151
V845526006LE . . . . .	132	V8561701 . . . . .	134	V8651107 . . . . .	151
V845533010LE . . . . .	132	V8561702 . . . . .	134	V8651108 . . . . .	151
V845533020LE . . . . .	132	V8561801 . . . . .	134	V8651109 . . . . .	151
V845533040LE . . . . .	132	V8561802 . . . . .	134	V8651110 . . . . .	151
V845533060LE . . . . .	132	V856210 . . . . .	134	V8651111 . . . . .	151
V845533140 . . . . .	132	V856211 . . . . .	134	V8651112 . . . . .	151
V845533170 . . . . .	132	V856220 . . . . .	134	V8651113 . . . . .	151
V845534060 . . . . .	132	V856221 . . . . .	134	V8651114 . . . . .	151
V845534108 . . . . .	132	V860001 . . . . .	152	V8651115 . . . . .	151
V845534140 . . . . .	132	V860004 . . . . .	152	V8651116 . . . . .	151
V8460 . . . . .	127	V860005 . . . . .	127, 152	V865190 . . . . .	151
V85011 . . . . .	127	V860006 . . . . .	152	V865194 . . . . .	151
V85024 . . . . .	127	V86009XX . . . . .	147	V865195 . . . . .	151
V85025 . . . . .	127	V860120 . . . . .	152	V865196 . . . . .	151
V85026 . . . . .	127	V860121 . . . . .	152	V865197 . . . . .	151
V855121 . . . . .	146	V860130 . . . . .	152	V865198 . . . . .	151
V855130 . . . . .	127	V860151 . . . . .	125	V865199 . . . . .	151
V85523100 . . . . .	146	V860153 . . . . .	127	V865240 . . . . .	126
V85539XX . . . . .	147	V860301 . . . . .	152	V865280 . . . . .	126
V8561101 . . . . .	134	V860302 . . . . .	152	V865321 . . . . .	149
V8561102 . . . . .	134	V860303 . . . . .	152	V865324 . . . . .	149
V8561201 . . . . .	134	V860304 . . . . .	152	V865327 . . . . .	149
V8561202 . . . . .	134	V860402 . . . . .	152	V865330 . . . . .	149
V8561301 . . . . .	134	V860901 . . . . .	152	V865340 . . . . .	149
V8561302 . . . . .	134	V8651100 . . . . .	151	V865342 . . . . .	149
V8561401 . . . . .	134	V8651101 . . . . .	151	V865345 . . . . .	149

NOTES

NOTES



NOTES

NOTES






# SureWerx™

Our Family of Safety Brands

*sellstrom*®



**PEAKWORKS**®



**KneePro**

AVAILABLE FROM:

**Sellstrom Manufacturing Co.**

1-800-323-7402 USA

1-847-358-2000 Outside USA

1-847-358-8564 Fax

**[www.sellstrom.com](http://www.sellstrom.com)**