




EYEWEAR



Aggressor™



E03S20
Gray with
Gun Metal Frame

FEATURES:

- Rugged Gun Metal Nylon Frame
- Modern Full-Sized Design
- Scratch Resistant Polycarbonate Lens
- Black Thermo-Plastic Temples and Nose Piece
- Meets ANSI Z87.1+ and CSA Z94.3 Standards
- Provides 99.9% UV Protection

E03S10

Clear

E03S10T

Clear/Anti-Fog



E03S50

Indoor-Outdoor
Lens



E03S65

Fusion Blue



E03S30

Amber



E03S95

Fusion Orange



Vendetta™



FEATURES:

- Shiny Black Nylon
- Integrated Side Shields
- Scratch Resistant Polycarbonate Lens
- Black Thermo-Plastic Temples & Nose Piece
- Meets ANSI Z87.1 + and CSA Z94.3 Standards
- Provides 99.9% UV Protection

E02B65

Fusion Blue with Black Frame

E02B10

Clear

E02B10T

Clear/Anti-Fog



E02B30

Amber



E02B20

Gray



E02B50

Indoor-Outdoor



E02B95

Fusion Orange



FEATURES:

- Frameless Design with Black Nylon Temples
- One Piece Lens with Integrated Side Shields
- Scratch Resistant Polycarbonate Lens
- Black Thermo-Plastic Temples & Nose Piece
- Meets ANSI Z87.1 + and CSA Z94.3 Standards
- Provides 99.9% UV Protection

Opticor™



E01B30

Amber

E01B10

Clear

E01B10T

Clear/Anti-Fog



E01B50

Indoor-Outdoor



E01B90

Rainbow Mirror



E01B20

Gray



E01B60

Blue Mirror



Jackal™



EGF20S

Gray with Frosted Gray Frame

EGF20ST

Gray/Anti-Fog with Frosted Gray Frame

FEATURES:

- Single Wrap-Around Lens
- Soft Gel Nose Piece and Temples
- Light weight, Durable Design
- Scratch Resistant Polycarbonate Lens
- Meets ANSI Z87.1 + Standards
- Provides 99.9% UV Protection

EGF10S

Clear with Frosted Clear Frame

EGF10ST

Clear/Anti-Fog with Frosted Clear Frame



EGF60S

Blue Mirror with Frosted Gray Frame



EGF15S

Light Blue with Frosted Blue Frame



EGF70S

Silver Mirror with Frosted Gray Frame



EGF50S

Indoor-Outdoor with Frosted Clear Frame

EGF50ST

Indoor-Outdoor/Anti-Fog



EGF95S

Orange with Frosted Orange Frame





ENB60S

Blue Mirror with
Black Frame

FEATURES:

- Single Wrap-Around Lens
- Bayonet Temple Design
- Scratch Resistant Polycarbonate Lens
- Matching Soft Gel Nose Piece & Temples
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

ENB10S

Clear with
Black Frame

ENB10ST

Clear/Anti-Fog with
Black Frame



ENB30S

Amber with
Frosted Amber Frame



ENF15S

Light Blue with
Frosted Blue Frame

ENF15ST

Light Blue/Anti-Fog with
Frosted Blue Frame



ENB50S

Indoor-Outdoor with
Black Frame

ENB50ST

Indoor-Outdoor/Anti-Fog
with Black Frame



ENB20S

Gray with
Black Frame

ENB20ST

Gray/Anti-Fog with
Black Frame



ENB70S

Silver Mirror with
Black Frame





EOB70S Silver Mirror

FEATURES:

- Shiny Black Nylon Frame
- Dual Wrap-Around Lens Design
- Scratch Resistant Polycarbonate Lens
- Bayonet Temple Design
- Thermo-Plastic Temples & Nose Piece
- Meets ANSI Z87.1 + Standards
- Provides 99.9% UV Protection



EOB10S

Clear

EOB10ST

Clear/Anti-Fog



EOB50S

Indoor-Outdoor



EOB20S

Gray

EOB20ST

Gray/Anti-Fog



EOB60S

Blue Mirror



EOB30S

Amber



EOB90S

Orange Mirror



DANE™



FEATURES:

- Single Wrap-Around Lens
- Bayonet Temple Design
- Scratch Resistant Polycarbonate Lens
- Integrated Nose Piece
- Meets ANSI Z87.1 + Standards
- Provides 99.9% UV Protection

EL15S

Blue with Frosted Blue Frame

EL15ST

Blue/Anti-Fog with Frosted Blue Frame

EL10S
Clear with Frosted Clear Frame

EL50S
Indoor-Outdoor with Frosted Clear Frame

EL70S
Silver Mirror with Black Frame

EL20S
Gray with Frosted Gray Frame

EL60S
Blue Mirror with Black Frame

EL80S
Rainbow Mirror with Black Frame

EL25S
Brown with Frosted Brown Frame

| Style # | Lens | Frame |
|----------|--------------------------|--------------|
| EL10S | Clear | FrostedClear |
| EL10ST | Clear with Anti-Fog | FrostedClear |
| EBL10S10 | Clear with 1.0 Diopter | FrostedClear |
| EBL10S15 | Clear with 1.5 Diopter | FrostedClear |
| EBL10S20 | Clear with 2.0 Diopter | FrostedClear |
| EBL10S25 | Clear with 2.5 Diopter | FrostedClear |
| EL15S | Light Blue | FrostedBlue |
| EL15ST | Light Blue with Anti-Fog | FrostedBlue |
| EL20S | Gray | FrostedGray |
| EL20ST | Gray with Anti-Fog | FrostedGray |
| EL25S | Brown | FrostedBrown |
| EL30S | Amber | FrostedAmber |
| EL50S | Indoor-Outdoor | FrostedClear |
| EL60S | Blue Mirror | Black |
| EL70S | Silver Mirror | Black |
| EL80S | Rainbow Mirror | Black |

EL30S
Amber with Frosted Amber Lens



Diopters Available in 1.0-2.5 Strengths

BULLDOG™



FEATURES:

- Single Wrap-Around Lens
- Spatula Temple Design
- Scratch Resistant Polycarbonate Lens
- Integrated Nose Piece
- Meets ANSI Z87.1 + Standards
- Provides 99.9% UV Protection

EHB60S
Blue Mirror with
Black Frame




EHF10S
Clear with Frosted
Clear Frame


EHF10ST
Clear/Anti-Fog with
Frosted Clear Frame

EPHF10S
Clear Bulldog Pups™

EPHF10ST
Clear/Anti-Fog
Bulldog Pups™




EHB30S
Amber with
Frosted Amber
Frame




EHB50S
Indoor-Outdoor
with Black Frame

EPHB50S
Bulldog Pups™




EHF15S
Light Blue with
Frosted Blue Frame

EPHF15S
Bulldog Pups™




EHB70S
Silver Mirror with
Black Frame



EHB20S
Gray with
Black Frame

EHB20ST
Gray/Anti-Fog with
Black Frame

EPHB20S
Bulldog Pups™



EHB80S
Rainbow Mirror
with
Black Frame



BULLDOG

FRAMERS™



EHF10-FST
Clear/Anti-Fog with
Frosted Clear Frame

FEATURES:

- Soft Polyurethane Foam Seal
- Prevents debris from entering the eye area when working overhead
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

| Style # | Lens | Frame |
|-----------|-------------------------|---------------|
| EHF10-FST | Clear/Anti-Fog | Frosted Clear |
| EHB20-FST | Gray/Anti-Fog | Black |
| EHB50-FST | Indoor-Outdoor/Anti-Fog | Black |

BULLDOG

READERS™



EHF10S10
Clear with
Frosted Clear Frame



FEATURES:

- Magnifying Lens Inserts
- Available in Four Strengths
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

| Style # | Lens | Frame |
|----------|-------------------|---------------|
| EHF10S10 | Clear/1.0 Diopter | Frosted Clear |
| EHF10S15 | Clear/1.5 Diopter | Frosted Clear |
| EHF10S20 | Clear/2.0 Diopter | Frosted Clear |
| EHF10S25 | Clear/2.5 Diopter | Frosted Clear |
| EHB20S10 | Gray/1.0 Diopter | Black |
| EHB20S15 | Gray/1.5 Diopter | Black |
| EHB20S20 | Gray/2.0 Diopter | Black |
| EHB20S25 | Gray/2.5 Diopter | Black |

BOXER™



FEATURES:

- Dual Wrap-Around Lens Design
- Extendable Temples
- Matte Black Nylon Frame
- Scratch Resistant Polycarbonate Lens
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

EKB155

Blue with Matte Black Frame

EKB20S

Gray

EKB20ST

Gray/Anti-Fog



EKB50S

Indoor-Outdoor



EKB10S

Clear

EKB10ST

Clear/Anti-Fog



EKB30S

Amber



EKB70S

Silver Mirror



AKITA™

FEATURES:

- Dual Wrap-Around Lens Design
- Extendable, Ratcheting Temples
 - Matte Black Nylon Frame
- Scratch Resistant Polycarbonate Lens
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

EFB50S

Indoor-Outdoor with Matte Black Frame



EFB10S

Clear



EFB20S

Gray

EFB30S

Amber



RETRIEVER™



FEATURES:

- Single Lens Design with Integrated Side Shields
- Nylon Frame with Browguard
- Extendable Temples
- Integrated Nose Piece
- Scratch Resistant Polycarbonate Lens
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

EJBIRUV5

Green 5.0 Filter with Black Frame

EJB10S

Clear with Black Frame



EJNWR20S

Gray with Red, White & Blue



EJN10S

Clear with Blue Frame



| Style # | Lens | Frame |
|-------------|------------------|-------------------|
| ☐ EJB10S | Clear | Black |
| ☐ EJB10ST | Clear/Anti-Fog | Black |
| ☐ EJB20S | Gray | Black |
| ● EJBIRUV3 | Green 3.0 Filter | Black |
| ● EJBIRUV5 | Green 5.0 Filter | Black |
| ☐ EJNWR10S | Clear | Red, White & Blue |
| ☐ EJNWR10ST | Clear/Anti-Fog | Red, White & Blue |
| ☐ EJNWR20S | Gray | Red, White & Blue |
| ☐ EJR10S | Clear | Red |
| ☐ EJN10S | Clear | Blue |

RETRIEVER-II™



EMB20S

Gray with Black Frame

Retriever II: Extendable & Ratcheting Temples



| Style # | Lens | Frame |
|------------|-------|-------------------|
| ☐ EMB10S | Clear | Black |
| ☐ EMB20S | Gray | Black |
| ☐ EMNWR10S | Clear | Red, White & Blue |



SLAMMER™

**FEATURES:**

- Wrap-Around Style with Browguard
- Integrated/Vented Side Shields
- Designed to fit over prescription glasses
- Uncoated or Coated (Scratch Resistant)
- Jumbo Sizes Available
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

EC20S: Gray/Uncoated**EC20SH:** Gray/Coated**EC20SX:** Gray/Uncoated/Jumbo**EC10S:** Clear/Uncoated**EC10SH:** Clear/Coated**EC10SX:** Clear/Uncoated/Jumbo

Goggles

FEATURES:

- Scratch Resistant Polycarbonate Lens
- Elastic Straps
- Perforated or Indirect Ventilation
- Meets ANSI Z87.1+ Standards
- Provides 99.9% UV Protection

GD10: Clear/Perforated**GD10T:** Clear/Perforated/Anti-Fog**GI10:** Clear/Indirect Ventilation**GI10T:** Clear/Indirect Ventilation/Anti-Fog

DS-1™

DUST/SPLASH GOGGLES



- FEATURES:**
- Soft, Flexible, Compact Frame
 - Indirect Ventilation System
 - Adjustable Elastic Strap
 - Scratch Resistant Polycarbonate Lens
 - Meets ANSI Z87.1 + Standards
 - Provides 99.9% UV Protection

GDS10
Clear with
Clear Frame

| Style | Lens | Frame |
|--------|-------------------------|-----------|
| GDS10 | Clear | Clear |
| GDS10T | Clear/Anti-Fog | Clear |
| GDS20 | Gray | Dark Gray |
| GDS20T | Gray/Anti-Fog | Dark Gray |
| GDS50T | Indoor/Outdoor Anti-Fog | Clear |

ACCESSORIES



ED001
6-Unit
Eyewear Display
Glasses not included



EB001
Microfiber Eyeglass Bag with Drawstring
Functions as cleaning cloth and storage bag

| Style | EC001 | EC002 | EB001 |
|-------------------|-------|-------|-------|
| Aggressor™ | X | X | X |
| Akita™ | X | X | X |
| Boxer™ | X | X | X |
| Bulldog™ | X | — | X |
| Catalyst™ | X | X | X |
| Citation™ | X | X | X |
| Dane™ | X | — | X |
| Doberman™ | X | X | X |
| Optico™ | X | X | X |
| Retriever I & II™ | X | X | X |
| Vendetta™ | X | X | X |



EC002
Black Nylon
Eyeglass
Cord with
Rubber Loops



EC001
Black Cotton
Eyeglass
Cord with
Rubber Slide





Memphis Headquarters: 4025 Viscount Avenue, Memphis, TN 38118 Phone: 800.458.8763 Fax: 901.458.3343

West Coast Office: 4451 Eucalyptus Avenue, Suite 310, Chino, CA 91710 Phone: 877.264.9832 Fax: 877.264.9833