



ROCKROOSTER | SAFETY FOOTWEAR PRODUCT COLLECTION



FOOTWEAR FEATURES

SOLE FEATURES



Electrical hazard

The outsole can provide a secondary electrical shock resistance protection to the wearer against the hazards from an incidental contact with energized electrical circuits or parts according to ASTM F2413



Anti-static

Anti-static footwear, the resistance of which is above 100 kΩ and less than or equal to 1000 MΩ



Oil-resistant

Aliphatic hydrocarbon constituent of petroleum resistant



Heat resistant sole

Heat resistant outsole to 300°



Abrasion resistant sole


Outsole resistant to abrasion, volume loss no greater than 150 mm³

COMFORT FEATURES



Shock absorbing

Provides superior cushioning and shock absorption helping to reduce foot, leg and back fatigue.



PU Footbed

Massages feet as you walk, offering ultimate comfort and enhancing blood flow to reduce fatigue.



Wide Fit toe cap

Offers a wide profile shape for greater comfort and ensuring toes are not in contact with the toe cap.



COOLMAX® TECHNOLOGY



Fabric made with COOLMAX® technology effectively moves perspiration away from the body and out through the fabric where it can evaporate quickly. COOLMAX® technology meets the most demanding standards for moisture management, breathability, and durability after laundering.



TOE CAP FEATURES



Toecap resistant to 200J

Steel toecap offers protection against drop and crush injuries. Developed to withstand a force of 200 joules.



Super light shoe

Lightweight Up to 50% lighter than traditional shoes



Carbon fiber composite Toecap

the carbon fiber is an advanced protection safety toe system allowing for top performance. lightweight feature with non-conductive, and resists extreme temperatures of both hot and cold!



KEEP YOUR FEET SAFE

SPECIAL FEATURES



Metatarsal Protection

Provides increased protection against the risk of impact and crush injuries. Metatarsal guards coupled with safety toe caps offer complete fore foot protection.



Sole Penetration Protection

Offers the reduced risk of sharp objects penetrating the sole and entering the foot.



100% Non-Metallic Boots

Provide the same comfort as wearing any regular sports shoes. Pass metal detector and suitable for electronic unit manufacturing plants.



Water Resistant leather



Toe Bumper

SLIP RESISTANCE



Slip Resistant Sole

The following abbreviations provide information about slip resistance ratings:

SRA: Slip resistance tested on ceramic tile floor with sodium lauryl sulphate (SLS) solution.

SRB: Slip resistance tested on steel floor with glycerol.

SRC: Slip resistance tested on both ceramic tile floor with SLS solution and steel floor with glycerol.


SPECIAL FEATURES



Cold insulation
Aislamiento del frío

The unique microfibers of Thinsulate insulation are far smaller than other more common synthetic insulation materials, which means that they are much more efficient at trapping air and more effective at keeping you warm—all the while reducing the bulk of the garment.

Generates more warmth



Effective when damp

The fibres are particularly durable and can be washed again and again with no negative effects on the insulation.

3M™ Thinsulate™ is Oekotex-100 class 1 certified and meets EU's chemical regulations (REACH).

3M
Thinsulate
INSULATION

extra warmth

ALL molo's products that are lined with 3M™ Thinsulate™ are delivered with this hangtag.


ADVANTAGES OF 3M™ THINSULATE™

SPECIAL FEATURES



Waterproof footwear

Shoes engineered with SYMPATEX® Performance Comfort product technology are designed for outdoor use in moderate weather conditions.



They combine durable waterproofness and optimized breathability, offering enduring waterproof protection and optimized climate comfort. Water stays on the outside while perspiration can easily escape from the inside. Thanks to their innovative construction they are an ideal solution for the widest range of outdoor activities and changing weather conditions.

AKF SERIES PU/RUBBER FOOTWEAR-----05

AK SERIES PU/TPU & PU/RUBBER FOOTWEAR-----08

AC SERIES DUAL DENSITY PU/TPU FOOTWEAR -----14

AM AU SERIES FLY KNIITING & KPU FOOTWEAR-----20

AX SERIES EXECUTIVE FOOTWEAR-----26

AP AT SERIES GOODYEAR WELT & RUBBER CEMENT FOOTWEAR-----28

AS SERIES FASHION FOOTWEAR-----35

CF SERIES CHEF FOOTWEAR-----37

YK SERIES WELLINGTON BOOTS-----38

ACCESSORIES ACCESSORIES-----39



AKF SERIES

DUAL DENSITY PU/ RUBBER FOOTWEAR



**100%
METAL
FREE**

COMPLIES WITH ✓
AS/NZS 2210.3.2009
EN ISO 20345:2011
ASTM F2413-11

Long wearing rubber outsole designed for superior grip and durability

Latex toecap liner for added comfort
Protection strip



Carbon fiber composite toecap

50% LIGHTER

Non-metallic

Non-conductive

Anti-hot & cold

Anti-corrosive

PU footbed for enhanced comfort and reduce odour

Full lined COOLMAX® Comfortable stretchy fabric with Good moisture management and wicking performance

Water resistant leather

Plastic eyelets to pass metal detector and suitable for electronic unit manufacturing plants

Bevelled heel for excellent slip resistance

Carbon fiber support shank


Shock absorbing Polyurethane midsole

COMFORT Impact Absorption system with a combination of urethane and PORON

COMFORT TECHNOLOGY


NANO Technology

ROCKROOSTER Comfort system has a unique PU footbed for greater comfort. It massages your feet as you walk, promoting greater blood flow to help reduce fatigue



COMFORT Impact Absorption System

ROCKROOSTER Comfort system uses a combination of urethane and PORON performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption which help reduce foot, leg and back fatigue.



Wide fitting toecap

ROCKROOSTER's MR toecaps, licensed to AS/NZS 2210.3, ASTM-F2413, CSA Z195, EN12568, have a wide profile shape to suit your foot and padded with latex cushion liner to ensure comfort.



COOLMAX® TECHNOLOGY

Fabric made with COOLMAX® technology effectively moves perspiration away from the body and out through the fabric where it can evaporate quickly. COOLMAX® technology meets the most demanding standards for moisture management, breathability, and durability after laundering.



SOLING TECHNOLOGY

AKF's Dual Density Soling Technology PU/RUBBER & PU/TPU

The dual density soling technology combines a soft shock absorbing foamed PU midsole with a high density hard wearing outsole, Rubber or TPU, designed for superior durability and abrasion resistance.

AKF's outsole technology offers:

- Excellent slip resistance, rated SRC
- Superior resistance to abrasion and cutting Resistant to oil, acid and alkalies
- Electrical Hazard (EH) Protection reduces hazard due to contact with electrically energized parts according to ASTM F2413
- Heat resistant to 300°C RUBBER / 140°C TPU

AKF SERIES COMMON FOOTWEAR FEATURES



HORTON AKF-652

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- EH PU midsole / RUBBER outsole
- Sizes 6-14

**100%
METAL
FREE**



HOVEN AKF-655

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- EH PU midsole / RUBBER outsole
- Sizes 6-14

CERTIFIED PRODUCT



AUSTRALIA & NZ STANDARDS



AKF SERIES COMMON FOOTWEAR FEATURES



CARLOTA AKF-627

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Ankle-height elastic sided boot
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- EH PU midsole / RUBBER outsole
- Sizes 6-14

**100%
METAL
FREE**



UTICA AKF-628

- Water resistant crazy horse leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- EH PU midsole / RUBBER outsole
- Sizes 6-14

**100%
METAL
FREE**

AK SERIES

DUAL DENSITY PU/ RUBBER FOOTWEAR



Full lined COOLMAX® Comfortable stretchy fabric with Good moisture management and wicking performance

COMFORT Impact Absorption System uses a combination of cellular urethane and PORON

Water resistant leather

Heel protection guard

NANO footed forenhanced comfort and reduced odour

Bevelled heel forexcellent slip resistance

Kevlar thread on critical wear seams for maximum abrasion and chemical resistance

Stabilising and support shank

Shock absorbing Polyurethane midsole

The toe guard

Wide fit Toe cap wider profile for greater comfort

Protection strip

Latex toe cap liner for added comfort


Long wearing rubber outsole designed for superior grip and durability Anti Static

COMPLIES WITH 
AS/NZS 2210.3:2009
EN ISO 20345:2011
ASTM F2413-11

COMFORT TECHNOLOGY


NANO Technology

ROCKROOSTER Comfort system has a unique PU footbed for greater comfort. It massages your feet as you walk, promoting greater blood flow to help reduce fatigue



COMFORT Impact Absorption System

ROCKROOSTER Comfort system uses a combination of urethane and PORON performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption which help reduce foot, leg and back fatigue.



Wide fitting toe cap

ROCKROOSTER's MR toe caps, licensed to AS/NZS 2210.3, ASTM-F2413, CSA Z195, EN12568, have a wide profile shape to suit your foot and padded with latex cushion liner to ensure comfort.



COOLMAX® TECHNOLOGY

Fabric made with COOLMAX® technology effectively moves perspiration away from the body and out through the fabric where it can evaporate quickly. COOLMAX® technology meets the most demanding standards for moisture management, breathability, and durability after laundering.



SOLING TECHNOLOGY

AK's Dual density Soling technology PU/RUBBER & PU/TPU

The dual density soling technology combines a soft shock absorbing foamed PU midsole with a high density hard wearing outsole, Rubber or TPU, designed for superior durability and abrasion resistance.

AK's outsole technology offers:

- Excellent slip resistance, rated SRC
- Superior resistance to abrasion and cutting
- Resistant to oil, acid and alkalies
- Anti-Static minimises the build up of electro-static activity and provides protection
- Against the risk of spark ignition hazards including flammable materials and gases
- Heat resistant to 300°C RUBBER / 140°C TPU



AK SERIES COMMON FOOTWEAR FEATURES



FORT AK-232

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / RUBBER outsole
- Sizes 6-14



KNOX AK-245

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / RUBBER outsole
- Sizes 6-14

AK SERIES COMMON FOOTWEAR FEATURES



KIMBERLY AK-232Z

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14



KENSINGTON AK-245Z

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14



AK SERIES COMMON FOOTWEAR FEATURES



GAMMON AK-222

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Ankle-height elastic sided boot
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14



BAKKEN AK-227

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Ankle-height elastic sided boot
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14

AK SERIES COMMON FOOTWEAR FEATURES



CORTEZ AK050

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14




CRISSON AK050 BK

- Water resistant full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14



AK SERIES COMMON FOOTWEAR FEATURES



CALHOUN AK-152

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 6-14



CHANNAR AK801

- Water resistant full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / RUBBER outsole
- Sizes 6-14

AC SERIES

DUAL DENSITY PU FOOTWEAR



COMPLIES WITH 
 AS/NZS 2210.3:2009
 EN ISO 20345:2011
 ASTM F2413-11



TPU GRIP tread pattern for greater traction and heat resistant to 140°C

Tread pattern designed for excellent slip resistance

Full lined COOLMAX® Comfortable stretchy fabric with Good moisture management and wicking performance

Padded comfort collar and tongue

Water Resistant Upper

Latex toe cap liner for added comfort
 Protection strip
 Wide fit Toe cap wider profile for greater comfort

COMFORT Impact Absorption System uses a combination of cellular urethane and PORON


Shock absorbing Polyurethane midsole

RockRooster Comfort Footbed enhances natural airflow

COMFORT TECHNOLOGY


NANO Technology

ROCKROOSTER Comfort system has a unique PU footbed for greater comfort. It massages your feet as you walk, promoting greater blood flow to help reduce fatigue



COMFORT Impact Absorption System

ROCKROOSTER Comfort system uses a combination of urethane and PORON performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption which help reduce foot, leg and back fatigue.



Wide fitting toecap

ROCKROOSTER's MR toecaps, licensed to AS/NZS 2210.3, ASTM-F2413, CSA Z195, EN12568, have a wide profile shape to suit your foot and padded with latex cushion liner to ensure comfort.



COOLMAX® TECHNOLOGY

Fabric made with COOLMAX® technology effectively moves perspiration away from the body and out through the fabric where it can evaporate quickly. COOLMAX® technology meets the most demanding standards for moisture management, breathability, and durability after laundering.



SOLING TECHNOLOGY

AC's Dual density Soling technology PU/RUBBER & PU/TPU

The dual density soling technology combines a soft shock absorbing foamed PU midsole with a high density hard wearing outsole, Rubber or TPU, designed for superior durability and abrasion resistance.

AC's outsole technology offers:

- Excellent slip resistance, rated SRC
- Superior resistance to abrasion and cutting
- Resistant to oil, acid and alkalies
- Anti-Static minimises the build up of electro-static activity and provides protection
- Against the risk of spark ignition hazards including flammable materials and gases
- Heat resistant to 300°C RUBBER / 140°C TPU



AC SERIES COMMON FOOTWEAR FEATURES



CORDERO AC-632

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 3-14



CABALLO AC-662

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 3-14

AC SERIES COMMON FOOTWEAR FEATURES



ABSA AC-622

- Water resistant suede leather
- Fully lined comfortable fabric with COOLMAX® technology
- Ankle-height elastic sided boot
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 3-14



LOKA AC-626

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Ankle-height elastic sided boot
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / TPU outsole
- Sizes 3-14



AC SERIES COMMON FOOTWEAR FEATURES



DECKER AC-833

- Water resistant barton leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Anti-puncture protection
- Anti-static PU midsole / PU outsole
- Sizes 3 - 14



KEMMERER AC-834

- Water resistant barton leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Anti-puncture protection
- Anti-static PU midsole / PU outsole
- Sizes 3 - 14

CERTIFIED PRODUCT



AUSTRALIA & NZ STANDARDS



YOUR WORK IS OUR WORK



In the 1980's, Tonghe Shoes commenced producing leather shoes which crafted with the calf leather for officers. After years of striving, the name, ROCKROOSTER, inspired from the hard and tough work, became the leading safety footwear brand for generations of workers and hikers by proving itself on the site and in the field.

Today, combined with the over 30-year legacy of leather boots, more than 10 years of work boots experience, results in building on its commitment to footwear producing for the modern workers and outdoor hikers.

By combining the best of ROCKROOSTER's work and safety essence, we provide a full line of footwear collection for the site. This complete line includes a wide range, featuring evidently in all details.

ROCKROOSTER is infused with the features that make the footwear most comfortable and the best choice for the job site.



KEEP YOUR FEET SAFE





ROCKROOSTER 20



AM.AU SERIES COMMON FOOTWEAR FEATURES



LORETTA AM-103

- Breathable flyknit woven upper
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Lightweight comfort with each stride
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12



LUTON AU-345

- Breathable KPU woven upper
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Flexible cushioning comfort
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12

AM.AU SERIES COMMON FOOTWEAR FEATURES



WILUNA AM-103

- Breathable flyknit woven upper
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Lightweight comfort with each stride
- Anti-static PU midsole / PU outsole
- Sizes 3-12




SWINDON AU-345

- Breathable KPU woven upper
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Flexible cushioning comfort
- Anti-static PU midsole / PU outsole
- Sizes 3-12



AM.AU SERIES COMMON FOOTWEAR FEATURES



ELURA AM-103

- Breathable flyknit woven upper
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Lightweight comfort with each stride
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12



GAYDON AU-345

- Breathable KPU woven upper
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Flexible cushioning comfort
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12

AM.AU SERIES COMMON FOOTWEAR FEATURES



SUNDERLAND AM-606

- Breathable suede leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Puncture resistant kevlar insole
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12



GUILDFORD AM-607

- Breathable suede leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Puncture resistant kevlar insole
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12



AM.AU SERIES COMMON FOOTWEAR FEATURES



LEYLAND AM-606

- Breathable suede leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Puncture resistant kevlar insole
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12



HALEWOOD AM-607

- Breathable suede leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Composite toecap
- Puncture resistant kevlar insole
- Anti-static PU midsole / PU outsole
- Sizes 3 - 12

AX SERIES

DUAL DENSITY PU EXECUTIVE FOOTWEAR



Dual Density Polyurethane Sole
lightweight, flexible and durable
Offers excellent slip resistance

Fully
breathable
lining

Shock absorbing
polyurethane
midssole

PORON Heel Impact
Absorption System

Contoured footbed

Latex toe cap liner for added comfort

COMPLIES WITH

AS/NZS 2210.3:2009
EN ISO 20345:2011
ASTM F2413-11

Protection strip


Premium full
grain leather

Wide profile Type
1 Toe Cap for
greater comfort

COMFORT TECHNOLOGY


NANO Technology

ROCKROOSTER Comfort system has a unique PU footbed for greater comfort. It massages your feet as you walk, promoting greater blood flow to help reduce fatigue



COMFORT Impact Absorption System

ROCKROOSTER Comfort system uses a combination of urethane and PORON performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption which help reduce foot, leg and back fatigue.



Wide fitting toecap

ROCKROOSTER's MR toecaps, licensed to AS/NZS 2210.3, ASTM-F2413, CSA Z195, EN12568, have a wide profile shape to suit your foot and padded with latex cushion liner to ensure comfort.



COOLMAX® TECHNOLOGY

Fabric made with COOLMAX® technology effectively moves perspiration away from the body and out through the fabric where it can evaporate quickly. COOLMAX® technology meets the most demanding standards for moisture management, breathability, and durability after laundering.



AX SERIES COMMON FOOTWEAR FEATURES





AX SERIES COMMON FOOTWEAR FEATURES



PIERRE AX-275

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / PU outsole
- Sizes 6-12



BAXTER AX-285

- Water resistant waxy full grain leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Anti-static PU midsole / PU outsole
- Sizes 6-12

APAT SERIES

CEMENT WELT FOOTWEAR



COMPLIES WITH 

AS/NZS 2210.3.2009
EN ISO 20345:2011
ASTM F2413-11

COMFORT Impact Absorption system with a combination of urethane and PORON

Full lined COOLMAX® Comfortable stretchy fabric with Good moisture management and wicking performance



Long wearing rubber outsole designed for superior grip and durability

Water resistant leather

Shock absorbing EVA midsole

Bevelled heel for excellent slip resistance

PU footbed for enhanced comfort and reduce odour

Carbon fiber support shank



Carbon fiber composite toecap

50% LIGHTER

Non-metallic

Non-conductive


Anti-hot & cold

Anti-corrosive

COMFORT TECHNOLOGY


NANO Technology

ROCKROOSTER Comfort system has a unique PU footbed for greater comfort. It massages your feet as you walk, promoting greater blood flow to help reduce fatigue



COMFORT Impact Absorption System

ROCKROOSTER Comfort system uses a combination of urethane and PORON performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption which help reduce foot, leg and back fatigue.



Wide fitting toecap

ROCKROOSTER's MR toecaps, licensed to AS/NZS 2210.3, ASTM-F2413, CSA Z195, EN12568, have a wide profile shape to suit your foot and padded with latex cushion liner to ensure comfort.



COOLMAX® TECHNOLOGY

Fabric made with COOLMAX® technology effectively moves perspiration away from the body and out through the fabric where it can evaporate quickly. COOLMAX® technology meets the most demanding standards for moisture management, breathability, and durability after laundering.



SOLING TECHNOLOGY

AP's Cement Welt Soling technology

The unique design combines cement construction for flexibility and lightweight with the welt construction for durability and strong which sure-footed stability and long-lasting performance.

AP's outsole technology offers:

- Heat resistant to 300°C
- Excellent slip resistance, rated SRC
- Superior resistance to abrasion and cutting
- Resistant to oil, acid and alkalies
- Electrical Hazard(EH)

Protection reduces hazard due to contact with electrically energized parts according to ASTM F2413



APAT SERIES COMMON FOOTWEAR FEATURES



PLUTON AP-230

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Steel toecap
- Comfort impact absorbing system
- Nitrile Rubber with goodyear welt construction
- Sizes 5-13



KELTON AP-230

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- Nitrile Rubber with cement welt construction
- Sizes 3-14

APAT SERIES COMMON FOOTWEAR FEATURES



PADDINGTON AP-268

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- Nitrile Rubber with cement construction
- Sizes 5-13



TOHONO AP-238

- Water resistant nubuck leather
- Fully lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Comfort impact absorbing system
- EVA & Nitrile Rubber with cement construction
- Sizes 3-12

CERTIFIED PRODUCT



AUSTRALIA & NZ STANDARDS



APAT SERIES COMMON FOOTWEAR FEATURES



DELLEKER AT-697

- Dark brown full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- Waterproof membrane system
- EH EVA & Rubber outsole cement
- Sizes US 7-14 Half size 7.5-11.5

**100%
METAL
FREE**



AVINGER AT-697

- Black full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- Waterproof membrane system
- EH EVA & Rubber outsole cement
- Sizes US 7-14 Half size 7.5-11.5

**100%
METAL
FREE**

CERTIFIED PRODUCT



AUSTRALIA & NZ STANDARDS



APAT SERIES COMMON FOOTWEAR FEATURES



Chester AT697

- Brown full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- Waterproof membrane system
- EH EVA & Rubber outsole cement
- Sizes US 7-14 Half size 7.5-11.5

**100%
METAL
FREE**



Tehama AP860

- Brown full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- Waterproof membrane system
- EH EVA & Rubber outsole cement
- Sizes US 7-14 Half size 7.5-11.5

**100%
METAL
FREE**

CERTIFIED PRODUCT



AUSTRALIA & NZ STANDARDS



APAT SERIES COMMON FOOTWEAR FEATURES



EDGEWOOD AP-828

- Brown full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- EH Dual density PU outsole with goodyear welt construction
- Sizes US 7-14 Half size 7.5-11.5



ROBERTA AP-615

- Brown full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- Soft plain toe
- EH Dual density PU outsole with goodyear welt construction
- Sizes US 7-14 Half size 7.5-11.5

CERTIFIED PRODUCT



AUSTRALIA & NZ STANDARDS



APAT SERIES COMMON FOOTWEAR FEATURES



BUTLER AT292

- Black full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- Waterproof membrane system
- EH EVA & Rubber outsole cement
- Sizes US 7-14 Half size 7.5-11.5

**100%
METAL
FREE**



JASPER AT292

- Brown full grain tumbled leather
- Lined comfortable fabric with COOLMAX® technology
- Padded collar and tongue
- 200J Carbon fiber composite toecap
- Anti-puncture protection
- Waterproof membrane system
- EH EVA & Rubber outsole cement
- Sizes US 7-14 Half size 7.5-11.5

**100%
METAL
FREE**

A must-have item for all fashion people

HOW TO STYLE CHELSEA BOOTS



ROCKROOSTER 35

PG SERIES

PG808 PU Wellington boots

PORTER




Carbon fiber composite toecap

- 50% LIGHTER
- Non-metallic
- Non-conductive
- Anti-hot & cold
- Anti-corrosive

COMFORT TECHNOLOGY


NANO Technology

ROCKROOSTER Comfort system has a unique PU footbed for greater comfort. It massages your feet as you walk, promoting greater blood flow to help reduce fatigue



COMFORT Impact Absorption System

ROCKROOSTER Comfort system uses a combination of urethane and PORON performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption which help reduce foot, leg and back fatigue.



Wide fitting toecap

ROCKROOSTER's MR toecaps, licensed to AS/NZS 2210.3, ASTM-F2413, CSA Z195, EN12568, have a wide profile shape to suit your foot and padded with latex cushion liner to ensure comfort.



Lightweight

This hard-wearing wellington boot is slip resistant, waterproof and much lighter than classic rubber or PVC wellingtons.



TECHNOLOGY

GP PU Wellington boots offer

- Carbon fiber composite toecap
- Kevlar puncture resistant midsole
- PU with PORON insole
- Excellent grip and durable outsole
- Slip resistant outsole materials and gases
- Resistant to oil, acid and alkalies
- According to EN ISO 20345 S5 SRC

KEVLAR PUNCTURE RESISTANT INSOLE

CF SERIES CHEF FOOTWEAR



- ▶ Good low temperature flexibility
- ▶ Excellent hand feeling
- ▶ Light weight
- ▶ Excellent anti-scraping properties
- ▶ Excellent mechanical properties
- ▶ Good flow abilities.

COLOUR OPTIONS

green

white

purple

blue



PVC clog with antistatic system in the sole.
100% without latex. Self-extinguish
Sterilizable at 140°C

YK SERIES

DUAL DENSITY PU FOOTWEAR



COLOUR OPTIONS

Black

Gray

Green

Yellow

Red

KOOLAN YK-208



**YX SERIES COMMON
FOOTWEAR FEATURES**



PVC and nitrile material
Rugged anti-slip outsole
Fiber antibacterial lining

ACCESSORIES





Sizes

Foot length is measured with the subject standing barefoot and the weight of the body equally distributed on both feet.

The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimetres.

The width of a foot (B) is also measured in mm.



Shoe lengths (A)

Mondopoint*	236	244	253	261	265	270	278	287	295	299	303	312	320	329	337
EUR	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
UK	3	4	5	6	6½	7	8	9	10	10½	11	12	13	14	15
USA	4	5	6	7	7½	8	9	10	11	11½	12	13	14	15	16

Shoe widths (B)

EUR	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
D*	85	87	89	91	93	95	97	99	101	104	106	108	110	112	114
E*	88	90	92	94	96	98	100	102	104	106	109	111	113	115	117
EE*	90	92	95	97	99	101	103	105	107	109	112	114	116	118	120
EEE*	93	95	97	99	102	104	106	108	110	112	114	117	120	123	126
EEEE*				102	105	107	109	111	113	115	117	120	122	124	126

* size in millimeters

D = 8 = Extra small, E = 9 = Small, EE = 10 = Normal, EEE = 11 = Wide, EEEE = 12 = Extra wide



KEEP YOUR FEET SAFE




ROCKROOSTER FOOTWEAR

 Unit 2, No.272-284 Frankston
Dandenong Rd Dandenong South,
VIC3175

 : +61 3 9846 1584

 : +61 4 5258 2538

 : +61 3 9846 1584

 : sale@rockrooster.com.au

 : www.rockrooster.com.au

